

1 lockers



2 shelvina



3 cupboards & work stations



4 mobilis shelvina



5 technic shelvina



6 cloakroom



7 cabinets

2

All Probe products are available from a wide network of authorised Probe dealers



MEETS BS 4875-7: 2006 PART 7 AND BS 4875-8: 1998 PART 8



PROBE

shelvina

2



Jalema Eas-e-file
see page 7 for details



mobilis mobile shelving system

This premium Medium Duty Mobile Shelving System from Probe offers the highest quality track, mechanism and base. It will accommodate Probe's Mistral shelving system and create up to 100% more storage space in your existing archive area.

FOR FULL DETAILS SEE THE PROBE MOBILE BROCHURE



MÖBILIS MOBILE SHELVING

A freestanding mobile shelving system, **no drilling, no fixing down, no messy ground or civil works.** It will not damage or disturb your carpet or floor covering in any way.

PROBE

www.probe-manufacture.co.uk


2

ACTIVECOAT[®]
anti-bacterial technology

99.9% REDUCTION OF MRSA, E-COLI & BACTERIA
Antimicrobial efficiency will continue for the life of the coating.

3


mistral TRUE DELTA



SMOKE WHITE AC+IVECOAT[®]
The new hard wearing, anti-bacterial powder coating exclusively from Probe.

SHELVES
A quick and simple system to build with shelves being clipped in place.

TRUE DELTA EDGE
This, slim, True Delta Edge adds style and strength to this high quality shelving system.



maximum bay loading 500kg
dependent on specification
pictured: single bay

A STYLISH SOLUTION
Available in three heights, six depths and with a range of special use shelves and accessories, you are sure to find what you are looking for.


stylish

3 HEIGHT OPTIONS
Uprights available in 3 heights and six depths.

SHELF OPTIONS
A range of shelves are available to suit your needs, including pull out shelves and filing cradles & frames.

DECOR END PANELS
Add the finishing touch to this stylish system with these neat decor end panels.


DOOR & FRAME SETS
These convenient door sets allow an added security feature to this universal system. Available in 1880mm & 2230mm high and 1000mm wide. Pull out shelves are not compatible with Door & Frame Sets.



BAY DIMENSIONS

Height (mm)	Widths (mm)		Depths (mm)					
	Sidewalls	Shelf	250	300	350	400	450	600
1880	}	750
2230		900
2580		1000

Individual shelf loading of 80kgs UDL.




SHELF ADJUSTMENT
Shelves can be raised or lowered by 25mm increments making this system extremely versatile.


bay bracing requirements
maximum bay loading 500kg
dependent on specification

BAYS AERIAL VIEW


WITHOUT CLADDING



□ This system does not need bracing if fully clad.



SIDEWALLS
Mistral sidewalls blend strength with appearance through innovative design and manufacture.



DECOR END PANELS
Mistral offers an optional Decor End Panel to add that finishing touch to this attractive system.

MISTRAL
CONTINUED

PROBE

www.probe-manufacture.co.uk

4

ACTIVECOAT[®]
anti-bacterial technology

99.9% REDUCTION OF MRSA, E-COLI & BACTERIA
Antimicrobial efficiency will continue for the life of the coating.

5

mistral true delta



MISTRAL

This is a stylish shelving system which offers a wide range of accessories making it a flexible and affordable option for all your storage needs.



3 HEIGHT OPTIONS

A range of heights and depths are available to suit your needs.

SHELF OPTIONS

A wide range of shelf sizes and special use shelves have been made available to suit your needs.

DOOR SET

These convenient door sets allow secure storage of valuable items within this affordable system.

TRUE DELTA

These True Delta uprights give this system a stylish appearance while adding strength.

exclusive Jalema filing system

JALEMA EAS-E-FILE FILING SYSTEM

Probe have teamed up with Jalema, the number one filing solutions provider in Holland, to offer the unique **Eas-e-file** filing system. Start saving now...

- Reduce filing times by over 40%
- Save up to 70% of floor space
- Significantly reduce file retrieval times
- Can accommodate many media types




Pictured installed in Probe's mobile shelving system. Also available for freestanding bays.



www.jalema.com




accessories




COMMERCIAL SHELF

To complement this system, a wide range of shelf options have been made available to suit your needs.



LATERAL RAIL

This Lateral Rail allows for the economical storage of hanging files and is available in two depths: 350mm & 400mm UDL 40Kg



PULL OUT CRADLE*

This Pull Out Cradle is designed to give easy access to stored hanging files and is available in two depths: 350mm & 400mm UDL 40Kg

*Pull out shelves are not compatible with Door & Frame Sets.

accessories




PULL OUT SHELF*

These Pull Out Shelves offer quick and convenient access to many items. UDL 40Kg



DIVIDERS

A large range of Full and Part height Dividers are available, see price guide for all options.



JALEMA EAS-E-FILE

A unique filing system that saves time and money.



DOOR SETS*

These convenient door sets allow an added security feature to this universal system. Available in 1880mm & 2230mm high and 1M wide.


*Pull out shelves are not compatible with Door & Frame Sets.



www.probe-manufacture.co.uk



99.9% REDUCTION OF MRSA, E-COLI & BACTERIA
Antimicrobial efficiency will continue for the life of the coating.



ACTIVECOAT®
The new hard wearing, anti-bacterial powder coating exclusively from Probe.

SHELF CHOICE
A wide range of shelves are available to adapt this system to your individual needs.

UPRIGHTS
This versatile system includes single & double sided floorstanding uprights and wall mounted uprights.

REMOVABLE BACKSTOP
These clear plastic backstops can be easily removed if required.

maximum bay loading 500kg
dependent on specification
pictured: double sided bay

UPRIGHTS
These uprights allow for quick and easy adjustment of shelves in increments of 25mm.



For your piece of mind, Probe Technic Shelving has passed the following British Standards for strength and rigidity:
BS 4875-7: 2006 PART 7 & BS 4875-8: 1998 PART 8

options

SINGLE SIDED BAYS pictured right

Height (mm) Uprights	Widths (mm) Shelf
1200	750
1500	
1800	900
2100	
2300	

DOUBLE SIDED BAYS pictured left

Height (mm) Uprights	Widths (mm) Shelf
1200	750
1500	
1800	900
2100	
2300	





WALL MOUNTED BAYS pictured right

Height (mm) Uprights	Widths (mm) Shelf
1030	750
1380	
1680	900
2030	
2300	

maximum bay loading 500kg
dependent on specification

MAXIMUM SHELF LOADING (UNIFORMLY DISTRIBUTED)		
SHELF	SIZE(mm)	UDL
Flush/Canopy Shelf	750 x 250	65kg
	750 x 300	65kg
	900 x 250	65kg
	900 x 300	65kg
Display Shelf	750	65kg
	900	65kg
Tape Cassette or CD/DVD Shelf	900	65kg
Video Shelf	900	65kg
Display & Storage Shelf	900 x 350	65kg
Standard Shelf	750 x 250	65kg
	750 x 300	65kg
	900 x 250	65kg
	900 x 300	65kg

□ **DOUBLE SIDED BAY**
Pictured with shelves on one side only



TECHNIC CONTINUED

technic library shelving

TECHNIC SHELVING

This versatile shelving system offers a wide range of specialist shelves and accessories to suit your business. Technic Library can be quickly adapted to meet your changing needs.



AVAILABLE COLOURS FOR TECHNIC SHELVING

All Technic units are powder coated with **ACTIVECOAT**™ exclusive to Probe.



□ SINGLE SIDED BAYS
WALL MOUNTED OPTION

5 HEIGHT OPTIONS
Available in five heights 1200, 1500, 1800, 2100 & 2300mm and two depths 250 & 300mm. Note: Wall mounted available in different heights, see technical page.

SHELF OPTIONS
A wide range of shelf options has been made available to suit your needs.

A STYLISH SYSTEM
A stylish system well suited to your office environment.

QUICK BUILD
This versatile shelving system is quick and easy to construct, saving down time and minimising disturbance.

For your piece of mind, Probe Technic Shelving has passed the following British Standards for strength and rigidity:
BS 4875-7: 2006 PART 7 & BS 4875-8: 1998 PART 8

□ DOUBLE SIDED BAYS




□ SINGLE SIDED BAYS WALL MOUNTED OPTION



FEATURES & BENEFITS

- Full range of optional accessories
- Adjustable feet (except wall & wheel mounted units)
- Elegant and sturdy construction
- A quick and easy to build system
- Available in a wide range of colours

accessories



STANDARD SHELF
A wide range of shelf options are available to suit your needs. Standard shelf comes with clear plastic back stop. Pictured with optional plastic Under Shelf Divider.



DISPLAY SHELF
Display documents, brochures and products. UDL 65Kg



DISPLAY & STORAGE SHELF
This shelf is similar to the display shelf with the added facility to store a number of displayed items. UDL 65Kg


accessories



TAPE/VIDEO CASSETTE OR CD/DVD SHELF
UDL 65Kg



FLUSH/CANOPY SHELF
Used at the top of this system to maximise storage space. UDL 65Kg



CASTORS
Castor sets are available enabling the shelving to be moved easily.




www.probe-manufacture.co.uk



99.9% REDUCTION OF MRSA, E-COLI & BACTERIA
Antimicrobial efficiency will continue for the life of the coating.

industrial angle

strength




maximum bay loading 6800kg
dependent on specification

pictured: single bay

DOVE GREY AC+IVECOAT®
The new hard wearing, anti-bacterial powder coating exclusively from Probe.

ANGLE POST
This universal system offers maximum strength for heavy industrial applications.



HEAVY DUTY SHELVES
Both Commercial and British Standard shelves are available in many widths and depths for maximum flexibility.

BS:826 MANUFACTURED
Manufactured in accordance with BS:826:1955

compatible



HEIGHT OPTIONS
Available in a wide range of heights and depths.

SHELF OPTIONS
A wide range of shelf sizes have been made available to suit your needs.

DOOR & FRAME SETS
These convenient door sets offer an added security feature to this universal system. Available in 75" & 87" high and 36" wide.

SHELF ADJUSTMENT
Shelves can be raised or lowered by 1" (25.4mm) increments making this system extremely versatile.

SHELF CLIPS
Shelves may be seated on clips for ease of adjustment but maximum shelf loading is reduced. Specific shelves still need to be bolted, refer to technical department for specification.




BAY DIMENSIONS

Height (inch)	Widths (inch)	Depths (inch)					
		12	15	18	24	30	36
39	24
51	
63	30
75	
87	42
99	
111	48
123	
	1M


Individual shelf loadings from 115-204kg UDL

bay bracing requirements
maximum bay loading 6800kg
dependent on specification


BAYS REAR VIEW WITHOUT REAR CLADDING



BAYS AERIAL VIEW WITHOUT CLADDING



BAYS AERIAL VIEW WITH BACK CLADDING ONLY



☐ This system does not need bracing if fully clad.

INDUSTRIAL ANGLE
CONTINUED

industrial angle

INDUSTRIAL ANGLE

This shelving system offers maximum strength and flexibility. It also offers our widest range of sizes to accommodate your space and is fully compatible with any similar, third party, BSS systems you may already have.



HEIGHTS TO SUIT
Available in many standard heights and may be supplied cut to your own specification. These uprights come in two strengths, Heavy Duty and Ultra-Heavy Duty.

HEAVY DUTY SHELVES
Both Commercial and British Standard shelves are available in many widths and depths for maximum flexibility.

DOOR SET
These convenient door sets allow secure storage of valuable items within this universal system.

FEATURES & BENEFITS


- Extremely strong construction.
- Fully compatible with all similar, third party, BSS systems.
- **AC+IVECOAT®**
Probe's new hard wearing, anti-bacterial, powder coating greatly improves levels of hygiene in your environment.




FEATURES & BENEFITS

- Quality engineered to provide a shelving system that will give many years of service.
- A large range of optional accessories to accommodate your specific needs.


accessories



BRITISH STANDARD SHELF
To complement this system, a wide range of heavy duty shelf options has been made available to suit your needs.




COMMERCIAL SHELF
To further increase the flexibility of this popular system a lighter duty, economical, shelf has been added for those applications where ultimate strength is not required.




PART HEIGHT SHELF DIVIDER
These dividers are designed for easily creating individual part height compartments on shelves.


accessories



SHELF DIVIDER
These dividers are perfect for creating individual compartments on shelves and are available in a range of depths and heights.



RETAINING BIN FRONT AND PLINTH
Retaining Bin Fronts are easily fixed to shelves preventing items rolling off. Plinths fit to bottom of bay preventing items rolling under.



DOOR SETS
These convenient door sets allow an added security feature to this universal system. Available in 75" & 87" high and 36" wide.




www.probe-manufacture.co.uk



99.9% REDUCTION OF MRSA, E-COLI & BACTERIA
Antimicrobial efficiency will continue for the life of the coating.


rolled edge



DOVE GREY ACTIVECOAT™
The new hard wearing, anti-bacterial powder coating exclusively from Probe.

SHELVES
Both Commercial and British Standard shelves are available in many widths and depths for maximum flexibility.

SLIM VERTICAL EDGE
This, slim, rolled edge allows maximum shelf width to be used while adding strength to this system.



maximum bay loading 500kg
dependent on specification
pictured: single bay

ROLLED EDGE UPRIGHTS
Available in three heights 75", 87" & 99" and four depths 12", 15", 18" & 24".
Note: 99" not available in 24" depth.


Practical

3 HEIGHT OPTIONS
75" 87" and 99" uprights in a choice of depths.

4 SHELF DEPTHS & 6 WIDTHS
A wide range of shelf options have been made available to suit your needs. Not all depths are available with all widths, see price guide for a comprehensive list.

SPECIAL USE SHELVES
See the next page for the full range of pull out and filing shelves.

DOOR & FRAME SETS
These convenient door sets allow an added security feature to this universal system. Available in 75" & 87" high and 36" wide.



BAY DIMENSIONS

Height (inch) Sidewalls	Widths Shelf	Depths (inch)			
		12	15	18	24
75	24"	•	•	•	•
	30"	•	•	•	•
87	36"	•	•	•	•
	1M	•	•	•	•
99	42"	•	•	•	•
	48"	•	•	•	•

Individual fixed shelf loadings **90-205kgs UDL**
See price list for individual shelf loadings.

PULL OUT SHELVES

Height (mm) Sidewalls	Widths (mm) Shelf	Depths (mm)	
		15"	18"
75	36"	•	•
		•	•
87	36"	•	•
99		•	•

Individual shelf loading of 40kgs UDL.

PULL OUT FILE CRADLE


Height (mm) Sidewalls	Widths (mm) Shelf	Depths (mm)	
		15"	18"
75	36"	•	•
		•	•
87	36"	•	•
99		•	•

Individual cradle loading of 40kgs UDL.

LATERAL FILING FRAME

Height (mm) Sidewalls	Widths (mm) Shelf	Depths (mm)	
		15"	18"
75	36"	•	•
		•	•
87	36"	•	•
99		•	•

Individual filing frame loading of 40kgs UDL.



SLIM VERTICAL EDGE
Slim Vertical Edge rolled for added strength and style. Pictured with optional Decor End Panels to finish off bay ends neatly.


SHELF ADJUSTMENT
Shelves can be raised or lowered by 1" (25.4mm) increments making this system extremely versatile.

SHELF CLIPS
Shelves may be seated on clips for ease of adjustment but maximum shelf loading is reduced. Specific shelves still need to be bolted, refer to technical department for specification.

bay bracing requirements

maximum bay loading 500kg
dependent on specification

BAYS AERIAL VIEW WITHOUT CLADDING **BAY REAR VIEW**



□ This system does not need bracing if fully clad.

ROLLED EDGE
CONTINUED

ROLLED EDGE

This neat shelving system with its Slim Vertical Edge gives increased access to shelves and is fully compatible with all, third party, rolled edge shelving systems.



3 HEIGHT OPTIONS

Available in three heights 75", 87" & 99" and four depths 12", 15", 18" & 24". Note: 99" not available in 24" depth.

4 SHELF DEPTHS AND 6 WIDTHS

A wide range of shelf options have been made available to suit your needs.

Not all depths are available with all widths, see price guide for a comprehensive list.

DOOR SET

These convenient door sets allow secure storage of valuable items within this universal system.

SLIM VERTICAL EDGE

This, slim, rolled edge allows increased access to shelves and gives added strength to this neat system.

FEATURES & BENEFITS


- Slim Vertical Edge giving increased access to shelves.
- Fully compatible with all, third party, rolled edge shelving systems.
- Shelves may be clipped for quick and easy assembly or bolted for added strength.



FEATURES & BENEFITS


- Quality engineered to provide a sturdy and robust shelving system that will give many years of service.
- **AC+IVECOAT**[®]
Probe's new hard wearing, anti-bacterial, powder coating greatly improves levels of hygiene in your environment.

accessories




SHELVES

To complement this system, a wide range of shelf options have been made available to suit your needs.



PULL OUT SHELF


These Pull Out Shelves offer quick and convenient access to many items. UDL 40Kg



PULL OUT CRADLE


This Pull Out Cradle is designed to give easy access to stored hanging files and is available in two depths: 15" & 18" UDL 40Kg

accessories




LATERAL RAIL

This Lateral Rail allows for the economical storage of hanging files and is available in two depths: 15" & 18" UDL 40Kg



DIVIDERS

A large range of Full and Part height Dividers are available, see price guide for all options.



DOOR SETS

These convenient door sets allow an added security feature to this universal system. Available in 75" & 87" high and 36" wide.