





LAUNDRY CHUTE TECHNICAL SPECIFICATIONS




UNIVERSAL PARTS

WALL BRACKET FOR 300 CHUTE



WALL BRACKET FOR 400 CHUTE




SURFACE MOUNTED DOORS - 30 minute fire rating

TYPICAL KITS




SURFACE MOUNTED DOORS - 60 minute fire rating


372MM x 372MM DOOR FOR 300 CHUTE



FRONT VIEW




FRONT VIEW DOOR OPEN




SECTION A-A


472MM x 472MM DOOR FOR 400 CHUTE



FRONT VIEW



FRONT VIEW DOOR OPEN



SECTION A-A

PART	COLOUR	300MM	400MM
1 hour fre UK rated surface mounted door	White	LS300SD	LS400SD


TYPICAL LAUNDRY CHUTE DOOR EXAMPLES




BENDS

45 BEND

300 CHUTE




400 CHUTE




90 BEND

300 CHUTE




400 CHUTE



BRAND:-	LAUNDRYSHOOT		PYTHON	
PART	300MM	400MM	300MM	400MM
90 BEND	LS30090	LS40090	PY30090	PY40090
45 BEND	LS30045	LS40045	PY30045	PY40045

PIPES - STRAIGHT


300 CHUTE



1000MM PIPE

500MM PIPE

400 CHUTE




1000MM PIPE

500MM PIPE

BRAND:-	LAUNDRYSHOOT		PYTHON	
PART	300MM	400MM	300MM	400MM
1000MM	LS30010	LS40010	PY30010	PY40010
500MM	LS3005	LS4005	PY3005	PY4005

PIPES - PUSH IN Flexible option allows the pipes to slide up and down for accurate overall pipe length


300 CHUTE



1000MM PIPE

500MM PIPE

400 CHUTE




1000MM PIPE

500MM PIPE


BRAND:-	LAUNDRYSHOOT		PYTHON	
PART	300MM	400MM	300MM	400MM
1000MM	LS300F1	LS400F1	PY300F1	PY400F1
500MM	LS300F5	LS400F5	PY300F5	PY400F5

T-PIECE & EXTENDED T-PIECE

300 CHUTE




T-PIECE




EXTENDED T-PIECE

400 CHUTE



T-PIECE



EXTENDED T-PIECE

BRAND:-	LAUNDRYSHOOT		PYTHON	
PART	300MM	400MM	300MM	400MM
T-PIECE	LS300TP	LS400TP	PY300TP	PY400TP
EXTENDED T-PIECE	LS300ET	LS400ET	PY300ET	PY400ET

ALTERNATIVE FIRE RETARTANT FLEXIBLE CHUTE





SMARTCHUTE
MANAGE LAUNDRY SMARTER.


The simplest fitting laundry chutes available on the market
Find out more at www.laundrychutes.co.uk

1  Cut hole

2  Install casing

3  Fit chute

4  Secure door



- + 300mm diameter
- + 2m long
- + Super strong, tear resistant, smooth interior, steel reinforcement on exterior of chute
- + 60 minute UK fire rated door with handle and lock



SMARTCHUTE
MANAGE LAUNDRY SMARTER.