


# watco®

SPECIAL  
EDITION



## SPECIAL USE COATINGS

Specifically formulated for the most demanding industrial environments.



## High performance coatings with a unique edge...

The pinnacle of paint technology, scientifically formulated for the most demanding of applications. If your project offers particular challenges, talk to us about our innovative products which offer solutions where others cannot.

Environments and surfaces we can help with:

- Powerfloated surfaces
- Areas subject to movement and vibration
- Low and sub-zero temperatures
- Chemical and acid protection
- Areas that require a hygienic formulation
- Rapid curing for areas that need to be put back into use quickly
- Areas subject to water or damp

## Easy ordering



01483 418 418



sales@watco.co.uk



watco.co.uk



**Watco app**

Available to download on the App Store or Google Play.



# No job is too tough. Specialist products engineered for specialist performance.

We've re-written the rule book to bring you unique formulations that do things other products don't. Our use of new technologies and materials have changed the face of floors. Extreme strength repair materials, new generation polyaspartic resins and uniquely combined formulations to solve the most demanding flooring problems.

If it's got Watco on the tin, you know you'll get a result that is long lasting, hard wearing and gives an exceptional finish, even in the toughest of environments.



See our full range of specialist flooring products at [watco.co.uk](http://watco.co.uk) or scan the QR code.



# POWERFLOATED SURFACES

Smooth powerfloated or polished concrete famously rejects sealers and paint. The hard, dense surface prevents coatings from penetrating and adhering. The conventional way to avoid this is to vacuum shot blast the surface to texture it to the point where the paint or sealer could penetrate and adhere. The problem with this is that not only is it an expensive solution but the attractive, smooth surface is lost forever.

## Our solution

Our chemists have developed a range which has been tried and tested on thousands of square meters of powerfloated concrete.



### Powerfloat Primer

Allows smooth concrete to be painted without mechanical preparation.

+ 5L - £116.75 (excl. VAT)

[SHOP NOW](#)



### Powerfloat Primer Rapid

Primes hard, smooth surfaces ready for painting. Rapid curing formulation.

**Coverage:** Approx. 30m<sup>2</sup> per 5L  
One coat usually required

+ 5L £129.00 (excl. VAT)

[SHOP NOW](#)



### Powerfloat Sealer

Specially formulated for sealing smooth, powerfloated concrete.

**Coverage:** Approx. 30m<sup>2</sup> per 5L  
One coat usually required  
**Curing Time:** 16 hours at 15°C-20°C

+ 5L Gloss £116.75 (excl. VAT)

+ 5L Matt £116.75 (excl. VAT)

[SHOP NOW](#)



### Powerfloat Sealer Anti Slip

Anti slip formulation for sealing smooth, powerfloated concrete.

**Coverage:** Approx. 30m<sup>2</sup> per 5L  
One coat usually required  
**Curing Time:** 16 hours at 15°C-20°C

+ 5L Gloss £129.00 (excl. VAT)

+ 5L Matt £129.00 (excl. VAT)

[SHOP NOW](#)



For more information scan the QR code or view the full Powerfloat range at [watco.co.uk/our-brands/watco-specialist-range#adhesion](https://www.watco.co.uk/our-brands/watco-specialist-range#adhesion)

# FLEXIBLE FORMULATIONS

For areas that are subject to movement or vibration.



Our range of flexible products includes solutions for crack and joint repairs, flexible mortar for repairing holes and trip hazards in concrete floors and smooth or anti slip, flexible, two part polyurethane coatings that won't split or crack.



### Watco Flexicoat

A flexible coating for floors subject to vibration and movement.

Coverage: 20m<sup>2</sup> per 2.5L  
Curing time: 12 hours at 15°C

+ 5L £151.70 (excl. VAT)

[SHOP NOW](#)



### Watco Concrex Flex

Impact and crack resistant floor repair with inbuilt flexibility to resist vibration and movement. Concrex Flex also has excellent chemical resistance and cures quickly allowing the floor to be put back into use.

+ 10kg £121.65 (excl. VAT)

[SHOP NOW](#)

### Watco Flexible Joint Repair

For repairing broken expansion joints quickly and easily. A flexible polyurethane mortar that fills and repairs joints and broken joint edges in one step, ready for use in 8-12 hours.

+ 2.5L £104.45 (excl. VAT)

[SHOP NOW](#)



# FREEZING TEMPERATURES

Maintenance is important all year round regardless of the temperature or conditions. Whether it's due to freezing temperatures or unheated areas such as cold storage areas or walk-in freezers, it's vital to use a specialist formulation for proper curing and to ensure the coating continues to perform well.

Epoxy resin products have been formulated to cure in cold conditions, at around 5°C.

But, concrete surfaces are usually around 8°C lower than the air temperature, so even a cold curing epoxy mortar or coating would not dry as needed.

Our Specialist range uses the latest polyaspartic resins to provide significant advantages over standard epoxies including the ability to dry at very cold and sub-zero temperatures, as low as minus 20°C.



## Cold Set Coating

A high performance coating that can be applied at minus 10°C.

+ 2.5L £151.70 (excl. VAT)

SHOP NOW



## Safety Coat Cold Cure

Make slippery floors safe during the winter months.

+ 2.5L £157.05 (excl. VAT)

SHOP NOW



## Flowpatch® Sub Zero

Fast and strong repairs for heavy wear areas in minus 20°C.

+ 10kg £89.85 (excl. VAT)

+ 25kg £223.75 (excl. VAT)

SHOP NOW



## Concrex® Sub Zero

For essential repairs during the winter months.

+ 10kg £146.20 (excl. VAT)

SHOP NOW

# ULTRA RAPID CURING

If operational pressures mean a floor cannot be out of action for long while maintenance takes place, a fast drying formulation is essential. Our specialist rapid drying coatings have changed the face of floor maintenance. Polyaspartic resin products are cutting edge and out-perform epoxy resins in a number of respects.

The coatings can be recoated in as little as 4 hours and are ready for traffic in 6 hours. This means 2 coats can be applied in 1 day and be ready for use the next. Abrasion, scratch and UV resistance are all also superior.

Using Watco Fastcoat can also reduce labour costs. If a conventional coating is applied on Saturday and the second coat on a Sunday, substitute this for Watco Fastcoat and both coats can be applied comfortably on the Saturday.

“You’ve given me my Sunday’s back!”

To quote one regular Watco customer



## Features

- ✓ Exceptionally fast curing
- ✓ Minimise downtime
- ✓ A second coat in two hours saves time and costs
- ✓ Two part polyaspartic technology
- ✓ Excellent chemical and UV resistance



### Fastcoat Anti Slip

The fastest drying anti slip coating you can buy.

+ 2.5L £157.05 (excl. VAT)

[SHOP NOW](#)

Watco Fastcoat + 2.5L £151.70 (excl. VAT)

[SHOP NOW](#)



For more information about Fastcoat scan the QR code or visit [watco.co.uk/products/watco-fastcoat](https://www.watco.co.uk/products/watco-fastcoat)

# CHEMICAL RESISTANCE

With any Watco floor coating you will get a good level of resistance to everyday chemicals and cleaners, but we've taken things to the next level. Our specialist chemical resistant formulations have been engineered to stand tough in the most challenging industrial environments.

For example, Watco Bund Sealer makes compliance with chemical storage regulations easy. Top specification resins are combined with glass flake to offer unbeatable protection against spillages.

## Chemi-Coat & Chemi Coat Acid Strength

A high build epoxy resin with excellent chemical resistance. Use Chemi-Coat acid strength for exceptional resistance to concentrated acid spills.

- + Original 4L £207.80 (excl. VAT)
- + Acid Strength 4L £235.30 (excl. VAT)

[SHOP NOW](#)



## Bund Sealer

Watco Bund Sealer is a two part, thick epoxy resin, one coat is generally enough to achieve a waterproof seal that is highly chemical resistant.

- + 4L £221.05 (excl. VAT)

[SHOP NOW](#)



## Resiflow Chemical Grade

A chemically resistant thick supergloss for production areas, clean rooms & plant areas. This one coat, high build, self-levelling epoxy resin finish, leaves a smooth, exceptionally high gloss surface.

- + 20kg £232.15 (excl. VAT)

[SHOP NOW](#)



## Concrex Acid Strength

Permanent repairs for acid damaged concrete floors. Concrex Acid Strength has been developed to give outstanding chemical resistance, even against 95% sulphuric acid.

- + 10kg £146.20 (excl. VAT)

[SHOP NOW](#)



For more information scan the QR code or view the full chemical resistant range at [watco.co.uk/our-brands/watco-specialist-range#chemical](https://www.watco.co.uk/our-brands/watco-specialist-range#chemical)

# FOOD SAFE



Hygienic and food safe paints or coatings are essential for areas where food products may come into contact with painted surfaces, such as commercial kitchens, food production plants or packaging and storage areas.

Our Food Safe Coating complies with the EN71/3 Food Taint Test, uses silver ion technology for a hygienic finish and cures in temperatures as low as minus 10°C.

#### Watco Food Safe Coating

A smooth finish coating, certified for use in food storage areas.

**Coverage:** 25m<sup>2</sup> per 2.5L per coat  
**Curing time:** 6 hours at 20°C

+ 2.5L £151.70 (excl. VAT)

[SHOP NOW](#)



#### Watco Safety Coat Food Safe

Provides an anti slip surface certified for use in food storage areas.

+ 2.5L £221.05 (excl. VAT)

[SHOP NOW](#)



For more information scan the QR code or visit [watco.co.uk/our-brands/watco-specialist-range#hygienic](https://www.watco.co.uk/our-brands/watco-specialist-range#hygienic)

## What's the EN71/3 Food Taint Test?



The Food Taint Test determines whether a coating has the potential to taint food after it has cured.

Trained technicians are used to taste chocolate which has been in contact with a coating against similar chocolate which has not. Both lots of chocolate are left in a sealed unit for 24 hours before given to 30 specialist 'sensory tasters'.

If there is any hint of contamination, it's automatically a fail, but if the 'tasters' can't detect any change in the chocolate whatsoever, then it's a pass.



# WATER & DAMP PROOFING



Damp, water ingress and spillages can cause widespread damage and potentially complex repairs.

Our water and damp proofing products provide easy to use solutions for a range of problems including tackling rising damp, protecting chemical storage areas from spills and waterproofing specialist plant rooms.



## Epoxy Damp Proof Membrane

Epoxy Damp Proof Membrane can be used on new or old concrete and sand and cement floors to hold back damp. If a DPM has failed or perhaps was never installed in the first place, the features of this product will effectively suppress vapour and hold back damp.

+ 8kg £173.35 (excl. VAT)

[SHOP NOW](#)



## New Concrete Primer

New Concrete Primer will tolerate up to 98% RH. Watco New Concrete Primer can be overcoated with most types of floor paint after approximately 16 hours. The special formulation encourages penetration and good adhesion, and the flow control agents help resist air pinholes forming.

+ 8kg £173.35 (excl. VAT)

[SHOP NOW](#)



## Bund Sealer

Watco Bund Sealer is a two part, thick epoxy resin, one coat is generally enough to achieve a waterproof seal that is highly chemical resistant. New easier to apply formula with glass reinforcement for even greater resistance to chemical attack.

+ 4L £221.05 (excl. VAT)

[SHOP NOW](#)



## Plant Room Coating

Watco Plant Room Coating is a high build, matt, lightly textured coating which provides seamless, flexible protection, filling and bridging joints and cracks. Water or chemicals from a burst pipe could cause damage if it seeps through joints or cracks to rooms beneath.

+ 25kg £155.65 (excl. VAT)

[SHOP NOW](#)



If it's got **watco**® on the tin, you can be sure it's like no other product you can buy. Easy to use, consistently reliable and backed-up by unrivalled knowledge and service.



### VISIT OUR WEBSITE

When it comes to protecting people from slips and trips in your premises, or even outside, prevention is the best approach. If you would like further information on how maintain a safe environment, please visit the "Help & Advice" section on our website.

[GO TO WEBSITE](#)



### SPEAK TO AN EXPERT

Contact our expert advisors using the details below:

Email: [sales@watco.co.uk](mailto:sales@watco.co.uk)

Telephone: 01483 418 418

Live Chat: [watco.co.uk](https://www.watco.co.uk)

Watco UK Ltd,  
Eastgate Court,  
195-105 High Street,  
Guildford, Surrey  
GU1 3AW

[CALL AN EXPERT](#)



### DOWNLOAD THE APP

You can also download the Watco App for instant help and support on the go, including live chats and video calls with our technical advisors, easy and instant quote management, and even virtual site visits.

[DOWNLOAD APP](#)