

Contents

Lion Paw Shoe Castors.....	Pages 1 to 9
Foliate Shoe Castors.....	Pages 10 to 21
Reeded Shoe Castors.....	Pages 22 to 26
Plain Shoe Castors.....	Pages 27 to 42
Square Cup Castors with Flange.....	Pages 43 to 52
Square Cup Castors-Sheer Sided.....	Pages 53 to 55
Round Cup Castors with Flange.....	Pages 56 to 66
Round Cup Castors-Sheer Sided.....	Pages 67 to 68
Round Cup Castors, Roll Top & Decorative.....	Pages 69 to 77
Slanted Cup Castors.....	Pages 78 to 80
Round Plate Castors.....	Pages 81 to 88
Square Plate Castors.....	Pages 89 to 91
Miscellaneous Forks and Wheels.....	Pages 92 to 99
Leg Collars.....	Pages 100 to 102
Wheel Dimensions Chart.....	Page 103 to 105

INTRODUCTION AND INFORMATION

Welcome to the revised Castor Supplement. For the first time we have used photographs rather than line drawings and, as far as is possible with three dimensional objects, we have tried to illustrate the castors at their exact size. We have also supplied useful measurements in millimetres and inches (see diagrams opposite). The pages of this catalogue mainly show castors complete with all three parts. When, for some reason, we have no mould for forks or wheels to go with a particular “bucket” or “shoe”, we have shown the most compatible ones that we have in mould. You’ll find towards the end of the catalogue various forks, wheels and collars, followed by an index of brass and ceramic wheel sizes. All this is to help with matching broken or missing parts of your castors.

WARNING

Mixing parts from different castors to compose a new one is not a good idea. **THEY ARE JUST NOT LEGO.** Axle sizes, borings and construction designs are as varied with our castors as they are with the originals from which they are exactly copied. Mongrel castors are often difficult or impossible to assemble, as well as being bad in terms of authenticity and engineering.

HEIGHT

It is often a mistake to increase the height of a table or chair **just** by using a high castor: it is better to replace, or add, wood and then use a castor suitable in style and scale to the age of the piece of furniture.

WEIGHT

Our castors are no stonger than the 18th and 19th century castors from which they are directly copied. Under great stress and weight the old ones break - so do ours. If there is a thicker and stonger option in the right style, it pays to go for it.


TIMING AND PRICES

Castors with numbers with a prfix “X” are in the Main Catalogue (under a different number) and are usually available at short notice. Otherwise, we aim to supply you with what you order within 4 weeks, but this cannot be guaranteed. **As non Main Catalogue castors will be made specially for you, we will not automatically refund your money if they are returned to us as unsuitable for your purpose. If you have any doubt, please ask for a returnable sample before confirming your order.** Prices are those printed in our price list subject to any percentage increase that we have advised. Any other particular change in price will be notified at the time of your order and we will not proceed without your agreement. In the price list, castors for which we have all three parts are priced per part **and** as complete assembled castors. In other cases assembly charges will vary according to the complexity of the assembly. There are a few castors with numbers exceeding 6000 which are not listed in the price list. Please apply to us for these prices.

RIGHT TO REFUSE

Unfortunately, some of the items illustrated can only be made with great difficulty. We reserve the right to refuse quantity orders when this is so. Similarly, we may refuse to make mongrel castors.


NOTES ON MEASUREMENTS GIVEN




A - B An idea of the overall height of the castor can be gained by taking lines across the top of the castor and the bottom of the wheel. The parts have been positioned to line up as they would when assembled



C - D Wheel diameters have been measured on the crown of the wheel.
 E - F Wheel widths have been measured ignoring and protruding housing
 A full wheel dimensions chart is given at the back of the catalogue



The A-B measurement= Maximum internal height
 The C-D measurement= Maximum internal width at base
 The E-F measurement= Maximum internal width at top



The A-B measurement= Maximum internal height
 The C-D measurement= Maximum internal width above chamfer

LION PAW SHOE CASTORS



1112A ST

Wheel diameter: 23mm (29/32")
Wheel width: 9mm (11/32")

Aperture

Internal width at base: 18mm (23/32")
Internal width at top: 17mm (21/32")
Maximum internal height: 16mm (5/8")



1112B ST



1112C ST



X907A ST

Wheel diameter: 25mm (31/32")
Wheel width: 11mm (7/16")

Aperture

Internal width at base: 21mm (13/16")
Internal width at top: 20mm (25/32")
Maximum internal height: 18mm (23/32")




X907B ST



X907C ST





6144A ST

Wheel diameter: 30mm (1 3/16")
Wheel width: 13mm (1/2")

Aperture

Internal width at base: 23mm (29/32")
Internal width at top: 21mm (13/16")
Maximum internal height: 24mm (15/16")



6144B ST



6144C ST



1659A ST

Aperture

Internal width at base: 30mm (1 3/16")
Internal width at top: 29mm (1 1/8")
Maximum internal height: 30mm (1 3/16")



1659B ST




Wheel diameter: 33mm (1 9/32")
Wheel width: 13mm (1/2")



1659C ST



X1480A ST



Aperture

Internal width at base: 38mm (1 1/2")

Internal width at top: 35mm (1 11/32")

Maximum internal height: 33mm (1 9/32")

Wheel diameter: 38mm (1 1/2")
Wheel width: 16mm (5/8")



X1480B ST



X1480C ST



1689 ST



Aperture

Internal width at base: 34mm (1 11/32")


Internal width at top: 32mm (1 1/4")

Maximum internal height: 36mm (1 13/32")

Wheel diameter: 37mm (1 15/32")

Wheel width: 13mm (1/2")

2100A ST



2100B ST



3726 ST



Wheel diameter: 38mm (1 1/2")
Wheel width: 14mm (9/16")

Aperture

Internal width at base: 39mm (1 17/32")

Internal width at top: 38mm (1 1/2")

Maximum internal height: 36mm (1 13/32")


XW151B ST



XW151C ST



W148A ST




Aperture

Internal width at base: 47mm (1 27/32")

Internal width at top: 48mm (1 7/8")

Maximum internal height: 45mm (1 25/32")


Wheel diameter: 50mm (1 15/16")
Wheel width: 23mm (29/32")




W148B ST



W148C ST



X582A ST



Aperture

Internal width at base: 32mm (1 1/4")
Internal width at top: 38mm (1 1/2")
Maximum internal height: 32mm (1 1/4")

Wheel diameter: 32mm (1 1/4")
Wheel width: 13mm (1/2")



X582B ST



X582C ST



3157 ST



Aperture

Internal width at base: 37mm (1 15/32")

Internal width at top: 35mm (1 3/8")

Maximum internal height: 38mm (1 1/2")




Wheel diameter: 38mm (1 1/2")

Wheel width: 15mm (19/32")

6429B ST



6429C ST



3073A ST



Aperture

Internal width at base: 40mm (1 9/16")
Internal width at top: 31mm (1 7/32")
Maximum internal height: 41mm (1 5/8")

3073D ST



Wheel diameter: 45mm (1 25/32")
Wheel width: 19mm (3/4")

3073B ST



3073C ST



F75 ST



Wheel diameter: 28mm (1 3/32")
Wheel width: 12mm (15/32")

Aperture

Internal width at base: 22mm (7/8")
Internal width at top: 21mm (13/16")
Maximum internal height: 22mm (7/8")



3725B ST



3725C ST



6044 ST



Wheel diameter: 33mm (1 9/32")
Wheel width: 14mm (9/16")

Aperture



Internal width at base: 33mm (1 9/32")
Internal width at top: 33mm (1 9/32")
Maximum internal height: 33mm (1 9/32")




W151B ST



2145C ST



565A ST



Aperture

Internal width at base: 33mm (1 9/32")

Internal width at top: 32mm (1 1/4")

Maximum internal height: 28mm (1 3/8")

Wheel diameter: 38mm (1 1/2")

Wheel width: 15mm (19/32")

565B ST



565C ST



W151A ST



Wheel diameter: 38mm (1 1/2")
Wheel width: 14mm (9/16")




XW151B ST




XW151C ST

Aperture

Internal width at base: 36mm (1 13/32")
Internal width at top: 36mm (1 13/32")
Maximum internal height: 40mm (1 9/16")



3280A ST



Aperture

Internal width at base: 36mm (1 13/32")

Internal width at top: 34mm (1 11/32")

Maximum internal height: 39mm (1 17/32")

Wheel diameter: 37mm (1 15/32")

Wheel width: 15mm (19/32")




3280B ST



3280 C ST



3634 ST



Aperture

Internal width at base: 36mm (1 13/32")

Internal width at top: 36mm (1 13/32")


Maximum internal height: 35mm (1 3/8")

Wheel diameter: 37mm (1 15/32")
Wheel width: 14mm (9/16")


2590B ST



2590C ST



3835 ST



Aperture

Internal width at base: 38mm (1 1/2")
Internal width at top: 36mm (1 13/32")
Maximum internal height: 35mm (1 3/8")

Wheel diameter: 38mm (1 1/2")
Wheel width: 16mm (5/8")




X1480B ST



X1480C ST



1811A ST



Wheel diameter: 26mm (1 1/32")
Wheel width: 10mm (13/32")

Aperture

Internal width at base: 22mm (7/8")
Internal width at top: 21mm (13/16")
Maximum internal height: 22mm (7/8")


1811B ST



1811C ST



1380A ST



Wheel diameter: 29mm (1 1/8")
Wheel width: 12mm (15/32")



Aperture

Internal width at base: 29mm (1 1/8")
Internal width at top: 28mm (1 3/32")
Maximum internal height: 29mm (1 1/8")

1383A ST




1383B ST



FOLIATE SHOE CASTORS

803A ST



Wheel diameter: 38mm (1 1/2")
Wheel width: 14mm (9/16")

Aperture

Internal width at base: 33mm (1 9/32")
Internal width at top: 32mm (1 1/4")
Maximum internal height: 33mm (1 9/32")

803B ST



803C ST



6246 ST

Wheel diameter: 29mm (1 1/8")
Wheel width: 12mm (15/32")

Aperture

Internal width at base: 22mm (7/8")
Internal width at top: 20mm (25/36")
Maximum internal height: 27mm (1 1/16")




3095B ST



3095C ST



263 ST



Wheel diameter: 32mm (1 1/4")
Wheel width: 13mm (1/2")

Aperture

Internal width at base: 28mm (1 3/32")
Internal width at top: 28mm (1 3/32")
Maximum internal height: 30mm (1 3/16")




XF48B ST



XW150C ST



3459 ST



Wheel diameter: 37mm (1 15/32")
Wheel width: 15mm (19/32")

Aperture


Internal width at base: 27mm (1 1/16")
Internal width at top: 28mm (1 3/32")
Maximum internal height: 34mm (1 11/32")




XF48B ST



X3280C ST



6729A ST



Aperture

Internal width at base: 32mm (1 1/4")
Internal width at top: 32mm (1 1/4")
Maximum internal height: 31mm (1 7/32")

Wheel diameter: 32mm (1 1/4")
Wheel width: 13mm (1/2")


6729B ST



6729C ST



2640 ST



Aperture

Internal width at base: 35mm (1 3/8")

Internal width at top: 38mm (1 1/2")

Maximum internal height: 46mm (1 13/16")

Wheel diameter: 38mm (1 1/2")

Wheel width: 15mm (19/32")

565B ST



565C ST



1407A ST



Wheel diameter: 41mm (1 5/8")
Wheel width: 16mm (5/8")

Aperture

Internal width at base: 39mm (1 17/32")
Internal width at top: 37mm (1 13/32")
Maximum internal height: 41mm (1 5/8")




1407B ST



1407C ST



6728A ST



Wheel diameter: 29mm (1 1/8")
Wheel width: 11mm (7/16")

Aperture

Internal width at base: 24mm (15/16")
Internal width at top: 23mm (29/32")
Maximum internal height: 25mm (31/32")

6728B ST



6728C ST



3941A ST

Wheel diameter: 33mm (1 9/32")
Wheel width: 14mm (9/16")

Aperture

Internal width at base: 33mm (1 9/32")
Internal width at top: 35mm (1 3/8")
Maximum internal height: 33mm (1 9/32")


3941B ST



3941C ST



X3915 ST



Aperture

Internal width at base: 35mm (1 3/8")
Internal width at top: 34mm (1 11/32")
Maximum internal height: 36mm (1 13/32")



Wheel diameter: 38mm (1 1/2")
Wheel width: 14mm (9/16")




XW151B ST



XW151C ST



3998 ST



Aperture

Internal width at base: 45mm (1 25/32")

Internal width at top: 44mm (1 23/32")

Maximum internal height: 42mm (1 21/32")





3587B ST

Wheel diameter: 45mm (1 25/32")
Wheel width: 19mm (3/4")




3587C ST



REEDED SHOE CASTORS

2506A ST



Wheel diameter: 38mm (1 1/2")
Wheel width: 14mm (9/16")

Aperture

Internal width at base: 34mm (1 11/32")
Internal width at top: 35mm (1 3/8")
Maximum internal height: 34mm (1 11/32")



2506B ST




2506C ST



2590A ST



2590B ST




2590C ST

Wheel diameter: 37mm (1 15/32")
Wheel width: 14mm (9/16")

Aperture

Internal width at base: 36mm (1 13/32")
Internal width at top: 34mm (1 11/32")
Maximum internal height: 36mm (1 13/32")



1202A ST



Aperture



Internal width at base: 41mm (1 5/8")
Internal width at top: 40mm (1 9/16")
Maximum internal height: 41mm (1 5/8")

Wheel diameter: 37mm (1 15/32")
Wheel width: 14mm (9/16")


1202B ST



1202C ST



2591A ST



Wheel diameter: 40mm (1 9/16")
Wheel width: 15mm (19/32")

Aperture

Internal width at base: 35mm (1 3/8")
Internal width at top: 35mm (1 3/8")
Maximum internal height: 38mm (1 1/2")


2591B ST



2591C ST



XW150A ST



Wheel diameter: 32mm (1 1/4")
Wheel width: 13mm (1/2")

Aperture

Internal width at base: 31mm (1 7/32")
Internal width at top: 29mm (1 1/8")
Maximum internal height: 34mm (1 11/32")


XW150B ST



XW150C ST



2414A ST




Wheel diameter: 37mm (1 15/32")
Wheel width: 15mm (19/32")



Aperture

Internal width at base: 35mm (1 3/8")
Internal width at top: 33mm (1 9/32")
Maximum internal height: 39mm (1 15/32")


2414B ST



X842C ST



6630A ST



Wheel diameter: 38mm (1 1/2")
Wheel width: 14mm (9/16")


Aperture

Internal width at base: 40mm (1 9/16")
Internal width at top: 38mm (1 1/2")
Maximum internal height: 49mm (1 15/16")

6630B ST



6630C ST



1041A ST



Aperture

Internal width at base: 37mm (1 15/32")
Internal width at top: 36mm (1 13/32")
Maximum internal height: 42mm (1 21/32")

1041B ST




Wheel diameter: 37mm (1 15/32")
Wheel width: 15mm (19/36")



1041C ST



2010A ST



Aperture

Internal width at base: 39mm (1 17/32")
Internal width at top: 37mm (1 15/32")
Maximum internal height: 41mm (1 5/8")




2010B ST



Wheel diameter: 48mm (1 7/8")
Wheel width: 19mm (23/32")

2010C ST





2143A ST


Aperture

Internal width at base: 17mm (21/32")
 Internal width at top: 15mm (19/32")
 Maximum internal height: 16mm (5/8")

Wheel diameter: 25mm (31/32")
 Wheel width: 10mm (13/32")



2143B ST



2143C ST



6618 ST

Aperture

Internal width at base: 28mm (1 3/32")
 Internal width at top: 27mm (1 1/16")
 Maximum internal height: 25mm (31/32")


Wheel diameter: 36mm (1 13/32")
 Wheel width: 17mm (21/32")



X2418B ST



X2418C ST



PLAIN SHOE CASTORS

2097 ST



Aperture

Internal width at base: 25mm (31/32")
Internal width at top: 25mm (31/32")
Maximum internal height: 25mm (31/32")

Wheel diameter: 30mm (1 3/16")
Wheel width: 17mm (21/32")


X1585B ST



X1585C ST




6076 ST



Wheel diameter: 26mm (1 1/32")
Wheel width: 11mm (7/16")


6077 ST



6078 ST

Aperture

Internal width at base: 26mm (1 1/32")
Internal width at top above chamfer: 19mm (3/4")
Maximum internal height: 26mm (1 1/32")



2418A ST



Aperture



Internal width at base: 27mm (1 1/16")
Internal width at top: 26mm (1 1/32")
Maximum internal height: 26mm (1 1/32")

Wheel diameter: 36mm (1 13/32")
Wheel width: 17mm (21/32")

X2418B ST



X2418C ST



2327A ST



Aperture


Internal width at base: 29mm (1 1/8")
Internal width at top above chamfer: 20mm (25/32")
Maximum internal height: 29mm (1 1/8")

Wheel diameter: 34mm (1 11/32")
Wheel width: 15mm (19/32")


2327B ST



2327C ST



702A ST



Wheel diameter: 25mm (31/32")
Wheel width: 10mm (13/32")

Aperture

Internal width at base: 32mm (1 1/4")
Internal width at top: 24mm (15/16")
Maximum internal height: 31mm (1 7/32")


702B ST



702C ST



3929A ST



Wheel diameter: 29mm (1 1/8")
Wheel width: 17mm (21/32")

Aperture

Internal width at base: 31mm (1 7/32")
Internal width at top: 29mm (1 1/8")
Maximum internal height: 32mm (1 1/4")


3929B ST



3929C ST



2337A ST



Wheel diameter: 34mm (1 11/32")
Wheel width: 13mm (1/2")

Aperture

Internal width at base: 30mm (1 3/16")
Internal width at top: 30mm (1 3/16")
Maximum internal height: 31mm (1 7/32")


2337B ST



2337C ST



6436A ST



Wheel diameter: 39mm (1 17/32")
Wheel width: 11mm (7/16")


Aperture

Internal width at base: 32mm (1 1/4")
Internal width at top: 28mm (1 3/32")
Maximum internal height: 30mm (1 3/16")


6436B ST



6436C ST



X1035A ST



Wheel diameter: 37mm (1 15/32")
Wheel width: 14mm (9/16")



Aperture

Internal width at base: 32mm (1 1/4")
Internal width at top: 32mm (1 1/4")
Maximum internal height: 32mm (1 1/4")

X1035B ST



X1035C ST



603A ST

Wheel diameter: 39mm (1 17/32")
Wheel width: 12mm (15/32")


Aperture

Internal width at base: 30mm (1 3/16")
Internal width at top: 29mm (1 1/8")
Maximum internal height: 36mm (1 13/32")

603B ST



603C ST



1037A ST



Wheel diameter: 41mm (1 5/8")
Wheel width: 20mm (25/32")

Aperture

Internal width at base: 35mm (1 3/8")
Internal width at top above chamfer: 24mm (15/16")
Maximum internal height: 32mm (1 1/4")




1037B ST



1037C ST



6093 ST



Wheel diameter: 41mm (1 5/8")
Wheel width: 17mm (21/32")

Aperture



Internal width at base: 38mm (1 1/2")
Internal width at top: 27mm (1 1/16")
Maximum internal height: 39mm (1 17/32")



6094 ST



6095 ST



2415A ST



Aperture

Internal width at base: 35mm (1 3/8")
Internal width at top above chamfer: 29mm (1 1/8")
Maximum internal height: 38mm (1 1/2")



Wheel diameter: 43mm (1 11/16")
Wheel width: 18mm (23/32")




2415B ST



2415C ST



3997A ST



Aperture

Internal width at base: 42mm (1 21/32")
Internal width at top: 39mm (1 17/32")
Maximum internal height: 40mm (1 9/16")


3997B ST



Wheel diameter: 37mm (1 15/16")
Wheel width: 15mm (19/32")



1041C ST



3589 ST



Wheel diameter: 45mm (1 25/32")
Wheel width: 17mm (21/32")



Aperture

Internal width at base: 43mm (1 11/16")
Internal width at top: 28mm (1 3/32")
Maximum internal height: 42mm (1 21/32")

2556A ST



2556B ST



384A ST



Aperture

Internal width at base: 41mm (1 5/8")

Internal width at top: 40mm (1 9/16")



Maximum internal height: 40mm (1 9/16")

Wheel diameter: 38mm (1 1/2")
Wheel width: 19mm (3/4")

384C ST



384B ST



783A ST

SQUARE CUP CASTORS WITH FLANGE

Internal measurement at top: 13mm (1/2") sq.
External measurement at top to edge of flange: 18mm (23/32") sq.



Wheel diameter: 26mm (1 1/32")
Wheel width: 12mm (15/32")



783B ST



783C ST



2984 ST

Internal measurement at top: 15mm (19/32") sq.
External measurement at top to edge of flange: 20mm (25/32") x 21mm (13/16")



Wheel diameter: 14mm (9/16")
Wheel width: 12mm (15/32")



X1812B ST



X1812C ST



X1812A ST

Internal measurement at top: 17mm (11/16") sq.
External measurement at top to edge of flange: 22mm (7/8") sq.



Wheel diameter: 14mm (9/16")
Wheel width: 12mm (15/32")



X1812B ST




X1812C ST



SQUARE CUP CASTORS WITH FLANGE

3851 ST



Internal measurement at top: 16mm (5/8") sq.
External measurement at top to edge of flange: 23mm (29/32") sq.

Wheel diameter: 16mm (5/8")
Wheel width: 14mm (9/16")



XF39C ST



XF39B ST



6177 ST



Internal measurement at top: 17mm (21/32") x 18mm (23/32")
External measurement at top to edge of flange: 22mm (7/8") x 23mm (29/32")

Wheel diameter: 17mm (21/32")
Wheel width: 16mm (5/8")



X1864B ST



X1864C ST



X1864A ST



Internal measurement at top: 19mm (3/4") sq.
External measurement at top to edge of flange: 27mm (1 1/16") sq.

Wheel diameter: 17mm (21/32")
Wheel width: 16mm (5/8")



X1864B ST



X1864C ST



SQUARE CUP CASTORS WITH FLANGE

468 ST



Internal measurement at top: 19mm (3/4") sq.
External measurement at top to edge of flange: 24mm (15/16") sq.

Wheel diameter: 26mm (1 1/32")
Wheel width: 12mm (15/32")



783B ST



783C ST



2543A ST



Internal measurement at top: 22mm (7/8") sq.
External measurement at top to edge of flange: 31mm (1 7/32") sq.

Wheel diameter: 18mm (23/32")
Wheel width: 17mm (21/32")



2543B ST



2543C ST



2527 ST



Internal measurement at top: 23mm (29/32") x 22mm (7/8")
External measurement at top to edge of flange: 28mm (1 3/32") x 27mm (1 1/16")

Wheel diameter: 20mm (25/32")
Wheel width: 19mm (3/4")



6245B ST



6245C ST



X602 ST



SQUARE CUP CASTORS WITH FLANGE

Wheel diameter: 27mm (1 1/6")
Wheel width: 14mm (9/16")

Internal measurement at top: 25mm (1") sq.
External measurement at top to edge of flange: 32mm (1 1/4") sq.

X601B ST



X601C ST



6362A ST



Wheel diameter: 25mm (31/32")
Wheel width: 10mm (13/32")

Internal measurement at top: 25mm (31/32") sq.
External measurement at top to edge of flange: 32mm (1 1/4") x 29mm (1 1/8")
N.B. The cup has a narrow flange on one side

6362B ST



6362C ST



600A ST



Wheel diameter: 20mm (25/32")
Wheel width: 17mm (21/32")

Internal measurement at top: 26mm (1 1/32") sq.
External measurement at top to edge of flange: 35mm (1 3/8") x 34mm (1 11/32")

600B ST



600C ST



SQUARE CUP CASTORS WITH FLANGE

1890 ST



Internal measurement at top:
26mm (1 1/32") x 27mm (1 1/16")
External measurement
at top to edge of flange:
33mm (1 9/32") x 34mm (1 11/32")

X2970B ST



Wheel diameter: 25mm (1")
Wheel width: 9mm (11/32")



X2970C ST



1039A ST



Internal measurement
at top: 26mm (1 1/32") sq.
External measurement
at top to edge of flange:
40mm (1 9/16") x 41mm (1 5/8")

1039B ST




Wheel diameter: 40mm (1 9/16")
Wheel width: 20mm (25/32")



1039C ST

2145A ST



Internal measurement
at top: 27mm (1 1/16") sq.
External measurement
at top to edge of flange:
35mm (1 3/8") x 36mm (1 13/32")




2145B ST


Wheel diameter: 33mm (1 9/32")
Wheel width: 14mm (9/16")



2145C ST



2099A ST



Internal measurement
at top: 28mm (1 3/32") sq.
External measurement
at top to edge of flange:
34mm (1 11/32") sq.




2099B ST

Wheel diameter: 30mm (1 3/16")
Wheel width: 12mm (15/32")




2099C ST



SQUARE CUP CASTORS WITH FLANGE

X3986 ST




Internal measurement
at top: 29mm (1 1/8") sq.
External measurement
at top to edge of flange:
35mm (1 3/8") sq.


Wheel diameter: 36mm (1 13/32")
Wheel width: 17mm (21/32")



X2418B ST



X2418C ST



3899A ST



Internal measurement
at top: 32mm (1 1/4") sq.
External measurement
at top to edge of flange:
46mm (1 13/16") x 47mm (1 27/32")


Wheel diameter: 43mm (1 11/16")
Wheel width: 17mm (21/32")



3899B ST



3899C ST




X843A ST


SQUARE CUP CASTORS
WITH FLANGE

page 50

Internal measurement
at top: 33mm (1 5/16") sq.
External measurement
at top to edge of flange:
40mm (1 9/16") sq.



Wheel diameter: 42mm (1 21/32")
Wheel width: 19mm (3/4")



X843B ST

X843C ST



2257A ST

Internal measurement
at top: 34mm (1 11/32") sq.
External measurement
at top to edge of flange:
42mm (1 21/32") sq.




Wheel diameter: 41mm (1 5/8")
Wheel width: 20mm (25/32")



2257B ST


2257C ST



786 ST

SQUARE CUP CASTORS WITH FLANGE

Internal measurement at top:
36mm (1 13/32") x 38mm (1 1/2")
External measurement
at top to edge of flange:
44mm (1 23/32") x 46mm (1 13/16")




Wheel diameter: 41mm (1 5/8")
Wheel width: 20mm (25/32")



2257B ST



2257C ST



1454A ST



Internal measurement at top:
39mm (1 17/32") x 40mm (1 9/16")
External measurement
at top to edge of flange:
48mm (1 7/8") x 50mm (1 15/16")


Wheel diameter: 46mm (1 13/16")
Wheel width: 17mm (21/32")



1454B ST



1454C ST



2078A ST



Internal measurement
at top: 41mm (1 5/8") sq.
External measurement
at top to edge of flange:
50mm (1 15/16") sq.

Wheel diameter: 47mm (1 27/32")
Wheel width: 16mm (5/8")

2078B ST



2078C ST



SQUARE CUP CASTORS- SHEER SIDED

365A ST



Internal measurement at top: 13mm (1/2") sq.
External measurement at top: 16mm (5/8") sq.

Wheel diameter: 16mm (5/8")
Wheel width: 14mm (9/16")

365B ST



XF39C ST



XF39A ST



Internal measurement at top: 16mm (5/8") sq.
External measurement at top: 19mm (3/4") sq.

Wheel diameter: 16mm (5/8")
Wheel width: 14mm (9/16")

XF39B ST



XF39C ST



6625A ST



Internal measurement at top: 17mm (21/32") sq.
External measurement at top: 19mm (3/4") x 20mm (25/32")

Wheel diameter: 16mm (5/8")
Wheel width: 16mm (5/8")


6625B ST



6625C ST



6245A ST



Internal measurement
at top: 20mm (25/32") ;
External measurement
at top: 23mm (29/32") x 24mm (15/16")

Wheel diameter: 20mm (25/32")
Wheel width: 19mm (3/4")



6245B ST



6245C ST



X908A ST



Internal measurement
at top: 22mm (7/8") sq.
External measurement
at top : 24mm (15/16") sq.

Wheel diameter: 20mm (25/32")
Wheel width: 16mm (5/8")



X908B ST



X908C ST



SQUARE CUP CASTORS- SHEER SIDED

2544A ST



Internal measurement
at top: 21mm (13/16") sq.
External measurement
at top: 25mm (31/32") sq.

Wheel diameter: 20mm (25/32")
Wheel width: 21mm (13/16")



2544B ST



2544C ST



6328 ST



Internal measurement
at top: 24mm (15/16") sq.
External measurement
at top: 27mm (1 1/16") sq.

Wheel diameter: 27mm (1 1/16")
Wheel width: 14mm (9/16")



X601B ST



X601C ST



2368A ST

Internal diameter
at top: 16mm (5/8")
External diameter
to edge of flange:
20mm (25/32")



Wheel diameter: 18mm (23/32")
Wheel width: 8mm (5/16")



2368B ST



2368C ST

(Base of cup is
cast separately)



704A ST

Internal diameter
at top: 19mm (3/4")
External diameter
to edge of flange:
23mm (29/32")



Wheel diameter: 26mm (1 1/32")
Wheel width: 10mm (13/32")



704B ST



704C ST



X678A ST

Internal diameter
at top: 20mm (25/32")
External diameter
to edge of flange:
24mm (15/16")



Wheel diameter: 17mm (21/32")
Wheel width: 7mm (9/32")



X678B ST



X678C ST



ROUND CUP CASTORS WITH FLANGE

705A ST

Internal diameter
at top: 20mm (25/32")
External diameter
to edge of flange:
23mm (29/32")



705B ST



Wheel diameter: 19mm (3/4")
Wheel width: 7mm (9/32")




705C ST



2551 ST

Internal diameter
at top: 21mm (13/16")
External diameter
to edge of flange:
26mm (1 1/32")



1313B ST



Wheel diameter: 21mm (13/16")
Wheel width: 8mm (5/16")



1313C ST



1924A ST

Internal diameter
at top: 22mm (7/8")
External diameter
to edge of flange:
26mm (1 1/32")



1924B ST



Wheel diameter: 23mm (29/32")
Wheel width: 9mm (11/32")



1924C ST



3725A ST




Internal diameter
at top: 22mm (7/8")
External diameter
to edge of flange:
27mm (1 1/16")

Wheel diameter: 28mm (1 3/32")
Wheel width: 12mm (15/32")



3725B ST



3725C ST



X703A ST



Internal diameter
at top: 23mm (29/32")
External diameter
to edge of flange:
27mm (1 1/16")

Wheel diameter: 24mm (15/16")
Wheel width: 9mm (11/32")




X703B ST



X703C ST



1313A ST



Internal diameter
at top: 24mm (15/16")
External diameter
to edge of flange:
29mm (1 1/8")

Wheel diameter: 21mm (13/16")
Wheel width: 8mm (5/16")



1313B ST



1313C ST



ROUND CUP CASTORS WITH FLANGE

3458A ST



Internal diameter
at top: 24mm (15/16")
External diameter
to edge of flange:
28mm (1 3/32")

3458B ST



Wheel diameter: 29mm (1 1/8")
Wheel width: 11mm (7/16")

3458C ST



6595 ST



Internal diameter
at top: 25mm (1")
External diameter
to edge of flange:
29mm (1 1/8")

2143B ST



Wheel diameter: 25mm (1")
Wheel width: 10mm (13/32")

2143C ST



X2970A ST

Internal diameter
at top: 27mm (1 1/16")
External diameter
to edge of flange:
30mm (1 3/16")




Wheel diameter: 25mm (1")
Wheel width: 9mm (11/32")

X2970B ST



X2970C ST



2971 ST

Internal diameter
at top: 28mm (1 3/32")
External diameter
to edge of flange:
32mm (1 1/4")




Wheel diameter: 29mm (1 1/8")
Wheel width: 11mm (7/16")

X1419B ST



X1419C ST



6441 ST

Internal diameter
at top: 28mm (1 3/32")
External diameter
to edge of flange:
35mm (1 3/8")



Wheel diameter: 30mm (1 3/16")
Wheel width: 15mm (19/32")

2510A ST



X2510B ST



ROUND CUP CASTORS WITH FLANGE

X3914A ST




Internal diameter
at top: 29mm (1 1/8")
External diameter
to edge of flange:
33mm (1 9/32")

Wheel diameter: 29mm (1 1/8")
Wheel width: 12mm (15/32")

X3914B ST



X3914C ST



3900A ST




Internal diameter
at top: 29mm (1 1/8")
External diameter
to edge of flange:
35mm (1 3/8")

Wheel diameter: 40mm (1 9/16")
Wheel width: 17mm (21/32")

3900B ST



3900C ST



X655A ST



Internal diameter
at top: 32mm (1 1/4")
External diameter
to edge of flange:
37mm (1 15/32")


Wheel diameter: 31mm (1 7/32")
Wheel width: 13mm (1/2")



X655B ST



X655C ST



F47A ST



Internal diameter
at top: 33mm (1 9/32")
External diameter
to edge of flange:
39mm (1 17/32")


Wheel diameter: 37mm (1 15/32")
Wheel width: 13mm (1/2")



F47B ST



F47C ST



ROUND CUP CASTORS WITH FLANGE

2738 ST



Internal diameter
at top: 34mm (1 11/32")
External diameter
to edge of flange:
41mm (1 5/8")


Wheel diameter: 29mm (1 1/8")
Wheel width: 11mm (7/16")



X1419B ST



X1419C ST



X842A ST



Internal diameter
at top: 36mm (1 13/32")
External diameter
to edge of flange:
43mm (1 11/16")



Wheel diameter: 37mm (1 15/32")
Wheel width: 15mm (19/32")



X842B ST



X842C ST



3931 ST



Internal diameter at top: 37mm (1 15/32")
External diameter to edge of flange: 43mm (1 11/16")

Wheel diameter: 32mm (1 1/4")
Wheel width: 13mm (1/2")

X582B ST



X582C ST



3588A ST




Internal diameter at top: 37mm (1 15/32")
External diameter to edge of flange: 43mm (1 11/16")

Wheel diameter: 43mm (1 11/16")
Wheel width: 24mm (15/16")

3588B ST



3588C ST



ROUND CUP CASTORS WITH FLANGE

2626A ST



Internal diameter
at top: 38mm (1 1/2")
External diameter
to edge of flange:
42mm (1 21/32")


Wheel diameter: 35mm (1 3/8")
Wheel width: 15mm (19/32")



2626B ST



2626C ST



2683A ST



Internal diameter
at top: 38mm (1 1/2")
External diameter
to edge of flange:
45mm (1 25/32")

Wheel diameter: 35mm (1 3/8")
Wheel width: 18mm (23/32")




2683B ST



2683C ST

A. Cup has internal housing
for assembly pin as shown
in drawing.



3361A ST



(Steel disc assembled at base of cup)

Internal diameter at top: 42mm (1 21/32")
External diameter to edge of flange: 49mm (1 15/16")


Wheel diameter: 43mm (1 11/16")
Wheel width: 17mm (21/32")




3361B ST



3361C ST



3587A ST



Internal diameter at top: 44mm (1 23/32")
External diameter to edge of flange: 51mm (2")

Wheel diameter: 45mm (1 25/32")
Wheel width: 19mm (3/4")



3587B ST



3587C ST



ROUND CUP CASTORS- SHEER SIDED

6039 ST

Internal diameter
at top: 19mm (3/4")
External diameter
at top: 21mm (13/16")



6040 ST

Wheel diameter: 16mm (5/8")
Wheel width: 14mm (9/16")



XF39B ST



6667A ST

Internal diameter
at top: 19mm (3/4")
External diameter
at top: 22mm (7/8")



6667B ST

Wheel diameter: 15mm (19/32")
Wheel width: 13mm (1/2")



6667C ST



2969A ST

Internal diameter
at top: 20mm (25/32")
External diameter
at top: 23mm (29/32")




2969B ST

Wheel diameter: 33mm (1 9/32")
Wheel width: 15mm (19/32")



2969C ST



X601A ST

ROUND CUP CASTORS-
SHEER SIDED

Internal diameter
at top: 27mm (1 1/16")
External diameter
at top: 29mm (1 1/8")



Wheel diameter: 27mm (1 1/16")
Wheel width: 14mm (9/16")



X601B ST



X601C ST

1794A ST

Internal diameter
at top: 27mm (1 1/16")
External diameter
at top: 31mm (1 7/32")



Wheel diameter: 13mm (1/2")
Wheel width: 12mm (15/32")



1794B ST



1794C ST

3987 ST

Internal diameter
at top: 30mm (1 3/16")
External diameter
at top: 33mm (1 9/32")




Wheel diameter: 33mm (1 9/32")
Wheel width: 14mm (9/16")




2145B ST



2145C ST



6390 ST




Internal diameter at top: 29mm (1 1/8")

Wheel diameter: 30mm (1 3/16")
Wheel width: 16mm (5/8")



6072 ST



6073A ST



6705B ST



6705C ST

6705A ST



Castor has no base. 1075A ST (see pg. 86) plate used to complete the assembly.

Internal diameter at top: 33mm (1 9/32")

Wheel diameter: 27mm (1 1/16")
Wheel width: 14mm (9/16")



6375A ST



Internal diameter
at top: 37mm (1 15/32")

Wheel diameter: 36mm (1 13/32")
Wheel width: 14mm (9/16")

6375B ST



6375C ST



1458A ST




Internal diameter
at top: 37mm (1 15/32")

Wheel diameter: 36mm (1 13/32")
Wheel width: 15mm (19/32")

1458B ST



1458C ST



6429A ST



Internal diameter
at top: 38mm (1 1/2")



Wheel diameter: 38mm (1 1/2")
Wheel width: 15mm (19/32")



6429B ST



6429C ST



6806A ST



Internal diameter
at top: 40mm (1 9/16")


Wheel diameter: 38mm (1 1/2")
Wheel width: 15mm (19/32")



6806B ST



6429C ST





X802A ST

Internal diameter
at top: 43mm (1 11/16")




X802B ST

Wheel diameter: 61mm (2 13/32")
Wheel width: 19mm (3/4")



X802C ST



1878A ST




Internal diameter
at top: 43mm (1 11/16")

Wheel diameter: 42mm (1 21/32")
Wheel width: 16mm (5/8")

1878B ST



1878C ST



6275A ST




Internal diameter
at top: 26mm (1 1/32")

Wheel diameter: 24mm (15/16")
Wheel width: 20mm (25/32")

6275B ST



6275C ST



X1585A ST



Internal diameter
at top: 27mm (1 1/16")

Wheel diameter: 30mm (1 3/16")
Wheel width: 17mm (21/32")

X1585B ST



X1585C ST



2509 ST



Internal diameter
at top: 32mm (1 1/4")
Maximum external
diameter: 38mm (1 1/2")

Wheel diameter: 30mm (1 3/16")
Wheel width: 15mm (19/32")

2510A ST



X2510B ST



6071 ST



Internal diameter
at top: 33mm (1 9/32")

Wheel diameter: 30mm (1 3/16")
Wheel width: 16mm (5/8")


6072 ST



6073A ST



X278 ST




Internal diameter
at top: 36mm (1 13/32")

Wheel diameter: 37mm (1 15/32")
Wheel width: 15mm (19/32")



XF48B ST



X3280C ST



6803 ST



Wheel diameter: 42mm (1 21/32")
Wheel width: 16mm (5/8")




1878B ST




1878C ST

Top view of cup
A-B measurement: 45mm (1 13/16")



2840A ST




For Internal measuments
see below

Wheel diameter: 28mm (1 3/32")
Wheel width: 14mm (9/16")


2840B ST



2840C ST



A to B measurment: 35mm (1 3/8")
B to C measurment: 27mm (1 1/16")



SLANTED CASTORS ARE FREQUENT ON THE BACK LEGS OF CHAIRS AND SOFAS. AS FAR AS POSSIBLE, WE WILL TRY TO USE WHEELS AND FORKS SIMILAR IN STYLE TO THOSE ON EXISTING, OR SELECTED, CASTORS FOR THE FRONT LEGS. THEREFORE, UNLIKE OTHER CASTORS IN THE CATALOGUE, WE HAVE SHOWN NO SUGGESTED WHEELS AND FORKS WHERE NONE EXIST IN MOULD.

X433A ST



Internal measurement at top:
27mm (1 1/16") x 26mm (1 1/32")



X433B ST


Wheel diameter: 32mm (1 1/4")
Wheel width: 11mm (7/16")



X433C ST




1581 ST



Internal measurement at top:
30mm (1 3/16") x 24mm (15/16")

SLANTED CUP CASTORS

3095A ST




Internal measurement at top:
31mm (1 7/32") x 25mm (31/32")

Wheel diameter: 29mm (1 1/8")
Wheel width: 11mm (7/16")




3095B ST



3095C ST



2508 ST



Internal measurement at top:
32mm (1 1/4") x 28mm (1 3/32")

Wheel diameter: 30mm (1 3/16")
Wheel width: 15mm (19/32")



2510A ST



X2510B ST




787 ST



Internal measurement at top:
 32mm (1 1/4") x 31mm (1 7/32")
 External measurement at top to edge of flange:
 43mm (1 11/16") x 40mm (1 9/16")

6805A ST




Internal measurement at top:
 38mm (1 1/2") x 34mm (1 11/32")

Wheel diameter: 36mm (1 13/32")
 Wheel width: 14mm (9/16")

6805B ST



6375C ST



1877 ST

Internal measurement at top:
 56mm (2 3/16") x 35mm (1 3/8")
 External measurement at top to edge of flange:
 71mm (2 13/16") x 46mm (1 13/16")



ROUND PLATE CASTORS

2987A ST



Plate diameter:
19mm (3/4")



Wheel diameter: 11mm (7/16")
Wheel width: 10mm (13/32")



2987B ST

2987C ST



1375A ST



Plate diameter:
20mm (25/32")



Leather wheel: diameter approx: 12mm (15/32")
width: 9mm (11/32")

Brass wheel: diameter: 11mm (7/16")
width: 8mm (5/16")



1375B ST

1375C ST
(LEATHER OR BRASS)



X275C ST



Plate diameter:
27mm (1 1/32")



Leather wheel: diameter approx: 17mm (21/32")
width: 18mm (23/32")

Brass wheel: diameter: 15mm (19/32")
width: 17mm (21/32")



X275A ST

X275B ST
(LEATHER OR BRASS)



XW116A ST




Plate diameter:
35mm (1 3/8")

Leather wheel: diameter approx: 21mm (13/16")
width: 21mm (13/16")



XW116B ST



XW116C ST



2544C ST



1062D ST



1062B ST



1062C ST



Brass wheel: diameter: 20mm (25/32")
width: 21mm (13/16")

1062A ST



Plate diameter:
16mm (5/8")

Wheel diameter: 14mm (9/16")
Wheel width: 11mm (7/16")



2336A ST



Plate diameter:
24mm (15/16")


Wheel diameter: 25mm (1")
Wheel width: 15mm (19/32")



2336B ST



2336C ST



ROUND PLATE CASTORS


2234B ST

Plate diameter:
21mm (13/16")



2234A ST

Wheel diameter: 26mm (1 1/32")
Wheel width: 12mm (15/32")



783C ST



3271A ST



3271B ST

Wheel diameter: 25mm (31/32")
Wheel width: 11mm (7/16")



Plate diameter: 21mm (13/16")
Collar will fit leg diameter of 22mm (7/8")

3271C ST



3271D ST

2997A ST

Plate diameter:
25mm (1")




2997B ST

Wheel diameter: 29mm (1 1/8")
Wheel width: 11mm (7/16")



3458C ST



6096A ST



Plate diameter:
39mm (1 17/32")




6097 ST

Wheel diameter: 26mm (1 1/32")
Wheel width: 14mm (9/16")



6096B ST



1596A ST



Plate diameter:
29mm (1 1/8")



1596B ST

Wheel diameter: 21mm (13/16")
Wheel width: 10mm (13/32")



1596C ST



ROUND PLATE CASTORS

1468 ST



Plate diameter:
40mm (1 9/16")

6768C ST



Wheel diameter: 25mm (1")
Wheel width: 21mm (13/16")

6768A ST



6768B ST



3928A ST



Plate diameter:
56mm (2 3/16")

3928C ST



Wheel diameter: 25mm (31/32")
Wheel width: 22mm (7/8")

3928B ST



3928D ST





Wheel diameter: 20mm (25/32")
Wheel width: 10mm (13/32")

6383B ST




1075A ST



Plate diameter:
28mm (1 3/32")

Wheel diameter: 35mm (1 3/8")
Wheel width: 18mm (23/32")



X1479A ST

ROUND PLATE CASTORS




X1479D ST




Plate diameter: 28mm (1 3/32")
Collar will fit leg diameter of 29mm (1 1/8")


Wheel diameter: 34mm (1 11/32")
Wheel width: 17mm (11/16")



X1479B ST



X1479C ST



1248B ST



1248A ST



Wheel diameter: 37mm (1 15/32")
Wheel width: 18mm (23/32")



1248C ST



1248D ST

Plate diameter: 33mm (1 9/32")
Collar will fit leg diameter of 34mm (1 11/32")



6636A ST



6636D ST

Plate diameter: 43mm (1 11/16")
Collar will fit leg diameter of 44mm (1 23/32")



Wheel diameter: 38mm (1 1/2")
Wheel width: 22mm (7/8")



6636B ST



6636C ST



SQUARE PLATE CASTORS

6369 ST



Plate dimensions:
24mm (15/16") x 25mm (31/32")

Compatible with several, but not all, small forks and wheels. Please ask advice.



2159A ST



Plate dimensions:
28mm sq. (1 3/32")

Wheel diameter: 24mm (15/16")
Wheel width: 9mm (11/32")



2159B ST



2159C ST



X1419A ST




Plate dimensions:
30mm sq. (1 3/16")


Wheel diameter: 29mm (1 1/8")
Wheel width: 11mm (7/16")



X1419B ST



X1419C ST



6074 ST



Plate dimensions:
31mm sq. (1 7/32")

Wheel diameter: 30mm (1 3/16")
Wheel width: 12mm (15/32")



6075 ST



6073B ST



6708A ST



Plate dimensions:
31mm (1 7/32") x 30mm (1 3/16")



Wheel diameter: 37mm (1 15/32")
Wheel width: 14mm (9/16")



6708B ST



6708C ST



SQUARE PLATE CASTORS

X1744A ST





Plate dimensions:
35mm sq. (1 3/8")




X1744B ST

Wheel diameter: 30mm (1 3/16")
Wheel width: 15mm (19/32")




X2510B ST



1980A ST

Plate dimensions:
40mm (1 9/16") x 14mm (9/16")



3635 ST



Plate dimensions:
37mm sq. (1 15/32")

Wheel diameter: 11mm (7/16")
Wheel width: 11mm (7/16")



1980B ST




3619 ST

Wheel diameter: 61mm (2 13/32")
Wheel width: 19mm (3/4")



802C ST





6637A ST



6637B ST

Wheel diameter: 24mm (15/16")
Wheel width: 9mm (11/32")



448B ST



448A ST

Wheel diameter: 32mm (1 1/4")
Wheel width: 13mm (1/2")




906B ST



906A ST


Wheel diameter: 32mm (1 1/4")
Wheel width: 15mm (19/32")



MISCELLANEOUS FORKS AND WHEELS



XF48B ST



F48A ST

Wheel diameter: 36mm (1 13/32")
Wheel width: 14mm (9/16")



2100A ST



2100B ST

Wheel diameter: 37mm (1 15/32")
Wheel width: 13mm (1/2")




2100A ST

2100B ST



1380B ST



1380C ST

Wheel diameter: 40mm (1 9/16")
Wheel width: 16mm (5/8")



1380B ST



1380C ST



Wheel diameter: 43mm (1 11/16")
Wheel width: 24mm (15/16")



1038A ST



1038B ST




6672A ST

Wheel diameter: 55mm (2 1/8")
Wheel width: 21mm (13/16")



6672B ST



MISCELLANEOUS FORKS AND WHEELS




785A ST

Wheel diameter: 45mm (1 25/32")
Wheel width: 14mm (9/16")



785B ST



784A ST

Wheel diameter: 50mm (1 15/16")
Wheel width: 16mm (5/8")




784B ST




6052 ST

Wheel diameter: 55mm (2 5/32")
Wheel width: 19mm (3/4")




6053 ST





606A ST

Wheel diameter: 29mm (1 1/8")
Wheel width: 20mm (25/32")



606B ST



2416A ST

Wheel diameter: 34mm (1 11/32")
Wheel width: 13mm (1/2")



2416B ST




2148A ST

Wheel diameter: 41mm (1 5/8")
Wheel width: 17mm (21/32")



2148B ST



MISCELLANEOUS FORKS AND WHEELS



2555A ST



Wheel diameter: 44mm (1 23/32")
Wheel width: 16mm (5/8")

2555B ST



2556A ST



Wheel diameter: 45mm (1 25/32")
Wheel width: 17mm (21/32")

2556B ST




652B ST



Wheel diameter: 51mm (2")
Wheel width: 19mm (3/4")

652A ST





W121A ST

Wheel diameter: 36mm (1 13/32")
Wheel width: 15mm (19/32")



W121B ST



2642A ST

Wheel diameter: 39mm (1 17/32")
Wheel width: 16mm (5/8")



2642B ST



6442 ST



1173 ST



3234 ST




2419 ST



2985 ST




6809 ST



Wheel diameter: 41mm (1 5/8")
Wheel width: 11mm (7/16")

2868 ST



Wheel diameter: 66mm (2 9/16")
Wheel width: 9mm (11/32")
(Central part asymmetrical as shown)

LEG COLLARS

3894 ST



To fit leg & plate diameter:
23mm (29/32")

6897 ST



To fit leg & plate diameter:
26mm (1 1/32")

1862 ST




To fit leg & plate diameter:
29mm (1 1/8")

1248A ST




To fit leg diameter:
34mm (1 11/32")
To fit plate diameter:
33mm (1 9/32")

6443 ST



To fit leg diameter: 45mm (1 25/32") tapering to 44mm (1 23/32")
To fit plate diameter: 43mm (1 11/16")


2822 ST




To fit leg dimension: 19mm sq. (3/4")
To fit plate diameter: 19mm (3/4")

To fit leg dimension: 21mm sq. (13/16")
To fit plate diameter: 23mm (29/32")

2029 ST




2753 ST



To fit leg dimension: 27mm sq. (1 1/16")
To fit plate diameter: 27mm (1 1/16")

F19A ST



To fit leg dimension: 32mm sq. (1 1/4")
To fit plate diameter: 34mm (1 11/32")

3267 ST



To fit leg dimension: 27mm sq. (1 1/16")
To fit plate diameter: 26mm (1 1/32")

LEG COLLARS

F56 ST




To fit leg diameter: 26mm (1 1/32")
To fit plate diameter: 23mm (29/32")

645 ST



To fit leg & plate diameter:
26mm (1 1/32")

1199 ST



To fit leg diameter: 26mm (1 1/32")
To fit plate diameter: 23mm (29/32")

2228 ST



To fit leg & plate diameter:
27mm (1 1/16")

X1479D ST



To fit leg diameter: 29mm (1 1/8")
To fit plate diameter: 28mm (1 3/32")

3226 ST




To fit leg & plate diameter:
29mm (1 1/8")

2735A ST



To fit leg & plate diameter:
32mm (1 1/4")

1571 ST



To fit leg diameter: 33mm (1 9/32")
To fit plate diameter: 32mm (1 1/4")

1695 ST



To fit leg & plate diameter:
35mm (1 3/8")

6636D ST




To fit leg diameter: 44mm (1 23/32")
To fit plate diameter: 43mm (1 11/16")

3511 ST



To fit leg & plate diameter:
44mm (1 23/32")

2802 ST



To fit leg diameter: 49mm (1 29/32")
To fit plate diameter: 50mm (1 15/16")

Table of wheel dimensions

Page	Part no:	Wheel dia mm	Wheel dia inches	Wheel width mm	Wheel width inches	Additional information
81	1375 C ST	11mm	7/16"	8mm	5/16"	Also in leather
81	2987C ST	11mm	7/16"	10mm	13/32"	
91	1980B ST	11mm	7/16"	11mm	7/16"	
68	1794C ST	13mm	1/2"	12mm	15/32"	
82	1062C ST	14mm	9/16"	11mm	7/16"	
43	X1812C ST	14mm	9/16"	12mm	15/32"	
67	6667C ST	15mm	19/32"	13mm	1/2"	
81	X275B ST	15mm	19/32"	17mm	21/32"	Also in leather
53	XF39C ST	16mm	5/8"	14mm	9/16"	
53	6625C ST	16mm	5/8"	16mm	5/8"	
56	X678C ST	17mm	21/32"	7mm	9/32"	
44	X1864C ST	17mm	21/32"	16mm	5/8"	
56	2368C ST	18mm	23/32"	8mm	5/16"	
45	2543C ST	18mm	23/32"	17mm	21/32"	
57	705C ST	19mm	3/4"	7mm	9/32"	
86	6383C ST	20mm	25/32"	10mm	13/32"	
54	X908C ST	20mm	25/32"	16mm	5/8"	
46	600C ST	20mm	25/32"	17mm	21/32"	
54	6245C ST	20mm	25/32"	19mm	3/4"	
55	2544C ST	20mm	25/32"	21mm	13/16"	
58	1313C ST	21mm	13/16"	8mm	5/16"	
84	1596C ST	21mm	13/16"	10mm	13/32"	
1	1112C ST	23mm	29/32"	9mm	11/32"	
57	1924C ST	23mm	29/32"	9mm	11/32"	
89	2159C ST	24mm	15/16"	9mm	11/32"	
58	X703CST	24mm	15/16"	9mm	11/32"	
92	6637B ST	24mm	15/16"	9mm	11/32"	
74	6275C ST	24mm	15/16"	20mm	25/32"	
46	6362C ST	25mm	31/32"	10mm	13/32"	
35	702C ST	25mm	31/32"	10mm	13/32"	
32	2143C ST	25mm	31/32"	10mm	13/32"	
1	X907C ST	25mm	31/32"	11mm	7/16"	
83	3271D ST	25mm	31/32"	11mm	7/16"	
60	X2970C ST	25mm	1"	9mm	11/32"	
82	2336C ST	25mm	1"	15mm	19/32"	
85	6768B ST	25mm	1"	21mm	13/16"	
85	3928D ST	25mm	31/32"	22mm	7/8"	
16	1811C ST	26mm	1 1/32"	10mm	13/32"	
56	704C ST	26mm	1 1/32"	10mm	13/32"	
33	6078 ST	26mm	1 1/32"	11mm	7/16"	
43	783C ST	26mm	1 1/32"	12mm	15/32"	
84	6096B ST	26mm	1 1/32"	14mm	9/16"	
69	6705C ST	27mm	1 1/16"	14mm	9/16"	
68	X601C ST	27mm	1 1/16"	14mm	9/16"	
58	3725C ST	28mm	1 3/32"	12mm	15/32"	
77	2840C ST	28mm	1 3/32"	14mm	9/16"	
89	X1419C ST	29mm	1 1/8"	11mm	7/16"	

Table of wheel dimensions

Page	Part no:	Wheel dia mm	Wheel dia inches	Wheel width mm	Wheel width mm	Additional information
59	3458C ST	29mm	1 1/8"	11mm	7/16"	
79	3095C ST	29mm	1 1/8"	11mm	7/16"	
89	X1419C ST	29mm	1 1/8"	11mm	7/16"	
22	6728C ST	29mm	1 1/8"	11mm	7/16"	
16	1383 ST	29mm	1 1/8"	12mm	15/32"	
61	X3914C ST	29mm	1 1/8"	12mm	15/32"	
35	3929C ST	29mm	1 1/8"	17mm	21/32"	
96	606B ST	29mm	1 1/8"	20mm	25/32"	
90	6073B ST	30mm	1 3/16"	12mm	15/32"	
48	2099C ST	30mm	1 3/16"	12mm	15/32"	
2	6144C ST	30mm	1 3/16"	13mm	1/2"	
75	6073A ST	30mm	1 3/16"	16mm	5/8"	
74	X1585C ST	30mm	1 3/16"	17mm	21/32"	
62	X655C ST	31mm	1 7/32"	13mm	1/2"	
78	X433C ST	32mm	1 1/4"	11mm	7/16"	
19	6729C ST	32mm	1 1/4"	13mm	1/2"	
92	488A ST	32mm	1 1/4"	13mm	1/2"	
18	XW150C ST	32mm	1 1/4"	13mm	1/2"	
7	X582C ST	32mm	1 1/4"	13mm	1/2"	
92	906A ST	32mm	1 1/4"	15mm	19/32"	
2	1659C ST	33mm	1 9/32"	13mm	1/2"	
22	3941C ST	33mm	1 9/32"	14mm	9/16"	
48	2145C ST	33mm	1 9/32"	14mm	9/16"	
67	2969C ST	33mm	1 9/32"	15mm	19/32"	
36	2337C ST	34mm	1 11/32"	13mm	1/2"	
96	2416B ST	34mm	1 11/32"	13mm	1/2"	
34	2327C ST	34mm	1 11/32"	15mm	19/32"	
87	X1479C ST	34mm	1 11/32"	17mm	11/16"	
65	2626C ST	35mm	1 3/8"	15mm	19/32"	
65	2683C ST	35mm	1 3/8"	18mm	23/32"	
70	6375C ST	36mm	1 13/32"	14mm	9/16"	
93	F48A ST	36mm	1 13/32"	14mm	9/16"	
98	W121B ST	36mm	1 13/32"	15mm	19/32"	
70	1458C ST	36mm	1 13/32"	15mm	19/32"	
34	X2148C ST	36mm	1 13/32"	17mm	21/32"	
93	2100B ST	37mm	1 15/32"	13mm	1/2"	
62	F47C ST	37mm	1 15/32"	13mm	1/2"	
90	6708C ST	37mm	1 15/32"	14mm	9/16"	
25	2590C ST	37mm	1 15/32"	14mm	9/16"	
26	1202C ST	37mm	1 15/32"	14mm	9/16"	
37	X1035C ST	37mm	1 15/32"	14mm	9/16"	
63	X842C ST	37mm	1 15/32"	15mm	19/32"	
13	3280C ST	37mm	1 15/32"	15mm	19/32"	
30	1041C ST	37mm	1 15/32"	15mm	19/32"	
87	1248D ST	37mm	1 15/32"	18mm	23/32"	
12	XW151CST	38mm	1 1/2"	14mm	9/16"	
17	803C ST	38mm	1 1/2"	14mm	9/16"	
25	2506C ST	38mm	1 1/2"	14mm	9/16"	

Table of wheel dimensions

Page	Part no:	Wheel dia mm	Wheel dia inches	Wheel width mm	Wheel width mm	Wheel width inches
29	6630C ST	38mm	1 1/2"	14mm	9/16"	
71	6429C ST	38mm	1 1/2"	15mm	19/32"	
11	565C ST	38mm	1 1/2"	15mm	19/32"	
3	X1480C ST	38mm	1 1/2"	16mm	5/8"	
42	384B ST	38mm	1 1/2"	19mm	3/4"	
88	6636C ST	38mm	1 1/2"	22mm	7/8"	
36	6436C ST	39mm	1 17/32"	11mm	7/16"	
37	603C ST	39mm	1 17/32"	12mm	15/32"	
98	2642B ST	39mm	1 17/32"	16mm	5/8"	
27	2591C ST	40mm	1 9/16"	15mm	19/32"	
93	1380C ST	40mm	1 9/16"	16mm	5/8"	
61	3900C ST	40mm	1 9/16"	17mm	21/32"	
47	1039C ST	40mm	1 9/16"	20mm	25/32"	
99	6809 ST	41mm	1 5/8"	11mm	7/16"	
21	1407C ST	41mm	1 5/8"	16mm	5/8"	
96	2148B ST	41mm	1 5/8"	17mm	21/32"	
38	6095 ST	41mm	1 5/8"	17mm	21/32"	
50	2257C ST	41mm	1 5/8"	20mm	25/32"	
38	1037C ST	41mm	1 5/8"	20mm	25/32"	
73	1878C ST	42mm	1 21/32"	16mm	5/8"	
50	X843C ST	42mm	1 21/32"	19mm	3/4"	
49	3899C ST	43mm	1 11/16"	17mm	21/32"	
66	3361C ST	43mm	1 11/16"	17mm	21/32"	
39	2415C ST	43mm	1 11/16"	18mm	23/32"	
94	1038B ST	43mm	1 11/16"	24mm	15/16"	
64	3588C ST	43mm	1 11/16"	24mm	15/16"	
97	2555B ST	44mm	1 23/32"	16mm	5/8"	
95	785B ST	45mm	1 25/32"	14mm	9/16"	spoked
97	2556B ST	45mm	1 25/32"	17mm	21/32"	
9	3073C ST	45mm	1 25/32"	19mm	3/4"	
66	3587C ST	45mm	1 25/32"	19mm	3/4"	
51	1454C ST	46mm	1 13/16"	17mm	21/32"	
52	2078C ST	47mm	1 27/32"	16mm	5/8"	
31	2010C ST	48mm	1 7/8"	19mm	23/32"	
95	784B ST	50mm	1 15/16"	16mm	5/8"	spoked
6	W148C ST	50mm	1 15/16"	23mm	29/32"	
97	652A ST	51mm	2"	19mm	3/4"	
94	6672B ST	55mm	2 1/8"	21mm	13/16"	
95	6053 ST	55mm	2 5/32"	19mm	3/4"	spoked
72	X802C ST	61mm	2 13/32"	19mm	3/4"	spoked
99	2868 ST	66mm	2 9/16"	9mm	11/32"	spoked

CHINA WHEEL SIZES (available in brown or white)

Wheel dia mm	Wheel dia inches	Wheel width mm	Wheel width inches
26mm	1"	14mm	9/16"
29mm	1 1/8"	18mm	23/32"
32mm	1 1/4"	19mm	3/4"
38mm	1 1/2"	21mm	13/16"