



X9000 Range Stainless - Waterproof

STX Technology's X9000 Series offers a cutting-edge solution for various industries, particularly excelling in the demanding environments of food processing in the UK. Engineered for serious washdown and super wet production environments, the IP67/IP68 connectors come with additional heavy-duty protection, particularly in washdown areas. The X9000 Stainless Steel IP66/IP69K/NEMA 4X Range sets a new standard for integrity, ensuring optimal performance even in the harshest conditions. With optional protective membranes, they can endure user damage, providing added resilience. optional operating systems Windows, Linux, or Android—these computers are remarkably versatile and reliable. In essence, the X9000 Series seamlessly blends innovation with reliability, meeting the rigorous demands of multiple industries, notably excelling in the realm of food processing in the UK.

<https://stxtechnology.co.uk/x9000-range>

X9008

Touch

Touch Type: Resistive Touch

Display

LCD Size: 8.4" 4:3

Resolution: 800x600

Brightness (Typical): 400 nits

System

CPU: Intel® Celeron® 6305U | Intel® Core™ i5-1135G7 | Intel® Core™ i7-1165G7 | ARM RK3588S

System Memory: 8 GB (optional 16GB | 24GB | 40GB)

Hard Drive: 128GB Industrial SSD (optional 256GB | 512GB)

Operating systems: Windows 10 | Windows 11 | Linux | Android

Monitor Option

Video Input: HDMI / DVI / VGA / Display Port options

Touch: USB Touch (optional RS232 Serial)

KVM Monitor Option

Video Input: HDMI / VGA / Display Port options

Touch: USB Touch (optional RS232 Serial)

Single CAT6 Cable Video & Touch up to 100M

Mechanical & Environmental

Material: 304 Stainless Steel (optional 316 Stainless Steel)

Finish: Brushed (optional Highly Polished)

Mounting: M10 Side Mounts (optional VESA, other)

Connectors: IP67 / IP68

Power Input: 10VDC~30VDC (optional 110~240VAC)

Display Protector: Tough Sacrificial Touch Membrane

Ports

USB: 1 x USB

Serial: 1 x RS-232 (optional up to 8 x RS232)

RS485 or RS422

CAN Bus

High Speed Serial RS232/RS422/RS485 (to 3M Baud)

Connectivity

Ethernet: 1x 1000Mbps (optional up to 3 Ethernet 1000Mbps)

WiFi: Dual Band

Bluetooth

3G / 4G LTE or 4G / 5G

Accessories

Keyboard Optional IP68 Keyboard and Keyboard Tray Kit

Mounting Options Various mounting kits available including top side and wall mounting

<https://stxtechnology.co.uk/x9008-8-inch-stainless-steel-touch-computer-washdown>



Order Options



Touch Panel PC

X9008-C4-RT

Intel® Celeron® 6305U
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9008-C5-RT

Intel® Core™ i5-1135G7
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9008-C7-RT

Intel® Core™ i7-1165G7
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9008-A3-RT

ARM RK3588S
8GB DDR4 RAM
128GB EMMC
Android 13

Touch Panel Monitor

X9008-M-RT

HDMI | VGA | DP
USB Touch

X9008-M-RT-KVM

HDMI | DP & USB Touch
Up to 100M over CAT6

Optional Features

Display Brightness

-High Brightnes 600nits
-High Brightnes 1000nits

Power:

-240VAC
-110VAC
-Other voltages

System:

-256GB | 512GB | 1TB | 2TB
-Up to 4 Ethernet 1000Mbps
Up to 8 RS232 / RS422 /
-RS485
-CAN bus
-High Speed Serial (to 3M Baud)
-3G / 4G or 4G / 5G

Material:

-304 Stainless Steel
-316 Stainless Steel

Mounting:

-M10 Side Bolt Mounting with Starnuts
VESA 100

Finish:

-Stainless Steel Brushed
-Stainless Steel Highly Polished
-Stainless Steel Electro Polished
-Matte Black

Display Protector:

-Sacrificial Touch Membrane

<https://stxtechnology.co.uk/x9008-8-inch-stainless-steel-touch-computer-washdown>

X9010

Touch

Touch Type: Resistive Touch

Display

LCD Size: 10.4" 4:3

Resolution: 1024x768

Brightness (Typical): 400 nits

System

CPU: Intel® Celeron® 6305U | Intel® Core™ i5-1135G7 | Intel® Core™ i7-1165G7 | ARM RK3588S

System Memory: 8 GB (optional 16GB | 24GB | 40GB)

Hard Drive: 128GB Industrial SSD (optional 256GB | 512GB)

Operating systems: Windows 10 | Windows 11 | Linux | Android

Monitor Option

Video Input: HDMI / DVI / VGA / Display Port options

Touch: USB Touch (optional RS232 Serial)

KVM Monitor Option

Video Input: HDMI / VGA / Display Port options

Touch: USB Touch (optional RS232 Serial)

Single CAT6 Cable Video & Touch up to 100M

Mechanical & Environmental

Material: 304 Stainless Steel (optional 316 Stainless Steel)

Finish: Brushed (optional Highly Polished)

Mounting: M10 Side Mounts (optional VESA, other)

Connectors: IP67 / IP68

Power Input: 10VDC~30VDC (optional 110~240VAC)

Display Protector: Tough Sacrificial Touch Membrane

Ports

USB: 1 x USB

Serial: 1 x RS-232 (optional up to 8 x RS232)

RS485 or RS422

CAN Bus

High Speed Serial RS232/RS422/RS485 (to 3M Baud)

Connectivity

Ethernet: 1x 1000Mbps (optional up to 3 Ethernet 1000Mbps)

WiFi: Dual Band

Bluetooth

3G / 4G LTE or 4G / 5G

Accessories

Keyboard Optional IP68 Keyboard and Keyboard Tray Kit

Mounting Options Various mounting kits available including top side and wall mounting

<https://stxtechnology.co.uk/x9010-10-inch-stainless-steel-touch-computer-washdown>



Order Options



Touch Panel PC

X9010-C4-RT

Intel® Celeron® 6305U
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9010-C5-RT

Intel® Core™ i5-1135G7
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9010-C7-RT

Intel® Core™ i7-1165G7
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9010-A3-RT

ARM RK3588S
8GB DDR4 RAM
128GB EMMC
Android 13

Touch Panel Monitor

X9010-M-RT

HDMI | VGA | DP
USB Touch

X9010-M-RT-KVM

HDMI | DP & USB Touch
Up to 100M over CAT6

Optional Features

Display Brightness

-High Brightnes 600nits
-High Brightnes 1000nits

Power:

-240VAC
-110VAC
-Other voltages

System:

-256GB | 512GB | 1TB | 2TB
-Up to 4 Ethernet 1000Mbps
Up to 8 RS232 / RS422 /
-RS485
-CAN bus
-High Speed Serial (to 3M Baud)
-3G / 4G or 4G / 5G

Material:

-304 Stainless Steel
-316 Stainless Steel

Mounting:

-M10 Side Bolt Mounting with Starnuts
VESA 100

Finish:

-Stainless Steel Brushed
-Stainless Steel Highly Polished
-Stainless Steel Electro Polished
-Matte Black

Display Protector:

-Sacrificial Touch Membrane

<https://stxtechnology.co.uk/x9010-10-inch-stainless-steel-touch-computer-washdown>

X9012

Touch

Touch Type: Resistive Touch

Display

LCD Size: 12.1" 4:3
Resolution: 1024x768
Brightness (Typical): 400 nits

System

CPU: Intel® Celeron® 6305U | Intel® Core™ i5-1135G7 | Intel® Core™ i7-1165G7 | ARM RK3588S
System Memory: 8 GB (optional 16GB | 24GB | 40GB)
Hard Drive: 128GB Industrial SSD (optional 256GB | 512GB)
Operating systems: Windows 10 | Windows 11 | Linux | Android

Monitor Option

Video Input: HDMI / DVI / VGA / Display Port options
Touch: USB Touch (optional RS232 Serial)

KVM Monitor Option

Video Input: HDMI / VGA / Display Port options
Touch: USB Touch (optional RS232 Serial)
Single CAT6 Cable Video & Touch up to 100M

Mechanical & Environmental

Material: 304 Stainless Steel (optional 316 Stainless Steel)
Finish: Brushed (optional Highly Polished)
Mounting: M10 Side Mounts (optional VESA, other)
Connectors: IP67 / IP68
Power Input: 10VDC~30VDC (optional 110~240VAC)
Display Protector: Tough Sacrificial Touch Membrane

Ports

USB: 1 x USB
Serial: 1 x RS-232 (optional up to 8 x RS232)
RS485 or RS422
CAN Bus
High Speed Serial RS232/RS422/RS485 (to 3M Baud)

Connectivity

Ethernet: 1x 1000Mbps (optional up to 3 Ethernet 1000Mbps)
WiFi: Dual Band
Bluetooth
3G / 4G LTE or 4G / 5G

Accessories

Keyboard Optional IP68 Keyboard and Keyboard Tray Kit
Mounting Options Various mounting kits available including top side and wall mounting

<https://stxtechnology.co.uk/x9012-12-inch-stainless-steel-touch-computer-washdown>



Order Options



Touch Panel PC

X9012-C4-RT

Intel® Celeron® 6305U
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9012-C5-RT

Intel® Core™ i5-1135G7
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9012-C7-RT

Intel® Core™ i7-1165G7
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9012-A3-RT

ARM RK3588S
8GB DDR4 RAM
128GB EMMC
Android 13

Touch Panel Monitor

X9012-M-RT

HDMI | VGA | DP
USB Touch

X9012-M-RT-KVM

HDMI | DP & USB Touch
Up to 100M over CAT6

Optional Features

Display Brightness

-High Brightnes 600nits
-High Brightnes 1000nits

Power:

-240VAC
-110VAC
-Other voltages

System:

-256GB | 512GB | 1TB | 2TB
-Up to 4 Ethernet 1000Mbps
Up to 8 RS232 / RS422 /
-RS485
-CAN bus
-High Speed Serial (to 3M Baud)
-3G / 4G or 4G / 5G

Material:

-304 Stainless Steel
-316 Stainless Steel

Mounting:

-M10 Side Bolt Mounting with Starnuts
VESA 100

Finish:

-Stainless Steel Brushed
-Stainless Steel Highly Polished
-Stainless Steel Electro Polished
-Matte Black

Display Protector:

-Sacrificial Touch Membrane

<https://stxtechnology.co.uk/x9012-12-inch-stainless-steel-touch-computer-washdown>

X9013

Touch

Touch Type: Resistive Touch

Display

LCD Size: 13.3" 16:9
Resolution: 1920x1080
Brightness (Typical): 400 nits

System

CPU: Intel® Celeron® 6305U | Intel® Core™ i5-1135G7 | Intel® Core™ i7-1165G7 | ARM RK3588S
System Memory: 8 GB (optional 16GB | 24GB | 40GB)
Hard Drive: 128GB Industrial SSD (optional 256GB | 512GB)
Operating systems: Windows 10 | Windows 11 | Linux | Android

Monitor Option

Video Input: HDMI / DVI / VGA / Display Port options
Touch: USB Touch (optional RS232 Serial)

KVM Monitor Option

Video Input: HDMI / VGA / Display Port options
Touch: USB Touch (optional RS232 Serial)
Single CAT6 Cable Video & Touch up to 100M

Mechanical & Environmental

Material: 304 Stainless Steel (optional 316 Stainless Steel)
Finish: Brushed (optional Highly Polished)
Mounting: M10 Side Mounts (optional VESA, other)
Connectors: IP67 / IP68
Power Input: 10VDC~30VDC (optional 110~240VAC)
Display Protector: Tough Sacrificial Touch Membrane

Ports

USB: 1 x USB
Serial: 1 x RS-232 (optional up to 8 x RS232)
RS485 or RS422
CAN Bus
High Speed Serial RS232/RS422/RS485 (to 3M Baud)

Connectivity

Ethernet: 1x 1000Mbps (optional up to 3 Ethernet 1000Mbps)
WiFi: Dual Band
Bluetooth
3G / 4G LTE or 4G / 5G

Accessories

Keyboard Optional IP68 Keyboard and Keyboard Tray Kit
Mounting Options Various mounting kits available including top side and wall mounting

<https://stxtechnology.co.uk/x9013-13-inch-stainless-steel-touch-computer-washdown>





Touch Panel PC

X9013-C4-RT

Intel® Celeron® 6305U
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9013-C5-RT

Intel® Core™ i5-1135G7
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9013-C7-RT

Intel® Core™ i7-1165G7
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9013-A3-RT

ARM RK3588S
8GB DDR4 RAM
128GB EMMC
Android 13

Touch Panel Monitor

X9013-M-RT

HDMI | VGA | DP
USB Touch

X9013-M-RT-KVM

HDMI | DP & USB Touch
Up to 100M over CAT6

Optional Features

Display Brightness

-High Brightnes 600nits
-High Brightnes 1000nits

Power:

-240VAC
-110VAC
-Other voltages

System:

-256GB | 512GB | 1TB | 2TB
-Up to 4 Ethernet 1000Mbps
Up to 8 RS232 / RS422 /
-RS485
-CAN bus
-High Speed Serial (to 3M Baud)
-3G / 4G or 4G / 5G

Material:

-304 Stainless Steel
-316 Stainless Steel

Mounting:

-M10 Side Bolt Mounting with Starnuts
VESA 100

Finish:

-Stainless Steel Brushed
-Stainless Steel Highly Polished
-Stainless Steel Electro Polished
-Matte Black

Display Protector:

-Sacrificial Touch Membrane

<https://stxtechnology.co.uk/x9013-13-inch-stainless-steel-touch-computer-washdown>

X9015

Touch

Touch Type: Resistive Touch

Display

LCD Size: 15" 4:3

Resolution: 1024x768

Brightness (Typical): 400 nits

System

CPU: Intel® Celeron® 6305U | Intel® Core™ i5-1135G7 | Intel® Core™ i7-1165G7 | ARM RK3588S

System Memory: 8 GB (optional 16GB | 24GB | 40GB)

Hard Drive: 128GB Industrial SSD (optional 256GB | 512GB)

Operating systems: Windows 10 | Windows 11 | Linux | Android

Monitor Option

Video Input: HDMI / DVI / VGA / Display Port options

Touch: USB Touch (optional RS232 Serial)

KVM Monitor Option

Video Input: HDMI / VGA / Display Port options

Touch: USB Touch (optional RS232 Serial)

Single CAT6 Cable Video & Touch up to 100M

Mechanical & Environmental

Material: 304 Stainless Steel (optional 316 Stainless Steel)

Finish: Brushed (optional Highly Polished)

Mounting: M10 Side Mounts (optional VESA, other)

Connectors: IP67 / IP68

Power Input: 10VDC~30VDC (optional 110~240VAC)

Display Protector: Tough Sacrificial Touch Membrane

Ports

USB: 1 x USB

Serial: 1 x RS-232 (optional up to 8 x RS232)

RS485 or RS422

CAN Bus

High Speed Serial RS232/RS422/RS485 (to 3M Baud)

Connectivity

Ethernet: 1x 1000Mbps (optional up to 3 Ethernet 1000Mbps)

WiFi: Dual Band

Bluetooth

3G / 4G LTE or 4G / 5G

Accessories

Keyboard Optional IP68 Keyboard and Keyboard Tray Kit

Mounting Options Various mounting kits available including top side and wall mounting



<https://stxtechnology.co.uk/x9015-15-inch-stainless-steel-touch-computer-washdown>

Order Options



Touch Panel PC

X9015-C4-RT

Intel® Celeron® 6305U
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9015-C5-RT

Intel® Core™ i5-1135G7
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9015-C7-RT

Intel® Core™ i7-1165G7
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9015-A3-RT

ARM RK3588S
8GB DDR4 RAM
128GB EMMC
Android 13

Touch Panel Monitor

X9015-M-RT

HDMI | VGA | DP
USB Touch

X9015-M-RT-KVM

HDMI | DP & USB Touch
Up to 100M over CAT6

Optional Features

Display Brightness

-High Brightnes 600nits
-High Brightnes 1000nits

Power:

-240VAC
-110VAC
-Other voltages

System:

-256GB | 512GB | 1TB | 2TB
-Up to 4 Ethernet 1000Mbps
Up to 8 RS232 / RS422 /
-RS485
-CAN bus
-High Speed Serial (to 3M Baud)
-3G / 4G or 4G / 5G

Material:

-304 Stainless Steel
-316 Stainless Steel

Mounting:

-M10 Side Bolt Mounting with Starnuts
VESA 100

Finish:

-Stainless Steel Brushed
-Stainless Steel Highly Polished
-Stainless Steel Electro Polished
-Matte Black

Display Protector:

-Sacrificial Touch Membrane

<https://stxtechnology.co.uk/x9015-15-inch-stainless-steel-touch-computer-washdown>

X9016

Touch

Touch Type: Resistive Touch

Display

LCD Size: 15.6" 16:9
Resolution: 1920x1080
Brightness (Typical): 400 nits

System

CPU: Intel® Celeron® 6305U | Intel® Core™ i5-1135G7 | Intel® Core™ i7-1165G7 | ARM RK3588S
System Memory: 8 GB (optional 16GB | 24GB | 40GB)
Hard Drive: 128GB Industrial SSD (optional 256GB | 512GB)
Operating systems: Windows 10 | Windows 11 | Linux | Android

Monitor Option

Video Input: HDMI / DVI / VGA / Display Port options
Touch: USB Touch (optional RS232 Serial)

KVM Monitor Option

Video Input: HDMI / VGA / Display Port options
Touch: USB Touch (optional RS232 Serial)
Single CAT6 Cable Video & Touch up to 100M

Mechanical & Environmental

Material: 304 Stainless Steel (optional 316 Stainless Steel)
Finish: Brushed (optional Highly Polished)
Mounting: M10 Side Mounts (optional VESA, other)
Connectors: IP67 / IP68
Power Input: 10VDC~30VDC (optional 110~240VAC)
Display Protector: Tough Sacrificial Touch Membrane

Ports

USB: 1 x USB
Serial: 1 x RS-232 (optional up to 8 x RS232)
RS485 or RS422
CAN Bus
High Speed Serial RS232/RS422/RS485 (to 3M Baud)

Connectivity

Ethernet: 1x 1000Mbps (optional up to 3 Ethernet 1000Mbps)
WiFi: Dual Band
Bluetooth
3G / 4G LTE or 4G / 5G

Accessories

Keyboard Optional IP68 Keyboard and Keyboard Tray Kit
Mounting Options Various mounting kits available including top side and wall mounting



<https://stxtechnology.co.uk/x9016-15-inch-stainless-steel-touch-computer-washdown>



Touch Panel PC

X9016-C4-RT

Intel® Celeron® 6305U
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9016-C5-RT

Intel® Core™ i5-1135G7
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9016-C7-RT

Intel® Core™ i7-1165G7
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9016-A3-RT

ARM RK3588S
8GB DDR4 RAM
128GB EMMC
Android 13

Touch Panel Monitor

X9016-M-RT

HDMI | VGA | DP
USB Touch

X9016-M-RT-KVM

HDMI | DP & USB Touch
Up to 100M over CAT6

Optional Features

Display Brightness

-High Brightnes 600nits
-High Brightnes 1000nits

Power:

-240VAC
-110VAC
-Other voltages

System:

-256GB | 512GB | 1TB | 2TB
-Up to 4 Ethernet 1000Mbps
Up to 8 RS232 / RS422 /
-RS485
-CAN bus
-High Speed Serial (to 3M Baud)
-3G / 4G or 4G / 5G

Material:

-304 Stainless Steel
-316 Stainless Steel

Mounting:

-M10 Side Bolt Mounting with Starnuts
VESA 100

Finish:

-Stainless Steel Brushed
-Stainless Steel Highly Polished
-Stainless Steel Electro Polished
-Matte Black

Display Protector:

-Sacrificial Touch Membrane

<https://stxtechnology.co.uk/x9016-15-inch-stainless-steel-touch-computer-washdown>

X9017

Touch

Touch Type: Resistive Touch

Display

LCD Size: 17" 4:3

Resolution: 1280x1024

Brightness (Typical): 400 nits

System

CPU: Intel® Celeron® 6305U | Intel® Core™ i5-1135G7 | Intel® Core™ i7-1165G7 | ARM RK3588S

System Memory: 8 GB (optional 16GB | 24GB | 40GB)

Hard Drive: 128GB Industrial SSD (optional 256GB | 512GB)

Operating systems: Windows 10 | Windows 11 | Linux | Android

Monitor Option

Video Input: HDMI / DVI / VGA / Display Port options

Touch: USB Touch (optional RS232 Serial)

KVM Monitor Option

Video Input: HDMI / VGA / Display Port options

Touch: USB Touch (optional RS232 Serial)

Single CAT6 Cable Video & Touch up to 100M

Mechanical & Environmental

Material: 304 Stainless Steel (optional 316 Stainless Steel)

Finish: Brushed (optional Highly Polished)

Mounting: M10 Side Mounts (optional VESA, other)

Connectors: IP67 / IP68

Power Input: 10VDC~30VDC (optional 110~240VAC)

Display Protector: Tough Sacrificial Touch Membrane

Ports

USB: 1 x USB

Serial: 1 x RS-232 (optional up to 8 x RS232)

RS485 or RS422

CAN Bus

High Speed Serial RS232/RS422/RS485 (to 3M Baud)

Connectivity

Ethernet: 1x 1000Mbps (optional up to 3 Ethernet 1000Mbps)

WiFi: Dual Band

Bluetooth

3G / 4G LTE or 4G / 5G

Accessories

Keyboard Optional IP68 Keyboard and Keyboard Tray Kit

Mounting Options Various mounting kits available including top side and wall mounting

<https://stxtechnology.co.uk/x9017-17-inch-stainless-steel-touch-computer-washdown>



Order Options



Touch Panel PC

X9017-C4-RT

Intel® Celeron® 6305U
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9017-C5-RT

Intel® Core™ i5-1135G7
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9017-C7-RT

Intel® Core™ i7-1165G7
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9017-A3-RT

ARM RK3588S
8GB DDR4 RAM
128GB EMMC
Android 13

Touch Panel Monitor

X9017-M-RT

HDMI | VGA | DP
USB Touch

X9017-M-RT-KVM

HDMI | DP & USB Touch
Up to 100M over CAT6

Optional Features

Display Brightness

-High Brightnes 600nits
-High Brightnes 1000nits

Power:

-240VAC
-110VAC
-Other voltages

System:

-256GB | 512GB | 1TB |
2TB
-Up to 4 Ethernet 1000Mbps
Up to 8 RS232 / RS422 /
-RS485
-CAN bus
-High Speed Serial (to 3M
Baud)
-3G / 4G or 4G / 5G

Material:

-304 Stainless Steel
-316 Stainless Steel

Mounting:

-M10 Side Bolt Mounting with
Starnuts
VESA 100

Finish:

-Stainless Steel Brushed
-Stainless Steel Highly Polished
-Stainless Steel Electro Polished
-Matte Black

Display Protector:

-Sacrificial Touch Membrane

<https://stxtechnology.co.uk/x9017-17-inch-stainless-steel-touch-computer-washdown>

X9018

Touch

Touch Type: Resistive Touch

Display

LCD Size: 18.5" 16:9 1920x1080

Resolution: 1920x1080

Brightness (Typical): 400 nits

System

CPU: Intel® Celeron® 6305U | Intel® Core™ i5-1135G7 | Intel® Core™ i7-1165G7 | ARM RK3588S

System Memory: 8 GB (optional 16GB | 24GB | 40GB)

Hard Drive: 128GB Industrial SSD (optional 256GB | 512GB)

Operating systems: Windows 10 | Windows 11 | Linux | Android

Monitor Option

Video Input: HDMI / DVI / VGA / Display Port options

Touch: USB Touch (optional RS232 Serial)

KVM Monitor Option

Video Input: HDMI / VGA / Display Port options

Touch: USB Touch (optional RS232 Serial)

Single CAT6 Cable Video & Touch up to 100M

Mechanical & Environmental

Material: 304 Stainless Steel (optional 316 Stainless Steel)

Finish: Brushed (optional Highly Polished)

Mounting: M10 Side Mounts (optional VESA, other)

Connectors: IP67 / IP68

Power Input: 10VDC~30VDC (optional 110~240VAC)

Display Protector: Tough Sacrificial Touch Membrane

Ports

USB: 1 x USB

Serial: 1 x RS-232 (optional up to 8 x RS232)

RS485 or RS422

CAN Bus

High Speed Serial RS232/RS422/RS485 (to 3M Baud)

Connectivity

Ethernet: 1x 1000Mbps (optional up to 3 Ethernet 1000Mbps)

WiFi: Dual Band

Bluetooth

3G / 4G LTE or 4G / 5G

Accessories

Keyboard Optional IP68 Keyboard and Keyboard Tray Kit

Mounting Options Various mounting kits available including top side and wall mounting

<https://stxtechnology.co.uk/x9018-19-inch-stainless-steel-touch-computer-washdown>





Touch Panel PC

X9018-C4-RT

Intel® Celeron® 6305U
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9018-C5-RT

Intel® Core™ i5-1135G7
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9018-C7-RT

Intel® Core™ i7-1165G7
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9018-A3-RT

ARM RK3588S
8GB DDR4 RAM
128GB EMMC
Android 13

Touch Panel Monitor

X9018-M-RT

HDMI | VGA | DP
USB Touch

X9018-M-RT-KVM

HDMI | DP & USB Touch
Up to 100M over CAT6

Optional Features

Display Brightness

-High Brightnes 600nits
-High Brightnes 1000nits

Power:

-240VAC
-110VAC
-Other voltages

System:

-256GB | 512GB | 1TB | 2TB
-Up to 4 Ethernet 1000Mbps
Up to 8 RS232 / RS422 /
-RS485
-CAN bus
-High Speed Serial (to 3M Baud)
-3G / 4G or 4G / 5G

Material:

-304 Stainless Steel
-316 Stainless Steel

Mounting:

-M10 Side Bolt Mounting with Starnuts
VESA 100

Finish:

-Stainless Steel Brushed
-Stainless Steel Highly Polished
-Stainless Steel Electro Polished
-Matte Black

Display Protector:

-Sacrificial Touch Membrane

<https://stxtechnology.co.uk/x9018-19-inch-stainless-steel-touch-computer-washdown>

X9019

Touch

Touch Type: Resistive Touch

Display

LCD Size: 19" 4:3 1280x1024

Resolution:

Brightness (Typical): 400 nits

System

CPU: Intel® Celeron® 6305U | Intel® Core™ i5-1135G7 | Intel® Core™ i7-1165G7 | ARM RK3588S

System Memory: 8 GB (optional 16GB | 24GB | 40GB)

Hard Drive: 128GB Industrial SSD (optional 256GB | 512GB)

Operating systems: Windows 10 | Windows 11 | Linux | Android

Monitor Option

Video Input: HDMI / DVI / VGA / Display Port options

Touch: USB Touch (optional RS232 Serial)

KVM Monitor Option

Video Input: HDMI / VGA / Display Port options

Touch: USB Touch (optional RS232 Serial)

Single CAT6 Cable Video & Touch up to 100M

Mechanical & Environmental

Material: 304 Stainless Steel (optional 316 Stainless Steel)

Finish: Brushed (optional Highly Polished)

Mounting: M10 Side Mounts (optional VESA, other)

Connectors: IP67 / IP68

Power Input: 10VDC~30VDC (optional 110~240VAC)

Display Protector: Tough Sacrificial Touch Membrane

Ports

USB: 1 x USB

Serial: 1 x RS-232 (optional up to 8 x RS232)

RS485 or RS422

CAN Bus

High Speed Serial RS232/RS422/RS485 (to 3M Baud)

Connectivity

Ethernet: 1x 1000Mbps (optional up to 3 Ethernet 1000Mbps)

WiFi: Dual Band

Bluetooth

3G / 4G LTE or 4G / 5G

Accessories

Keyboard Optional IP68 Keyboard and Keyboard Tray Kit

Mounting Options Various mounting kits available including top side and wall mounting

<https://stxtechnology.co.uk/x9019-19-inch-stainless-steel-touch-computer-washdown>



Order Options



Touch Panel PC

X9019-C4-RT

Intel® Celeron® 6305U
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9019-C5-RT

Intel® Core™ i5-1135G7
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9019-C7-RT

Intel® Core™ i7-1165G7
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9019-A3-RT

ARM RK3588S
8GB DDR4 RAM
128GB EMMC
Android 13

Touch Panel Monitor

X9019-M-RT

HDMI | VGA | DP
USB Touch

X9019-M-RT-KVM

HDMI | DP & USB Touch
Up to 100M over CAT6

Optional Features

Display Brightness

-High Brightnes 600nits
-High Brightnes 1000nits

Power:

-240VAC
-110VAC
-Other voltages

System:

-256GB | 512GB | 1TB |
2TB
-Up to 4 Ethernet 1000Mbps
Up to 8 RS232 / RS422 /
-RS485
-CAN bus
-High Speed Serial (to 3M
Baud)
-3G / 4G or 4G / 5G

Material:

-304 Stainless Steel
-316 Stainless Steel

Mounting:

-M10 Side Bolt Mounting with
Starnuts
VESA 100

Finish:

-Stainless Steel Brushed
-Stainless Steel Highly Polished
-Stainless Steel Electro Polished
-Matte Black

Display Protector:

-Sacrificial Touch Membrane

<https://stxtechnology.co.uk/x9019-19-inch-stainless-steel-touch-computer-washdown>

X9022

Touch

Touch Type: Resistive Touch

Display

LCD Size: 21.5" 16:9
Resolution: 1920x1080
Brightness (Typical): 400 nits

System

CPU: Intel® Celeron® 6305U | Intel® Core™ i5-1135G7 | Intel® Core™ i7-1165G7 | ARM RK3588S
System Memory: 8 GB (optional 16GB | 24GB | 40GB)
Hard Drive: 128GB Industrial SSD (optional 256GB | 512GB)
Operating systems: Windows 10 | Windows 11 | Linux | Android

Monitor Option

Video Input: HDMI / DVI / VGA / Display Port options
Touch: USB Touch (optional RS232 Serial)

KVM Monitor Option

Video Input: HDMI / VGA / Display Port options
Touch: USB Touch (optional RS232 Serial)
Single CAT6 Cable Video & Touch up to 100M

Mechanical & Environmental

Material: 304 Stainless Steel (optional 316 Stainless Steel)
Finish: Brushed (optional Highly Polished)
Mounting: M10 Side Mounts (optional VESA, other)
Connectors: IP67 / IP68
Power Input: 10VDC~30VDC (optional 110~240VAC)
Display Protector: Tough Sacrificial Touch Membrane

Ports

USB: 1 x USB
Serial: 1 x RS-232 (optional up to 8 x RS232)
RS485 or RS422
CAN Bus
High Speed Serial RS232/RS422/RS485 (to 3M Baud)

Connectivity

Ethernet: 1x 1000Mbps (optional up to 3 Ethernet 1000Mbps)
WiFi: Dual Band
Bluetooth
3G / 4G LTE or 4G / 5G

Accessories

Keyboard Optional IP68 Keyboard and Keyboard Tray Kit
Mounting Options Various mounting kits available including top side and wall mounting

<https://stxtechnology.co.uk/x9022-22-inch-stainless-steel-touch-computer-washdown>





Touch Panel PC

X9022-C4-RT

Intel® Celeron® 6305U
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9022-C5-RT

Intel® Core™ i5-1135G7
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9022-C7-RT

Intel® Core™ i7-1165G7
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9022-A3-RT

ARM RK3588S
8GB DDR4 RAM
128GB EMMC
Android 13

Touch Panel Monitor

X9022-M-RT

HDMI | VGA | DP
USB Touch

X9022-M-RT-KVM

HDMI | DP & USB Touch
Up to 100M over CAT6

Optional Features

Display Brightness

-High Brightnes 600nits
-High Brightnes 1000nits

Power:

-240VAC
-110VAC
-Other voltages

System:

-256GB | 512GB | 1TB | 2TB
-Up to 4 Ethernet 1000Mbps
Up to 8 RS232 / RS422 /
-RS485
-CAN bus
-High Speed Serial (to 3M Baud)
-3G / 4G or 4G / 5G

Material:

-304 Stainless Steel
-316 Stainless Steel

Mounting:

-M10 Side Bolt Mounting with Starnuts
VESA 100

Finish:

-Stainless Steel Brushed
-Stainless Steel Highly Polished
-Stainless Steel Electro Polished
-Matte Black

Display Protector:

-Sacrificial Touch Membrane

<https://stxtechnology.co.uk/x9022-22-inch-stainless-steel-touch-computer-washdown>

X9024

Touch

Touch Type: Resistive Touch

Display

LCD Size: 24" 16:9

Resolution: 1920x1080 (Optional 16:10 1920x1200)

Brightness (Typical):400 nits

System

CPU: Intel® Celeron® 6305U | Intel® Core™ i5-1135G7 | Intel® Core™ i7-1165G7 | ARM RK3588S

System Memory: 8 GB (optional 16GB | 24GB | 40GB)

Hard Drive: 128GB Industrial SSD (optional 256GB | 512GB)

Operating systems: Windows 10 | Windows 11 | Linux | Android

Monitor Option

Video Input: HDMI / DVI / VGA / Display Port options

Touch: USB Touch (optional RS232 Serial)

KVM Monitor Option

Video Input: HDMI / VGA / Display Port options

Touch: USB Touch (optional RS232 Serial)

Single CAT6 Cable Video & Touch up to 100M

Mechanical & Environmental

Material: 304 Stainless Steel (optional 316 Stainless Steel)

Finish: Brushed (optional Highly Polished)

Mounting: M10 Side Mounts (optional VESA, other)

Connectors: IP67 / IP68

Power Input: 10VDC~30VDC (optional 110~240VAC)

Display Protector: Tough Sacrificial Touch Membrane

Ports

USB: 1 x USB

Serial: 1 x RS-232 (optional up to 8 x RS232)

RS485 or RS422

CAN Bus

High Speed Serial RS232/RS422/RS485 (to 3M Baud)

Connectivity

Ethernet: 1x 1000Mbps (optional up to 3 Ethernet 1000Mbps)

WiFi: Dual Band

Bluetooth

3G / 4G LTE or 4G / 5G

Accessories

Keyboard Optional IP68 Keyboard and Keyboard Tray Kit

Mounting Options Various mounting kits available including top side and wall mounting

<https://stxtechnology.co.uk/x9024-24-inch-stainless-steel-touch-computer-washdown>





Touch Panel PC

X9024-C4-RT

Intel® Celeron® 6305U
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9024-C5-RT

Intel® Core™ i5-1135G7
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9024-C7-RT

Intel® Core™ i7-1165G7
8GB DDR4 RAM
120GB SSD
Windows | Linux

X9024-A3-RT

ARM RK3588S
8GB DDR4 RAM
128GB EMMC
Android 13

Touch Panel Monitor

X9024-M-RT

HDMI | VGA | DP
USB Touch

X9024-M-RT-KVM

HDMI | DP & USB Touch
Up to 100M over CAT6

Optional Features

Display Brightness

-High Brightnes 600nits
-High Brightnes 1000nits

Power:

-240VAC
-110VAC
-Other voltages

System:

-256GB | 512GB | 1TB | 2TB
-Up to 4 Ethernet 1000Mbps
Up to 8 RS232 / RS422 /
-RS485
-CAN bus
-High Speed Serial (to 3M Baud)
-3G / 4G or 4G / 5G

Material:

-304 Stainless Steel
-316 Stainless Steel

Mounting:

-M10 Side Bolt Mounting with Starnuts
VESA 100

Finish:

-Stainless Steel Brushed
-Stainless Steel Highly Polished
-Stainless Steel Electro Polished
-Matte Black

Display Protector:

-Sacrificial Touch Membrane

<https://stxtechnology.co.uk/x9024-24-inch-stainless-steel-touch-computer-washdown>