

Securityseals

designed by specialists for enhanced security control









Designed by specialists

Unisto design, manufacture and distribute security seals to diverse industry sectors, including airlines, cash-in-transit, law enforcement, retail, chemical and pharmaceutical, food, utilities and many more.

Working closely with leading customers and industry specialists drives the development of innovative, high quality, user friendly products offering advanced levels of tamper evident security.

Our experienced team can be called upon to provide expert advice and solutions to suit your individual applications and requirements.













Simple and Effective Security Control

Unisto security seals provide a simple cost effective integrity check.

Designed and manufactured using state of the art technology, Unisto seals are effective in reducing opportunistic theft and guarding against wilful or accidental contamination as well as preventing the illegal stowage of drugs, explosives or even people, illegal immigration being still a major concern.

Unisto security seals provide reassurance and save time and money by providing a fast visual check of consignments. Sequential numbering gives the ability to track, audit, monitor and control, whilst optional bar-coding enables fast and accurate data capture. Company name or logo can be printed or laser marked for additional security.

Choosing the right seal for the job

Factors that should be taken into consideration are:

- The type of container that is to be secured.
- The temperature range and conditions where the seal will be used.
- The length of time the container will be sealed and whether it will be supervised.
- **▼** The value of the contents.
- The numbering system best suited for the application and process (sequential or random?).
- The method of control; manual or electronic (bar-code or RFID).
- The requirements for logistic management, colour or other coding.
- Does a third party need to approve the seal and / or procedure? (i.e. Customs).





Reusable Electronic Seals

Now operating on over 75,000 vehicles worldwide in extremes of climate the Unisto range of reusable electronic seals provide a cost effective solution for trailers, tankers and vans giving 35,000 sealing events at just a ½ penny per seal. Apart from the compelling cost saving over single use seals there are also huge environmental benefits with the removal of plastic seal debris.

From the simple to operate C2K to the Manta with 100 sealing event memory, Unisto provides the ultimate solution in transport security equipment to control your distribution system.

Full technical specifications are available on request or visit our website:

o.co.uk

Unisto Bolt and Cable Seal Safety Cutter Kit

Miscellaneous Seals

Other sealing products available from Unisto:

Tamper Evident Labels

Our high specification range of frangible or voiding security labels can be used on a variety of substrates.

"Delam" and "Destructaseal" are two types of frangible seal that are both hard to remove and come away in small pieces (ideal for use on outer packaging).

"Multiseal" leaves strong VOID residue and also voids the label to prevent reuse (ideal for use on outer packaging of high value items).

"Entriseal" non-Resiseal leaves no residue and voids the label to prevent reuse (ideal for use on filing or data cabinets, vehicle or aircraft outer doors and hatches).



1mm or 1.5mm braided sealing wire available in cut lengths or on coil (suitable for use with P8, P10 or Selflock Seals). Safety Knives

For removing plastic seals (without a tear-off).

Bolt & Side Cutters

Various types of bolt cutters available to remove Spinblock, Targo, Flatstar, Metal Drum Seals and Handclosing Seal.



Emergency Exit Security

Designed for use on emergency exits and fire doors to ensure compliance with fire regulations and provide a quick visual security check.



Push Bar Emergency Seal & Sash

(suitable for public areas)

Kit comprises 1,000 Unilock consecutively numbered security seals and 20 high visibility easy break sashes. The set comes complete with an audit template on which to record regular safety checks to prove compliance with fire regulations.

www.unisto.co.uk

Product details

Ribbon length

Material

Break strength

Min hole/slot

Product features

Colour range

Consecutive numbering

Bar-coding / Wireless ID*

Tear-off

Removable by

Unique indicative features

Packed in sequence

Typical applications

Black background in Security level denotes 'Barrier Security'

Security level

Product details

Ribbon length

Material

Break strength

Min hole/slot

Product features

Colour range

Consecutive numbering

Bar-coding / Wireless ID*

Tear-off

Removable by

Unique indicative features

Packed in sequence

Typical applications

Black background in Security level denotes 'Barrier Security'

Security level

Push Fit Closures











Fir Tree (Various)	Twist-Off	EasyLock	Syntra
Various shapes/sizes	8mm	8.2mm	6.5mm
PE	PE	PP	PP
Various	12.5kg	4kg	4kg
Various	5 x 13mm	4 x 15.5mm	9 x 5mm
			(Option)
			(Option)
(Option)			
Hand/Tool	Hand	Hand	Hand
			(Option)
Drum/keg spring rings	Tote / distribution boxes	Tote / distribution boxes	Tote / distribution boxes
CLOSURE	CLOSURE	CLOSURE	M
			(IF NUMBERED)

Electronic Seals



Misc







Straplock V1/V2	Fire Door	C2K	Manta
PP Strapping	630mm	Various Hasp Lengths	Various Hasp Lengths
ABS/ABS Brass Pin	PP/PVC (hi vis)	Electronic systen	n with steel cable
8-12mm PP Strap	<8kg	>750kg	>750kg
8-12mm PP Strap	Push bar	7mm	7mm
		Random Number	Random Number +100 Event Audit Trail
			*
Tool	Hand	Hand	Hand
		N/A	N/A
ALCs Pallet strapping Carton strapping	Fire exits Emergecy exits	Trailer doors Tanker valves Van doors Key cabinets	Trailer doors Tanker valves Van doors Key cabinets

Padlock Seals















Padlock 2	Padlock 3	Padlock 4	M Seal	Targo	Qubis 30	U Lock
16mm	25mm	24mm	24.5mm	20mm	14.5mm	35mm
PP	PP	PP/POM	PS/ABS/Steel	ABS/Steel	Brass/Steel/PP	ABS/Steel
3.5kg	5kg	5kg	22kg	200kg	750kg	250kg
2.5mm	3 x 6mm	4mm	6.5 x 1mm	5 x 2.2mm	6mm	ø 5mm
			(Option)	*		
			(Option)			
Hand	Hand	Hand	Hand/Tool	Tool	Key/Hand	Tool
Airline trolleys Data cabinets Security boxes ATM cassettes	Airline trolleys Data cabinets Security boxes	Airline trolleys Data cabinets Security boxes	Airline bar carts Data cabinets Keys	Duty free trolleys Data cabinets Security boxes Keys	Duty free trolleys Data cabinets Security boxes	Trailer Doors Sea containers
M	L	Н	M	Н	Н	M

Meter / Cabinet Seals











			Milital II -	
PO1	PO2	P8/P10	P20	Selflock
112mm	112mm	Sealing Wire	Sealing Wire	Sealing Wire
PA/POM	PA/POM	PP	SMMA	Tin Plated Steel
7kg	7kg	Sealing Wire	10kg	Sealing Wire
1.4mm	1.4mm	1-2mm	ø 1.2mm	1-2mm
				(Option)
Hand	Hand	Tool	Hand/Tool	Tool
Meters Data cabinets Valves Control boxes	Meters Data cabinets Valves Control boxes	Meters Data cabinets Valves Control boxes	Meters Valves	Meters Data cabinets Valves Control boxes
CLOSURE	M	CLOSURE	M/H	(IF NUMBERED)

www.unisto.co.uk

Variable Length Seals Product details Twinstar Modulo Compact/Comet Siris/Siris LT Unicable Midi Cable Varis Variflex Mono Medio/Median Petit 112m Ribbon length 345mm 400 to 2,800mm 250mm 173/250mm 120/185/225mm 230mm 160 or 235mm 116.5 or 227.5mm 150 - 330mm 200mm 330mm 265 or 360mm PP or PA/POM Material PP/Steel PP/Steel PP or PA/POM PP/POM PP PP P or PA/Steel P or PA/Steel PP PP or PA Aluminium/Steel PVC/Zinc Alloy/Steel 12/16kg 15/24kg 11/21kg 200 to 500kg 42kg 50kg 58kg 12kg 9kg 2.5/7kg 250 to 1,000kg Break strength 52kg 26/40kg Min hole/slot size 2.5mm 3 x 4mm 2.6mm 1.5mm to 5mm 1.7 to 2.5mm 7.2 x 2.2mm 6 x 2mm 3.8mm 4.6 x 2.2mm 3 x 9mm 3 x 5mm 2mm 3mm Product features Colour range Consecutive numbering Bar-coding / Wireless ID* (Option) (Median) (Siris LT) (Option) (Comet) Tear-off (Option) (Option) Option Option Removable by Hand/Tool Tool Hand/Tool Tool Hand/Tool Tool Hand Hand Hand Hand Hand Tool Tool Unique indicative features Packed in sequence Typical applications Bags Bags Bags Unusual Bags Bags ATM cassettes ATM cassettes Bar carts Airline carts Food carts Intermodal Data cabinets Sacks Sacks Sacks applications Clinical waste Bar carts Bar carts Coin bags Data cabinets Fire extinguishers containers Airline trolleys Sacks Rollcages where additional Tote boxes Coin bags Coin bags Trailers valves Security boxes Rollcages Rollcages Pouches Security boxes First aid & Cages ribbon length cabinets Tankers emerency kits Pouches Pouches Bags ATM cassettes Cages Cages Black background in Security level Tankers required Duty free trolleys Bags Bags denotes 'Barrier Security' Bar carts Security level **Fixed Length Seals**

























denotes 'Barrier Security'			27		0		
Material PE/Thermocomp™ PP PP Tin Plate Steel Steel/Cardboard Polystyrene/PS Break strength 20kg 8kg 8kg 55kg 85kg 4kg Min hole/slot size 6.5mm 6mm 7 x 4.5mm 1 x 8mm 2.5mm 3mm Product features Provides "heat use" evidence (Option) (Option) <t< td=""><td>Product details</td><td>Fixlock</td><td>Unilock</td><td>Integer</td><td>Flatstar</td><td>Handclosing</td><td>Banco 4</td></t<>	Product details	Fixlock	Unilock	Integer	Flatstar	Handclosing	Banco 4
Break strength 20kg 8kg 8kg 55kg 85kg 4kg Min hole/slot size 6.5mm 6mm 7 x 4.5mm 1 x 8mm 2.5mm 3mm Product features Colour range Consecutive numbering Bar-coding / Wireless ID* Tear-off Removable by Hand Hand Hand Hand Tool Tool Hand Unique indicative features Packed in sequence Typical applications Data cabinets Airline trolleys Security boxes ATM cassettes ATM cassettes ATM cassettes Black background in Security level denotes 'Barrier Security' Akg 55kg 85kg 4kg 6,5mm 7 x 4.5mm 1 x 8mm 2.5mm (Option) (Option) (Option) (Option) Tool Hand Containers Curtain sliders Trailer doors Trailer doors NCR ATM Cassettes with double eyelets	Ribbon length	155/245mm	160/185/210/285mm	180/220mm	175mm	150-230mm	39mm
Min hole/slot size Product features Colour range Consecutive numbering Bar-coding / Wireless ID* Tear-off Removable by Hand Hand Hand Hand Hand Tool Tool Hand Unique indicative features Packed in sequence Typical applications Data cabinets Airline trolleys Security boxes Airline trolleys Security boxes ATM cassettes ATM cassettes ATM cassettes ATM cassettes ATM cassettes Provides *heat use* evidence (Option) (Option) (Option) (Option) Duty free trolleys Curtain sliders Trailer doors	Material	$PE/Thermocomp^{\scriptscriptstyleTM}$	PP	PP	Tin Plate Steel	Steel/Cardboard	Polystyrene/PS
Colour range Consecutive numbering Bar-coding / Wireless ID* Tear-off Removable by Unique indicative features Packed in sequence Typical applications Data cabinets Airline trolleys Security boxes ATM cassettes ATM cassettes Provides "heat use" evidence (Option) (Option) (Option) (Option) (Option) (Option) Duty free trolleys Curtain sliders Trailer doors Trailer doors Trailer doors Trailer doors ATM cassettes Provides "heat use" evidence (Option) Duty free trolleys Curtain sliders Trailer doors Trailer doors Security boxes Security boxes ATM cassettes	Break strength	20kg	8kg	8kg	55kg	85kg	4kg
Consecutive numbering Bar-coding / Wireless ID* Tear-off Removable by Hand Hand Hand Hand Hand Tool Tool Hand Unique indicative features Packed in sequence Typical applications Data cabinets Airline trolleys Security boxes Airline trolleys Security boxes ATM cassettes ATM cassettes ATM cassettes ATM cassettes ATM cassettes Containers Curtain sliders Trailer doors Trailer doors Trailer doors Containers Curtain sliders Trailer doors Trailer doors Curtain sliders Trailer doors Security boxes Security boxes ATM cassettes	Min hole/slot size	6.5mm	6mm	7 x 4.5mm	1 x 8mm	2.5mm	3mm
Consecutive numbering Bar-coding / Wireless ID* Tear-off Removable by Hand Hand Hand Hand Tool Tool Hand Unique indicative features Packed in sequence Typical applications Data cabinets Airline trolleys Security boxes ATM cassettes ATM cassettes ATM cassettes ATM cassettes Containers Curtain sliders Trailer doors Trailer doors Containers Curtain sliders Trailer doors Trailer doors Containers Curtain sliders Trailer doors Trailer doors Security boxes ATM cassettes	Product features	Provides "heat use" evidence					
Bar-coding / Wireless ID* Tear-off Removable by Hand Hand Hand Hand Tool Tool Hand Unique indicative features Packed in sequence Typical applications Data cabinets Airline trolleys Security boxes Airline trolleys Security boxes ATM cassettes ATM cassettes ATM cassettes ATM cassettes ATM cassettes	Colour range					(Option)	
Tear-off Removable by Hand Hand Hand Hand Tool Tool Hand Unique indicative features Packed in sequence Typical applications Data cabinets Airline trolleys Security boxes Airline trolleys Security boxes ATM cassettes ATM cassettes ATM cassettes Hand Hand Tool Tool Hand Coption) Duty free trolleys Curtain sliders Trailer doors Trailer doors Security boxes ATM cassettes Trailer doors Trailer doors Security boxes ATM cassettes	Consecutive numbering					(Option)	
Removable by Hand Hand Hand Hand Hol Hol Hol Hol Hol Hol Hol Ho	Bar-coding / Wireless ID*						
Unique indicative features Packed in sequence Typical applications Data cabinets Airline trolleys Security boxes ATM cassettes ATM cassettes Data cabinets Containers Curtain sliders Trailer doors Curtain sliders Trailer doors Trailer doors Curtain sliders Trailer doors ATM cassettes Trailer doors Curtain sliders Trailer doors Security boxes ATM cassettes	Tear-off						
Packed in sequence Typical applications Data cabinets Airline trolleys Security boxes ATM cassettes Data cabinets Airline trolleys Security boxes ATM cassettes Containers Curtain sliders Trailer doors Curtain sliders Trailer doors Trailer doors Containers Curtain sliders Trailer doors NCR ATM cassettes with double eyelets Security boxes ATM cassettes	Removable by	Hand	Hand	Hand	Tool	Tool	Hand
Typical applications Data cabinets Airline trolleys Security boxes ATM cassettes Data cabinets Airline trolleys Security boxes ATM cassettes Data cabinets Containers Curtain sliders Trailer doors Trailer doors Containers Curtain sliders Trailer doors Trailer doors Security boxes ATM cassettes Duty free trolleys Cassettes with double eyelets Security boxes Security boxes	Unique indicative features						
Airline trolleys Security boxes Black background in Security level denotes 'Barrier Security' Airline trolleys Security boxes ATM cassettes ATM cassettes Airline trolleys Security boxes Trailer doors Trailer doors Trailer doors Trailer doors Security boxes Security boxes	Packed in sequence					(Option)	
	Black background in Security level	Airline trolleys Security boxes	Airline trolleys Security boxes	Curtain sliders	Curtain sliders	Drums Kegs	cassettes with
	denotes 'Barrier Security'						

Duplock	Size 25 Drum	F6691S	Hi Genius	Ferrolock
26mm	32mm	25mm	50mm	40mm
PP/PS option	Steel/Cardboard	Steel/PS	ABS coated steel	PP coated steel
11kg	38kg	38kg	>2000kg	>1,500kg
11 x 2.5mm	1 x 6mm	8mm	12mm	12mm
			ISO17711	
	(Option)			
Hand	Tool	Tool	Tool	Tool
Drum or keg spring clips	Drum or keg spring clips	Drum or keg spring clips	Trailer doors sea containers	Trailer doors sea containers

For more information or enquiries contact us on: T 01483 209100 F 01483 209109 E sales@unisto.co.uk



Australia & New Zealand

Unisto / Safepak 300 Richmond Road Auckland

Tel: +64 9 360 3236 Fax: +64 9 360 2180 E-mail: info@safepak.co.nz

Austria

Unisto Kennzeichnungssysteme GmbH Vorarlberger Wirtschaftspark A-6840 Götzis

T +43 5523 5 70 25 F +43 5523 5 70 48 E unisto@unisto.at

Belgium

Unisto S.P.R.L.

Vierde Lansierslaan 61 B-3300 Tienen

T +32 1682 47 70 F +32 1682 41 34 E unisto@unisto.fr

France/Africa

Unisto S.A. 50, rue de Lectoure F-68304 Saint-Louis

T +33 389 70 44 00 F +33 389 67 84 94 E unisto@unisto.fr

Germany/Denmark/E.Europe

Unisto GmbH Max-Stromeyer-Straße 35 D-78467 Konstanz

T +49 7531 81 07-0 F +49 7531 5 04 74 E info@unisto.de

Hong Kong

Unisto Limited Suite 1613, World Commerce Centre, Harbour City 11 Canton Road, Tsimshatsui Kowloon, Hong Kong

T +85 2 2736 0212 F +85 2 2736 0137 E unisto@unisto.com.hk

India

Unisto India Pvt Ltd Plot no 43, Municipal Industrial Estate Umela Phata, Vasai (West) Thane - 401207

T +91 250 232 38 03 F +91 250 232 38 04 E svaid@unisto.co.in

Italy

Unisto Italiana s.r.l. SPM s.p.a. Via Provinciale, 26 I-21030 Brissago-Varese

T +39 0332 57 68 90 F +39 0332 57 65 79 E unisto@unisto.it

Japan

Unisto K.K Iwasaki 2nd Bldg, 5F 2-11, Nihonbashi Odenmacho, Chou-ku, Tokyo 103-0011, Japan

T +81 3 5642 75 36 F +81 3 5642 75 37 E unisto@unisto.co.jp Whttp://www.unisto.co.jp

Malaysia

Unisto Identification Systems Sdn. Bhd. No. 18, Jalan Industri PBP 3 Taman Industri Pusat Bandar Puchong MY-47100 Puchong, Selangor D.E.

T +60 3 5891 60 72 F +60 3 5891 60 48 E unisto@unisto.com.my

Netherlands

Unisto b.v. Hilversum Business Park Olympia 1A & B, Gebouw E&F NL-1213 NS HILVERSUM

T +31 35 694 05 99 F +31 35 694 98 12 E unisto@unisto.nl

Norway

Identi A/S Hegdehaugsveien 1 N-0352 Oslo 3

T +47 22 60 72 40 F +47 22 46 05 55 E post@identi.no

Switzerland

Unisto AG Seestrasse 7 CH-9326 Horn

T +41 71 844 24 24 F +41 71 844 25 25 E unisto@unisto.ch

Singapore

Unisto Pte. Ltd. 67 Ubi Crescent #04-08 Techniques Centre Singapore 408560

T +65 6742 06 00 F +65 6742 77 48 E unisto@unisto.com.sg

South Africa

Unisto Seals (Pty) Ltd. 31, Brandwacht Street P.O. Box 919 ZA-7600 Stellenbosch

T 0861.UNISTO (ZA only) T +27 21 886 50 80 F +27 21 886 50 81 E info@unisto.co.za

Spain

Unisto Ibérica, s.l. Plaza Urquinaona 1, 4° E-08010 Barcelona T +34 93 588 35 97 F +33 3 89 70 44 76 E unisto@unisto.es

Sweden

Unisto AB Ryssviksvägen 2 SE-13136 Nacka T +46 8 716 91 45

F +46 8 718 17 45 E unisto@unisto.se

United Kingdom

Unisto Limited Postford Mill, Mill Lane Chilworth Surrey GU4 8RT

T +44 1483 20 91 00 F +44 1483 20 91 09 E sales@unisto.co.uk

USA

Unisto Inc. 80 Business Park Drive Suite 305 USA-Armonk, NY 10504

T +1-866-4-UNISTO (toll free) F +1-866-2-UNISTO (toll free) E sales@unisto.com



