



**BRITISH WOOD FLOORS**  
MANUFACTURERS OF  
SOLID WOODEN FLOORING

# Solid Wood Flooring To Any Size Profile Or Pattern



PEFC™  
PEFC/16-37-005  
Promoting sustainable  
forest management



Registration number BMT-COC-0003  
BM TRADA certification scheme covers the SFI, MTCC and CSA schemes



TT-COC-001125  
The mark of responsible forest management.  
© 1996 Forest Stewardship Council A.C.

[www.britishwoodfloors.com](http://www.britishwoodfloors.com)



**BRITISH WOOD FLOORS**  
MANUFACTURERS OF  
SOLID WOODEN FLOORING

We offer custom made ends  
matched flooring in a variety of  
suitable species and a range of  
flooring accessories.

**Precision machined  
solid wood flooring  
to any size profile or pattern**

**Bespoke  
Service**

**Tel. 01606 55 55 00**

### The Profiles

8mm parquet



20mm flooring



14mm flooring



20mm clip system



14mm clip system



### Species

Ash	Oak	Walnut	Zebrano
Maple	Pitch Pine	Wenge	And more...

### The Clip System



20mm clip system



14mm clip system



### Summary

Our state of the art manufacturing facility here in the UK gives us the flexibility to produce any floor you may require. British Wood Floors offers premium solid wood flooring in species such as Oak, Thermo Oak, Ash, Maple, Pitch Pine, Walnut, Wenge, Zebrano and many others. The flooring is supplied in three main grades, "Character", "Natural" and "Prime".

The bulk of our flooring falls into four categories:-

- 8mm parquet square-edged;
- 14mm overlay tongue and grooved ends-matched flooring in any widths up to 210mm;
- 20mm strip flooring tongue and grooved ends-matched flooring in any widths up to 210mm;
- 129mm wide "Clip System" is available in both 14mm and 20mm.

Parquet blocks can be made in any size or specie you require. We offer FSC and PEFC certified timber and our site is certified for FSC and PEFC Chain of Custody.

**Bespoke  
Service**

So you can achieve the exact look that you require we offer a bespoke machining service and a block copying service.



The "Clip System" flooring can be laid on most types of level and dry surfaces, including sand and cement screed, timber floor boards, and chipboard etc. The flooring is quick and easy to install and comes at the set width of 129mm. The system allows the timber to move slightly (as timber is a natural material that reacts to its environment) which reduces the risk of distortion once laid.

**British Wood Floors:**  
Smoke Hall Lane Industrial Estate,  
Winsford, Cheshire, CW7 3BJ  
T: 01606 55 55 00 | F: 01606 55 55 11  
sales@britishwoodfloors.com | www.britishwoodfloors.com






## Bespoke Service

### Skirting & Architraves


#### Pencil Round Skirting




#### Torus Skirting




#### Ogee Skirting




#### Pencil Round Architrave



#### Torus Architrave



#### Ogee Architrave



### Two Line Borders


British Wood Floors are one of the largest manufacturers of premium solid wood flooring in the UK.

We can produce parquet blocks in any size or specie, and produce solid wood skirting boards, architraves, mouldings, feature strips and two line borders to complement our flooring range.




### Accessories


#### Quadrant




#### Scotia




#### Reducer




#### Low Profile



#### Nosing



#### T-Piece





# BRITISH WOOD FLOORS

MANUFACTURERS OF  
SOLID WOODEN FLOORING

# Tel. 01606 55 55 00

## Strip Flooring

Species	mm	Grade
Oak, European	20	Character
Oak, European	20	Natural
Oak, European	20	Prime
Oak, European FSC	20	Character
Oak, European FSC	20	Natural
Thermo Oak	20	Natural
Thermo Oak	20	Prime
Oak, American White	20	Character
Oak, American White	20	Prime
Oak, American Red	20	Prime
Oak, European Pippy	20	Character

Species	mm	Grade
Afromosia	20	Prime
Ash, American White	20	Prime
Bubinga	20	Prime
Cherry, American	20	Prime
Cumaru	20	Prime
Elm, American Red	20	Character
Elm, European	20	Character
Elm, European	20	Prime
Ipe	20	Prime
Iroko	20	Prime
Jatoba	20	Prime
Makore	20	Prime
Maple, American Hard	20	Prime
Ovangkol	20	Prime
Padauk	20	Prime
Pitch Pine	20	Character
Sapele	20	Prime
Teak	20	Prime
Walnut, American Black	20	Good Natural
Wenge	20	Prime
Zebrano (Quarter Sawn)	20	Prime

## Parquet

Species	mm	Grade
Walnut, American Black	8	Natural
Walnut, American Black	8	Good Natural
Wenge	8	Prime
Oak, European	8	Character
Oak, European	8	Natural
Oak, European	8	Prime

## Overlay

Species	mm	Grade
Oak, European	14	Character
Oak, European	14	Natural

## Clip System

Species	mm	Grade
Oak, European	14	Character
Oak, European	14	Natural
Oak, European	20	Character
Oak, European	20	Natural
Oak, European	20	Prime

## Border & Feature Strips

Species	
Wenge	T&G Feature Strip
Wenge	PAR Feature Strip
Walnut	PAR Feature Strip
Oak / Walnut	2 Line Border

## Border & Feature Strips

Species	
T-Section	
Reducer	
6" Skirting	Torus & Ogee
Architrave	Torus & Ogee
Scotia	
Low Profile Bead	
Nosing	
Quadrant	

## Oak Grading Explained

### Prime

Small occasional pin knots. Straight grain, uniform looking. May include some quarter sawn. Minimal sap on face.

### Natural

Knots up to 30mm in diameter. Limited sap on face.

### Character

Knots up to 60mm in diameter. Colour variation, hairline splits, rustic appearance with some lighter sapwood.

### British Wood Floors:

Smoke Hall Lane Industrial Estate,  
Winsford, Cheshire, CW7 3BJ

T: 01606 55 55 00 | F: 01606 55 55 11

sales@britishwoodfloors.com | www.britishwoodfloors.com



PEFC™  
PEFC/16-37-005

Promoting sustainable  
forest management



TT-COC-001125

The mark of responsible forest management.  
© 1996 Forest Stewardship Council A.C.



Registration number BMT-COC-0003  
BM TRADA certification scheme covers the SFI, MTCC and CSA schemes