

Legislation and Guidance

The Health and Safety (Safety Signs and Signals) Regulations 1996 require employers to provide and maintain safety signs where there is significant risk to health and safety that has not been avoided or controlled by other means (e.g. safe systems of work) provided that the use of a sign can help reduce the risk.

Throughout this catalogue you will find guidance about;

- ▶ Risk assessment
- ▶ Use of pictorial symbols
- ▶ General health and safety signs
- ▶ Fire/emergency escape signs
- ▶ Positioning of signs
- ▶ Marking of hazardous storage areas and obstacles
- ▶ Dangerous locations
- ▶ Identification of pipelines

ISO 7010 is the International standard for safety signs.

ISO 7010 was developed to provide consistency in design across the EU. Stocksigns has incorporated the new designs and you may notice some design changes to the symbols whereas others are virtually unchanged.

The majority of British Standard symbols have been adopted by ISO and as such have now been encompassed into UK safety legislation.

Use of Symbols and Graphical Images

The use of symbols and graphical images is a simple safety system used to convey safety messages at a glance. Colours and symbols, appropriately used, provide information and warnings of hazards which are essential to personal safety.

Prohibition



A red circular band with diagonal cross bar on a white background, the symbol within the circle to be black denoting a safety sign that indicates that a certain behaviour is prohibited.

Hazard



A yellow triangle with black border and symbol within the yellow area denoting a safety sign that gives warning of a hazard.

Mandatory



A blue circle with white symbol denoting a sign that indicates that a specific course of action must be taken.

Fire Equipment



A red rectangle or square with symbol in white denoting a safety sign that indicates the location of fire fighting equipment.

Safe Condition



A green rectangle or square with symbol or text in white denoting a safety sign providing information about safe conditions.

Stocksigns Accreditations and Associations









LOOK OUT FOR



Best Sellers

The best selling signs and products.



New

Signs and ranges new to this catalogue.



Updated

Signs updated to the latest ISO 2018 symbols.



Great Value

Products that represent excellent value for money.















Material Choices



Aluminium

Aluminium is a long-lasting durable coated metal that can be used for both interior and exterior signs.



Reflective Signs

Class I or Class 2 reflective material is adhered to aluminium composite as standard, but can be supplied as a vinyl or applied to any rigid substrate. Generally used for traffic signs that can be post or wall mounted.

Series codes - Traffic 70, Safety 75



Rigid PVC Plastic

Series code - 10

Our best-selling material choice, Imm semi-rigid plastic PVC is suitable for interior and exterior use. Signs are supplied with square corners, no holes as standard



Correx

A durable yet lightweight corrugated PVC material particularly suited to temporary signs. Available in 4mm and 10mm thicknesses.





Photoluminescent

Series code - 20

(Rigid Plastic and SA Vinyl)

Photoluminescent signs provide temporary visibility in the dark making it ideal for fire signage. In line with the PSPA, standard signs are produced on Class B. with Class C material available on request.

Series codes - RP 21 / SAV 31



Foamex

A versatile PVC foam sheet with a smooth matt finish. This material is often used for temporary signs requiring a superior look. Available in 1,3 and 5mm thicknesses.

Bespoke material on request



Self-Adhesive Vinyl

A cost effective high gloss PVC with a peel off backing, selfadhesive vinyl is ideal for interior signage. This material adheres to most smooth, clean surfaces including curves.



Acrylic

Acrylic is a versatile material that is both lightweight and shatterproof. Best suited to internal signs. This offers a cost effective and safe alternative to using glass. Available in 3, 5 and 10mm thicknesses.

Bespoke material on request



Series code - 30

Aluminium Composite A rigid yet lightweight composite panel which offers a cost effective alternative to standard aluminium. With minimal scrap value, its use can help deter signage theft. This material is ideal for internal and external use.

Series code - 11




Polycarbonate

Polycarbonate is a clear material used as an alternative to acrylic. A very versatile material with a gloss finish.

Compared to acrylic it has a higher impact resistance, is more UV stable and temperature resistant.

Bespoke material on request



Brushed Stainless Steel

Brushed Stainless Steel is available in two grades. 304 grade material provides a prestigious look ideally suited for internal signs. 316 marine grade available on request for external signs.

Series code - 60



Special Effect **Aluminium Composite**

Available in both mirrored gold and brushed silver finish. These special effect finishes create a contemporary look when used on internal signage.

Bespoke material on request

Installation Guide

Prior to buying your sign it is important to consider where the sign will be used and from what distance it needs to be viewed.

The diagram below is intended to used as a guide only.

For further advice speak to our sales team on 01737 774077.

Recommended installation heights:

Above doors:


2m - 2.5m

from floor level to base of sign.

Directional wall fixed signs:

1.4m - 2.0m

from floor level to base of sign.



Easy Ordering

Understanding the Code

All of our standard products featured in this catalogue are identified by a unique five or six figure product code, followed in most cases by a size code consisting of two letters. e.g. [20] 11090 RG



How to Order



STEP

- Find the sign design you require.
- ▶ Note the product code.



STEP 2

- ▶ Choose the material you require.
- ▶ Use our material guide on the left to select the most suitable material for the job.



STEP 3

- ▶ Look at the sizes your sign is available in.
- ▶ Use the price grids for size codes.
- ▶ Choose the most appropriate size using the installation guide above.

To order this sign in Rigid Plastic size 600 x 200mm

use the code: **20** 11090 **RG**

Prices can be found by using the grids at the bottom of the pages or in the price list enclosed. (Except where items are separately priced).

Payment

- ▶ Choose your payment method: Credit Card We accept Mastercard, Visa and American Express.
- ▶ Cheques should be made payable to Stocksigns Ltd.
- ▶ Accounts We will be happy to open a credit account for you (subject to a standard credit check). All such sales are payable no later than 30 days from invoice date.
- ▶ BACS Payment welcome. Our account is:The Royal Bank of Scotland plc. Account No. 23111244 Sort code 16-00-15

All prices are exclusive of Value Added Tax

▶ Phone, post or e-mail (sales@stocksigns.co.uk) your order.

By submitting your order, you confirm that you have read and understood our terms and conditions and agree to be bound by them (please see our T&C's online at www.stocksigns.co.uk or call 01737 774077 for a copy).

All rights reserved. All of this catalogue is protected by the Laws of Copyright. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise.

RETURNING A PRODUCT

We expect our products to meet your expectations. However, if you do need to make a return, you MUST use our Returns Procedure.

Please contact our Customer Services Team on 01737 774077, or at info@stocksigns.co.uk, to obtain a returns reference, and subsequently making sure that the packaging is robust enough to avoid damage in transit. On certain returns a re-stocking charge may be applicable.

Our Services



Professional Site Survey

At Stocksigns we pride ourselves on our experience across many industries. We've successfully managed projects from airports and quarries, to schools and commercial premises.

We have experience with an extensive range of materials from vinyl graphics, through to large illuminated monoliths and everything in between.

If you are embarking on a project and need professional help and support, our site survey specialists are available to help. They can offer advice and expertise to ensure the wayfinding, health and safety and corporate branding in your workplace are legislation compliant and reflective of your company and brand.

Installation

Alongside our professional surveyors, Stocksigns have a dedicated team of fitters and installation experts.

The team operate throughout the UK and over our long history we have experience of installing everything from single signs to managing large scale installation projects.

We recognise the importance of working safely on-site and Stocksigns are proud to be accredited members of the SafeContrator scheme. This accreditation demonstrates that we operate under recognised high health and safety standards.

In addition, all our installation crews are CSCS (Construction Skills Certification Scheme) certified, Asbestos Trained in line with UKATA, certified by UPAF standards to operate Mobile Evaluating Work Platforms and hold current First Aid certificates.



Delivery Services



Orders for stocked standard signs will be despatched next day and will take between 2-3 days for delivery. Custom made orders will be despatched within 5 working days from receipt of order.

If you require these signs urgently, you may wish to use our premium service, where your signs will be despatched as priority. Please speak to the sales team regarding this service.

Export

Worldwide despatch is no problem. Our Export Sales Team is happy to provide quotations for any quantity of signs for any country.

Collection

At our Trade Counter in Redhill, signs can be purchased and/or collected between 8.30am and 5.00pm Monday - Friday.

Delivery Costs

The charge for packing, delivery and insurance to most UK mainland postcodes is FREE for standard orders over £50.

Standard Product Delivery Charges

- ▶ Orders under £20 (Depending on size and weight) £1.95
- ▶ Orders up to £49.00 (Depending on size and weight) £6.75
- ▶ Orders over £50.00 FREE

Custom-made Signs Delivery Charges

- ▶ Orders less than 10kgs £7.50
- ▶ Orders 10 20 kgs £13.50
- ▶ Orders 20 50 kgs £25.00
- ▶ Orders over 50kgs POA

For **Premium Service** delivery rates, export, Scottish Highlands and off-shore locations, please contact our Sales Team on 01737 774077 for prices.

Free-Standing Signs



Economy A Boards

A polypropylene fluted display board that is lightweight, double-sided and easy to assemble. Can be folded flat for storage and is easy to clean. Size: 290 x 590mm









67 27655

67 27656

67 27659

67 27660









67 27663

67 27664

67 27657

67 27658



67 27661







Durable Free-Standing Signs

Highly visible - large printed display area. Superior build quality and highly stable A frame. Made from 3mm rigid plastic. Unique visual appeal - ideal for retail & consumer environments.

Specifications:

- ▶ Panel size 450 x 700mm
- ▶ Weight 2.5kg









Symbols conform to Health and Safety (Safety Signs and Signals) Regulations 1996. Wipe clean PVC surface. Special designs printed on request. Personalised labels with company name and phone number added for only £4.63 per sign. Please ring our Sales Team for details on 01737 774077.




Cone Inserts



A rigid plastic temporary over-sleeve with a selection of messages. Designed to be fixed to cones supplied by Stocksigns only. **See page 103**. Please be aware they may not fit existing

Price: £25.22 (Sold in pairs)



Steel Free-standing Sign Frames



Light Weight Double-sided Free-Standing Signs

Aluminium frame with rigid plastic hanging sign. Sign face is 300 x 400mm. Folds flat for easy storage.



Barrier Systems - Tensator

Tensabarrier® Advance

Post Height 975mm Base width 342mm Weight 12Kgs

TENSATOR®

The Tensabarrier Advance free standing system is durable, easy to use and its unique features make it safer and sturdier for a variety of applications.

The 4-way integral cassette allows connectivity to 3 other posts without the need of additional parts.

- ▶ Flexible queue management system
- ▶ Anti-tamper locking tape end
- ▶ Patented webbing brake system (CRS)
- ▶ 2.3m webbing length (3.65m upon request)
- ▶ Chrome post for indoor use
- ▶ Stainless Steel for outdoors

	Webbing Colour									
Post										
	21115/01	21115/02	21115/15	21115/08	21115/10	21115/11	21115/12	21115/13	21115/14	
	26425/01	26425/02	26425/15	26425/08	26425/10	26425/11	26425/12	26425/13	26425/14	
	26417/01	26417/02	26417/15	26417/08	26417/10	26417/11	26417/12	26417/13	26417/14	
	26423/01	26423/02	26423/15	26423/08	26423/10	26423/11	26423/12	26423/13	26423/14	
	05054/01	05054/02	05054/15	05054/08	05054/10	05054/11	05054/12	05054/13	05054/14	
	05055/01	05055/02	05055/15	05055/08	05055/10	05055/11	05055/12	05055/13	05055/14	

Pair of Economy Webbing Posts

post required.

more information.

Pricing per post

Coloured Post - £140.40 Polished Chrome Post - £162,50 Stainless Steel Post - £176,80

When ordering, please use 67 for material code and state colour of webbing and

Please call our sales team for

Post Height 1016mm Base width 356mm Weight 9.5Kgs

A safe and effective crowd control and line management **TENSATOR®**

system. Sold as a pair of posts.

- ▶ 2.3m of webbing
- ▶ Supplied Flat Packed in pairs
- ▶ 4-way connectivity
- ▶ Suitable only for indoor use
- ▶ Locking tape end avoids accidental release
- ▶ Posts available in either Black or Mirror effect

Pricing per pair of posts



	(2.3m) Webbing								
Post									
	06814/15	06814/01	06814/02	06814/12					
	06815/15	06815/01	06815/02	06815/12					

When ordering, please use 67 material code and state colour of webbing and post required.

Tensabarrier® Popular Post

Post Height 975mm Base width 342mm Weight 8Kgs

Designed as a low cost & easy to use functional barrier system that can be used in both indoor & outdoor environments. Sold as a twin pack.

- ▶ 2.3m webbing
- ▶ Cast Iron, removable base
- ▶ Option for sign holder
- ▶ Patented Brake System
- ▶ Anti-tamper tape end
- ▶ 4-way connectivity
- ▶ Patented Brake System

When ordering, please use 67 material code and state colour of webbing and post required.

	(2.3 m) Webbing								
Post									
	26426/01	26426/02	26426/15	26426/08	26426/10	26426/11	26426/12	2642613	
	25577/01	25577/02	25577/15	25577/08	25577/10	25577/11	25577/12	25577/13	
	25578/01	25578/02	25578/15	25578/08	25578/10	25578/11	25578/12	25578/13	
	05057/01	05057/02	05057/15	05057/08	05057/10	05057/11	05057/12	05057/13	

Tensabarrier® Outdoor Post

Post Height 960mm Base width 380mm Weight 2Kgs

Can be used inside or out - just fill the lightweight base with sand or water for extra stability.

Sold as a twin pack.

- ▶ 3.65m of webbing
- ▶ Choice of 2 hazard webbing options
- ▶ Removable base that can be filled with sand or water
- ▶ Indoor or outdoor use Post
- ▶ Option for a sign holder
- ▶ 4-way connectivity
- (3.65m) Webbing 21117/12 21117/13 21118/12 21118/13 Price £169.00 per pack of 2.

TENSATOR®

When ordering, please use 67 material code and state colour of webbing and post required.

Heavy Duty Post

Post Height 975mm Base width 483mm Weight 12Kgs

Designed for indoor and outdoor use both durable and weather resistant.

- ▶ 3.65m of webbing
- ▶ Choice of 2 hazard webbing options
- ▶ Removable base of recycled black rubber with a carry handle for easy use
- ▶ Indoor or outdoor use
- ▶ Option for sign holder
- ▶ 4-way connectivity
- ▶ Screw fix base

	(3.65m) Webbing							
Post								
	03876/12	03876/13						
	06824/12	06824/13						



TENSATOR®

£184.60!

Twin Pack!

Tensabarrier® Wall Mounted Units

The Tensator® Wall Units can be used independently or in conjunction with any post.

A FREE Zinc anti-tamper wall clip is supplied with each wall unit as a standard.

These units are perfect for areas where floor space is at a premium and a flexible barrier is required.

Also available in 7m and 9m lengths. Price on application.





2.3m £75.40

4.6m £79.30

67 05058 Black

67 02262 Black

	Webbing Colour										
Unit											
2.3 m	05058/01	05058/02	05058/05	05058/06	05058/07	05058/08	05058/10	05058/13	05058/14	05058/15	05058/16
4.6 m	02262/01	02262/02	02262/05	02262/06	02262/07	02262/08	02262/10	02262/13	02262/14	02262/15	02262/16

Units supplied with Black housing. Pre-printed message options include-No Entry, Caution-Do Not Enter, and Authorised Access Only

	Webbing Text Option					
Unit	No Entry	Caution-Do Not Enter	Authorised Access Only			
2.3 m	05058/09	05058/04	05058/03			
4.6 m	02262/09	02262/04	02262/03			

Alternative fixing options available such as Magnetic and Warehouse Rack Fixing. Please ask for more details.

2.3m £101.40 4.6m £125.30 Custom tape available, minimum order: 50m

Colours may vary, please call our sales team on 01737 774077 for more information. Additional cost for text dependent on length of webbing.

Contemporary Post and Rope Options

Designed to provide a stylish yet affordable post option, whilst politely guiding or informing your customers. Complete queue management solution.




67 05059 £98.80

▶ The ropes are 25mm diameter twisted rope complete with matching snap ends in either I or 2 metre lengths. (Any length available - price on application)

► Wall plates available for areas where a post is unsuitable



TENSATOR®



Wall plate

67 26833 £13.51 ×1

Chrome wall fittings for Contemporary post and rope system.

Economy Post and Rope

A low cost rope and post option available in a mirror effect finish.

Contemporary polished chrome post

- ▶ Rope supplied 2.4m long with snap ends so fewer posts required
- ▶ Posts are supplied in pairs

	Rope Colour					
Rope end						
Chrome	06818/01	06818/02	06818/03			
Brass	06819/01	06819/02	06819/03			



67 06816 £170.00 Polished Stainless Posts

67 06817 £180.00 Polished Brass Posts



Post and Rope Sign Holder

A4 Portrait Polished Chrome R&P Sign holder* (Post not included)

67 21119 £52.00



*A4 Sign holder can only be in conjunction with contemporary post

Printed webbing belts are useful to display important messages and safety information. Printed

PRINTED WEBBING BELTS

webbing cartridges are used in conjunction with any Tensator retractable barrier posts. Webbing cassettes are supplied in a pack of 5 and are available in a choice of 2 webbing belt lengths.

Please call our Sales Team on 01737 774077 for a list of messages available or for your own custommade messages.

Standard Sign Holder



Black powder coated mild steel sign holder with acrylic inlay. Suitable for use with all Tensabarriers.

(Post not included)

67 26837 250.70 A4 price upright. Other sizes on request.

Tensacone



For more information please see page 103.