Fire Rexit

The **SIGN** Catalogue

Your comprehensive signage directory

Priority over oncoming vehicles



Legislation and Guidance

The Health and Safety (Safety Signs and Signals) Regulations 1996 require employers to provide and maintain safety signs where there is significant risk to health and safety that has not been avoided or controlled by other means (e.g. safe systems of work) provided that the use of a sign can help reduce the risk.

Throughout this catalogue you will find guidance about;

- Risk assessment
- Use of pictorial symbols
- General health and safety signs
- Fire/emergency escape signs
- Positioning of signs
- Marking of hazardous storage areas and obstacles
- Dangerous locations
- Identification of pipelines

ISO 7010 is the International standard for safety signs.

ISO 7010 was developed to provide consistency in design across the EU. Stocksigns has incorporated the new designs and you may notice some design changes to the symbols whereas others are virtually unchanged.

The majority of British Standard symbols have been adopted by ISO and as such have now been encompassed into UK safety legislation.

Use of Symbols and Graphical Images

The use of symbols and graphical images is a simple safety system used to convey safety messages at a glance. Colours and symbols, appropriately used, provide information and warnings of hazards which are essential to personal safety.

Prohibition

A red circular band with diagonal cross bar on a white background, the symbol within the circle to be black denoting a safety sign that indicates that a certain behaviour is prohibited.

Hazard



A yellow triangle with black border and symbol within the yellow area denoting a safety sign that gives warning of a hazard.

Mandatory



A blue circle with white symbol denoting a sign that indicates that a specific course of action must be taken.

Fire Equipment



A red rectangle or square with symbol in white denoting a safety sign that indicates the location of fire fighting equipment.

Safe Condition



A green rectangle or square with symbol or text in white denoting a safety sign providing information about safe conditions.

Stocksigns Accreditations and Associations









LOOK OUT FOR



Best Sellers The best selling signs and products.



New



Signs and ranges new to this catalogue.



Updated Signs updated to the latest ISO 2018 symbols.



Great Value Products that represent excellent value for money.















Material Choices













Aluminium

Aluminium is a long-lasting durable coated metal that can be used for both interior and exterior signs.

Series code - 10

Rigid PVC Plastic

Our best-selling material choice, I mm semi-rigid plastic PVC is suitable for interior and exterior use. Signs are supplied with square corners, no holes as standard.

Series code - 20

Photoluminescent (Rigid Plastic and SA Vinyl)

Photoluminescent signs provide temporary visibility in the dark making it ideal for fire signage. In line with the PSPA, standard signs are produced on Class B, with Class C material available on request.

Series codes - RP 21 / SAV 31

Self-Adhesive Vinyl

A cost effective high gloss PVC with a peel off backing, selfadhesive vinyl is ideal for interior signage. This material adheres to most smooth, clean surfaces including curves.

Series code - 30

Aluminium Composite

A rigid yet lightweight composite panel which offers a cost effective alternative to standard aluminium. With minimal scrap value, its use can help deter signage theft. This material is ideal for internal and external use.

Series code - 11

Brushed Stainless Steel

Brushed Stainless Steel is available in two grades. 304 grade material provides a prestigious look ideally suited for internal signs. 316 marine grade available on request for external signs.

Series code - 60











Reflective Signs

Class I or Class 2 reflective material is adhered to aluminium composite as standard, but can be supplied as a vinyl or applied to any rigid substrate. Generally used for traffic signs that can be post or wall mounted.

Series codes - Traffic 70, Safety 75

Correx

A durable yet lightweight corrugated PVC material particularly suited to temporary signs. Available in 4mm and 10mm thicknesses.

Bespoke material on request

Foamex

A versatile PVC foam sheet with a smooth matt finish. This material is often used for temporary signs requiring a superior look. Available in 1, 3 and 5mm thicknesses.

Bespoke material on request

Acrylic

Acrylic is a versatile material that is both lightweight and shatterproof. Best suited to internal signs. This offers a cost effective and safe alternative to using glass. Available in 3, 5 and 10mm thicknesses.

Bespoke material on request

Polycarbonate

Polycarbonate is a clear material used as an alternative to acrylic. A very versatile material with a gloss finish. Compared to acrylic it has a higher impact resistance, is more

UV stable and temperature resistant.


Bespoke material on request


Special Effect Aluminium Composite

Available in both mirrored gold and brushed silver finish. These special effect finishes create a contemporary look when used on internal signage.

Installation Guide

Prior to buying your sign it is important to consider where the sign will be used and from what distance it needs to be viewed. The diagram below is intended to used as a guide only.





Understanding the Code

All of our standard products featured in this catalogue are identified by a unique five or six figure product code, followed in most cases by a size code consisting of two letters. e.g. 20 11090 RG



SIZE CODES

These are the **sizes** that the

sign is available in. (See price grids for size identification)

PRODUCT CODE

code for that design.

This is the unique product



- **20** = Rigid Plastic
- **30** = Self-Adhesive Vinyl

To order this sign in Rigid Plastic size 600 × 200mm

use the code: 20 11090 RG

Prices can be found by using the grids at the bottom of the pages or in the price list enclosed. (Except where items are separately priced).

Payment

- Choose your payment method: Credit Card We accept Mastercard, Visa and American Express.
- Cheques should be made payable to Stocksigns Ltd.
- Accounts We will be happy to open a credit account for you (subject to a standard credit check). All such sales are payable no later than 30 days from invoice date.
- ▶ BACS Payment welcome. Our account is: The Royal Bank of Scotland plc. Account No. 23111244 Sort code 16-00-15 All prices are exclusive of Value Added Tax
- Phone, post or e-mail (sales@stocksigns.co.uk) your order.

By submitting your order, you confirm that you have read and understood our terms and conditions and agree to be bound by them (please see our T&C's online at www.stocksigns.co.uk or call 01737 774077 for a copy).

How to Order





10 20 30 11090 KD RG



STEP I

- Find the sign design you require.
- Note the product code.

STEP 2

- Choose the material you require.
- Use our material guide on the left to select the most suitable material for the job.

STEP 3

- Look at the sizes your sign is available in.
- Use the price grids for size codes.
- Choose the most appropriate size using the installation guide above.

RETURNING A PRODUCT

We expect our products to meet your expectations. However, if you do need to make a return, you MUST use our Returns Procedure.

Please contact our Customer Services Team on 01737 774077, or at info@stocksigns.co.uk, to obtain a returns reference, and subsequently making sure that the packaging is robust enough to avoid damage in transit. On certain returns a re-stocking charge may be applicable.

All rights reserved. All of this catalogue is protected by the Laws of Copyright. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise.

Our Services



Professional Site Survey

At Stocksigns we pride ourselves on our experience across many industries. We've successfully managed projects from airports and quarries, to schools and commercial premises.

We have experience with an extensive range of materials from vinyl graphics, through to large illuminated monoliths and everything in between.

If you are embarking on a project and need professional help and support, our site survey specialists are available to help. They can offer advice and expertise to ensure the wayfinding, health and safety and corporate branding in your workplace are legislation compliant and reflective of your company and brand.

Installation

Alongside our professional surveyors, Stocksigns have a dedicated team of fitters and installation experts.

The team operate throughout the UK and over our long history we have experience of installing everything from single signs to managing large scale installation projects.

We recognise the importance of working safely on-site and Stocksigns are proud to be accredited members of the SafeContrator scheme. This accreditation demonstrates that we operate under recognised high health and safety standards.

In addition, all our installation crews are CSCS (Construction Skills Certification Scheme) certified, Asbestos Trained in line with UKATA, certified by UPAF standards to operate Mobile Evaluating Work Platforms and hold current First Aid certificates.

Delivery Services



Orders for stocked standard signs will be despatched next day and will take between 2-3 days for delivery. Custom made orders will be despatched within 5 working days from receipt of order.

If you require these signs urgently, you may wish to use our premium service, where your signs will be despatched as priority. Please speak to the sales team regarding this service.

Export

Worldwide despatch is no problem. Our Export Sales Team is happy to provide quotations for any quantity of signs for any country.

Collection

At our Trade Counter in Redhill, signs can be purchased and/or collected between 8.30am and 5.00pm Monday - Friday.

Delivery Costs

The charge for packing, delivery and insurance to most UK mainland postcodes is FREE for standard orders over £50.


Standard Product Delivery Charges

- Orders under £20 (Depending on size and weight) £1.95
- Orders up to £49.00 (Depending on size and weight) £6.75
- Orders over £50.00 FREE

Custom-made Signs Delivery Charges

- Orders less than 10kgs £7.50
- ▶ Orders 10 20 kgs £13.50
- ▶ Orders 20 50 kgs **£25.00**
- Orders over 50kgs POA

For **Premium Service** delivery rates, export, Scottish Highlands and off-shore locations, please contact our Sales Team on 01737 774077 for prices.










10 20 30 12234 RN



£1.09

£4.51

£2.19

£5.84

£2.90

£7.69

£5.84

£8.76


Multi-purpose Chemical and Substance Hazards Hazard Signs Wherever hazardous substances exist, either in use or in storage, the designated areas, rooms or enclosures should be properly marked to warn of possible hazards. These signs contain Danger specific symbols and text to identify clearly which chemicals or substances may be present. **Report to reception** 10 20 30 17025 KD MR RG Danger Caustic dous substances data sheets Caution before use 10 20 30 11290 KD MR RG **Biological hazard** 10 20 30 11654 KD MR RG Danger Corrosive Hazardous waste 10 20 30 11583 KD MR RG Handle with care Have you seen Hazardous Substance storage units on page 117? 10 20 30 11295 KD MR RG 10 20 30 17026 KD MR RG Danger **Hydrochloric** Danger Nitric acid Battery acid acid dous substances Wear personal protective equipment 10 20 30 11618 KD MR RG 10 20 30 11292 KD MR RG 10 20 30 11289 KD MR RG 10 20 30 11655 KD MR RG Sulphuric Acid Danger Ammonia acid eauipm 10 20 30 11288 KD MR RG 10 20 30 11775 KD MR RG 10 20 30 11291 KD MR RG 10 20 30 17027 KD MR RG Dangerous Danger Chlorine Cyanide chemicals 1 Use hand protection 10 20 30 11589 KD MR RG 10 20 30 11287 KD MR RG 10 20 30 11591 KD MR RG 10 20 30 17028 KD MR RG Warning Paint **Pesticide Dust hazard** store Explosive 10 20 30 12215 KD MR RG 10 20 30 11297 KD MR RG 10 20 30 12217 KD MR RG Atmosphere Signs Following the linking of Danger Danger L. P. G. explosions to the storage Highly flammable Petroleum mixture giving o a flammable heavy vapou Highly flammable and handling of combustible materials, the Dangerous 10 20 30 17029 KD MR RG 10 20 30 11593 KD MR RG 10 20 30 11012 KD MR RG Substances and Explosive Atmospheres Regulations 2002 (DSEAR) were introduced Danger Contamination Acetylene in order to comply with the area Asbestos hazard **Explosive Atmosphere Directive** 10 20 30 11588 KD MR RG 10 20 30 12214 KD MR RG 10 20 30 11298 KD MR RG (ATEX 137). Since 2003, any hazardous place needs to be classified into zones and marked Danger Danger Danger with an "EX" sign at the point Asbestos removal in progress Harmful fumes Solvents of entry. 10 20 30 11592 KD MR RG 10 20 30 11622 KD MR RG 10 20 30 11590 KD MR RG **Hazardous** Hazardous Oxygen waste area Danger Danger Explosive atmosphere Explosive 10 20 30 11726 KD MR RG 10 20 30 11587 KD MR RG 10 20 30 12213 KD MR RG atmosphere 10 20 30 17768 MR 10 20 30 17769 MR Danger Complies with Complies with Harmfu Irritant **PCBs** Health and Safety DSEAR lychlorinated biphenyls (Safety Signs and

10 20 30 11213 KD MR RG

Signals Regulations)

10 20 30 11215 KD MR RG

10 20 30 12404 KD MR RG



call: 01737 774077 | email: sales@stocksigns.co.uk | visit: www.stocksigns.co.uk



Caution per guard

10 20 30 11239 KD MR RG



10 20 30 11238 KD MR RG



10 20 30 11300 KD MR RG



10 20 30 12218 KD MR RG









10 20 30 11332 KD MR RG



10 20 30 11264 KD MR RG

		Size in mm	300x100	400x600	600x200		
		Size code	KD	MR	RG		
10	Aluminiu	ım	£6.08	£26.44	£14.97		
20	Rigid Pla	astic	£3.56	£16.41	£9.22		
30	Self Adh	esive Vinyl	£2.19	£7.69	£5.84		

Machinery Hazards

With the Control of Noise at Work Regulations 2005 BSI's Published Document PD 5304 identifies hazards that may arise from the use of machinery.

It describes methods of reduction and elimination of risks from these associated hazards.


These signs can be used to complement your safe working procedures for hazardous machinery.





Warning





Danger

Hig

23 16250 CF

1

Arrow Lockout **Point Labels**

Warning

Energy lockout

point

here

Warning

Circuit breake

lockout point

here

Warning

Lockout

power

here

Warning

Isolator

lockout point

here

Warning

Lockout

64 23756 100 x 100mm

64 23754 100 x 100mm

64 23752 100 x 100mm

64 23760 100 x 100mm

Labels to indicate and emphasise the dangers of locking out. Arrows can be removed to allow repositioning. Manufactured in self-adhesive vinyl.

Size: 100 x 100mm Pack of 6

Price: £15.07



64 23763 100 x 100mm



64 23764 100 x 100mm



64 23753 100 x 100mm



64 23757 100 x 100mm



Warning Ensure powe is locked out here

HAV Labels

Labels are manufactured from highperformance self-adhesive vinyl with hot foil impressed texts or logos, and overlaminated with clear polyester protection and wipe clean surface. All labels are individually cut for easy application. Labels are supplied in full rolls of 500 or 1000, or in strips of 20, 50 or 100. When ordering please add /20, /50, /100, /500 or /1000 after reference number. Example: Quote ref: 44039/50 when ordering label 44039 and requiring a strip of 50.

Hand Arm Vibration

Hand Arm Vibration Syndrome (HAVS) is the medical term for symptoms caused by vibration damage. Occuring in the fingers, hands and arms, this condition is particularly common in people who operate vibrating tools.

Exposure of workers to these risks are regulated by The Control of Vibration at Work Regulations 2005.

These labels enable employers to mark individual tools, showing their level of safe use.

Supplied in full rolls of 500 or 1000, or in strips of 20, 50 or 100. Use the price grid below.

	Quantity	20	50	100	500	1000	
34	25 x 25mm	£8.62	£18.11	£32.59	£68.43	£132.43	
34	50 x 50mm	£14.29	£29.99	£53.43	£125.72	£237.99	
34	50 x 75mm	£14.64	£29.99	£55.25	£134.69	£243.57	
34	75 x 50mm	£14.64	£29.99	£55.25	£134.69	£243.57	








Our 60 years industry experience will give you the confidence that Stocksigns has the depth of knowledge and expertise to be able to advise you on any legislation / standards issues.

For professional advice in plain English please call the Sales Team on 01737 774077.





Quarry Signs


A highly visible sign with a large printed display area and stable A frame design.

Made from 3mm rigid plastic, printed double sided with an aluminium hinge mechanism.

For our FULL range of Shield Signs see page 200.Size: 450 × 700mmPrice: £68.65




	Siz	Size in mm 300x100		100	400x600		450x150		600x200		600x450		900x600		950x750		1200x950	
	Size code		KI	>	M	R	N	F	R	RG RN W		R	XU		YX			
			Wall	Post	Wall	Post	Wall	Post	Wall	Post	Wall	Post	Wall	Post	Wall	Post	Wall	Post
10	Aluminium		£12.16	£13.13	£52.88	£57.22	£22.14	£23.91	£29.93	£33.18	£56.04	£111.42	£88.97	£96.08	£103.76	£117.90	£139.89	£151.09
20	Rigid Plastic	•	£7.12	-	£32.81	-	£12.32	-	£18.44	-	£34.48	-	£59.93	-	-	-	-	-
30	Self Adhesiv	/e Vinyl	£4.38	-	£15.37	-	£8.00	-	£11.68	-	£17.51	-	-	-	-	-	-	-



Temporary Hazard Signs

Temporary hazard signs are a cost effective way of warning of dangers in the short term.



Lift Hazard Signs

10 20 30 17770 FG

10 20 30 11337 FG

et of fa

oid use of Mit

Caution

in the event

of fire

Do not use

these lifts


10 20 30 11375 FG JK



10 20 30 11189 FG




10 20 30 11023 FG JK



10|20|30| 11180 JK Emergency procedure for electrical lifts



10 20 30 11162 FG




Emergency procedure for hydraulic lifts



10|20|30|12224|GF State weight required





call: 01737 774077 | email: sales@stocksigns.co.uk | visit: www.stocksigns.co.uk

5 I

MOD Management of H&S in Defence - Chapter 3 Electrical Safety Signs

PERMANENT SIGNS Although designed primarily for use in MoD establishments, these signs are also suitable for applications in both public and private sectors of industry.

These safety signs are manufactured from **3mm thick** rigid plastic.

PERMANENT SIGNS (P)


fixing is by four holes (selfadhesive backing can be provided on request)

TEMPORARY SIGNS (T) fixing is by two holes and suspension cord.









These signs are manufactured from 16swg aluminium with printed text and pictograms.

PERMANENT SIGNS fixing is by four holes. For screws see page 205. **TEMPORARY SIGNS** fixing is by two holes and suspension cord.

Hazardous Area & Leaded Fuel Tanks **Permanent** sign



For Restricted Areas and Manholes **Temporary** signs











30 11114 GF



30 11241 GF



30 11115 GF

10 20 30 11219 DD

GG MM

102030 11223 DD

GG MM



Laser and Radiation Signs

laser product 30 17850 GF

10 20 30 17114 DD

GG MM

CLASS 2M



ptical instru




Danger

Radiation risk



30 17041 BD FG







Caution

Laser radiation when open

30 17038 BD FG

Caution

Avoid exposure to beam

30 17040 BD FG

CLASS 1

Laser product

30 11110 BD FG

FIND MORE - 🕨

Signs - **pages 109-118**

Caution

Laser beam

X-Rays

Do not enter when

Radioactive

materials

Keep away







30 11248 BD FG



	Size in mm	75x100	100x100	150x200	200x150	200x200	250x300	300x100	400x400	400x600	600x200
	Size code	BD	DD	FG	GF	GG	JK	KD	MM	MR	RG
10 Alumi	inium	£2.53	£2.53	£6.08	£6.08	£7.98	£13.01	£6.08	£19.21	£26.44	£14.97
20 Rigid	Plastic	£1.54	£1.54	£3.56	£3.56	£4.42	£6.86	£3.56	£11.39	£16.41	£9.22
30 Self A	Adhesive Vinyl	£1.09	£1.09	£2.19	£2.19	£2.90	£4.51	£2.19	£7.03	£7.69	£5.84

Safety Labels to BS EN 60825-1: Safety of Laser Products Part 1. **Equipment Classification and Requirements**

LASER RADIATION

DO NOT VIEW DIRECTLY WITH

OPTICAL INSTRUMENTS CLASS 1M LASER PRODUCT

LASER RADIATION

AVOID EXPOSURE TO BEAM

CLASS 3B LASER PRODUCT

LASER

APERTURE

WHEN OPEN DO NOT STARE INTO THE BEAM OR VIEW DIRECTLY WITH OPTICAL

INSTRUMENTS

AUTION - CLASS 3R LASER RADIATION

AVOID DIRECT EYE EXPOSURE


CAUTION - CLASS 4 LASER RADIATION WHEN OPEN AVOID EYE OR SKIN EXPOSURE TO


DIRECT OR SCATTERED RADIATIO



All labels are







Light Weight Double-sided Free-standing Signs

Aluminium frame with rigid plastic hanging sign. Sign face is 300 x 400mm. Folds flat for easy storage.



Durable Free-Standing Signs



Highly visible - large printed display area. Superior build quality and highly stable A frame. Unique visual appeal - ideal for retail & consumer environments.

Specifications:

- ▶ Panel size 450 × 700mm
- Weight 2.5kg
- 3mm Rigid Plastic



Symbols conform to Health and Safety (Safety Signs and Signals) Regulations 1996. Wipe clean PVC surface.

Special designs can be printed on request. Personalised labels with company name and phone number can be added. Please call our Sales Team for details on 01737 774077.



60 25575 £68.65



A polypropylene fluted display board that is lightweight, double-sided and easy to assemble. Can be folded flat for storage and is easy to clean. £19.55



60 27667 (Caution Wet Floor)





A rigid plastic temporary over-sleeve with a selection of messages. Designed to be fixed to cones supplied by Stocksigns only. **See page 103**.Please be aware they may not fit existing cones. Price: [225.22] (Sold in pairs)



60 25574 £68.65