

Legislation and Guidance

The Health and Safety (Safety Signs and Signals) Regulations 1996 require employers to provide and maintain safety signs where there is significant risk to health and safety that has not been avoided or controlled by other means (e.g. safe systems of work) provided that the use of a sign can help reduce the risk.

Throughout this catalogue you will find guidance about;

- ▶ Risk assessment
- ▶ Use of pictorial symbols
- ▶ General health and safety signs
- ▶ Fire/emergency escape signs
- ▶ Positioning of signs
- ▶ Marking of hazardous storage areas and obstacles
- ▶ Dangerous locations
- ▶ Identification of pipelines

ISO 7010 is the International standard for safety signs.

ISO 7010 was developed to provide consistency in design across the EU. Stocksigns has incorporated the new designs and you may notice some design changes to the symbols whereas others are virtually unchanged.

The majority of British Standard symbols have been adopted by ISO and as such have now been encompassed into UK safety legislation.

Use of Symbols and Graphical Images

The use of symbols and graphical images is a simple safety system used to convey safety messages at a glance. Colours and symbols, appropriately used, provide information and warnings of hazards which are essential to personal safety.

Prohibition



A red circular band with diagonal cross bar on a white background, the symbol within the circle to be black denoting a safety sign that indicates that a certain behaviour is prohibited.

Hazard



A yellow triangle with black border and symbol within the yellow area denoting a safety sign that gives warning of a hazard.

Mandatory



A blue circle with white symbol denoting a sign that indicates that a specific course of action must be taken.

Fire Equipment



A red rectangle or square with symbol in white denoting a safety sign that indicates the location of fire fighting equipment.

Safe Condition



A green rectangle or square with symbol or text in white denoting a safety sign providing information about safe conditions.

Stocksigns Accreditations and Associations









LOOK OUT FOR



Best Sellers

The best selling signs and products.



New

Signs and ranges new to this catalogue.



Updated

Signs updated to the latest ISO 2018 symbols.



Great Value

Products that represent excellent value for money.















Material Choices



Aluminium

Aluminium is a long-lasting durable coated metal that can be used for both interior and exterior signs.



Reflective Signs

Class I or Class 2 reflective material is adhered to aluminium composite as standard, but can be supplied as a vinyl or applied to any rigid substrate. Generally used for traffic signs that can be post or wall mounted.

Series codes - Traffic 70, Safety 75



Rigid PVC Plastic


Series code - 10

Our best-selling material choice, Imm semi-rigid plastic PVC is suitable for interior and exterior use. Signs are supplied with square corners, no holes as standard



Correx

A durable yet lightweight corrugated PVC material particularly suited to temporary signs. Available in 4mm and 10mm thicknesses.



Bespoke material on request



Photoluminescent

Series code - 20

(Rigid Plastic and SA Vinyl)

Photoluminescent signs provide temporary visibility in the dark making it ideal for fire signage. In line with the PSPA, standard signs are produced on Class B. with Class C material available on request.

Series codes - RP 21 / SAV 31



Foamex

A versatile PVC foam sheet with a smooth matt finish. This material is often used for temporary signs requiring a superior look. Available in 1,3 and 5mm thicknesses.

Bespoke material on request



Self-Adhesive Vinyl

A cost effective high gloss PVC with a peel off backing, selfadhesive vinyl is ideal for interior signage. This material adheres to most smooth, clean surfaces including curves.



Acrylic

Acrylic is a versatile material that is both lightweight and shatterproof. Best suited to internal signs. This offers a cost effective and safe alternative to using glass. Available in 3, 5 and 10mm thicknesses.

Bespoke material on request



Series code - 30

Aluminium Composite

A rigid yet lightweight composite panel which offers a cost effective alternative to standard aluminium. With minimal scrap value, its use can help deter signage theft. This material is ideal for internal and external use.

Series code - 11




Polycarbonate

Polycarbonate is a clear material used as an alternative to acrylic. A very versatile material with a gloss finish.

Compared to acrylic it has a higher impact resistance, is more UV stable and temperature resistant.

Bespoke material on request



Brushed Stainless Steel

Brushed Stainless Steel is available in two grades. 304 grade material provides a prestigious look ideally suited for internal signs. 316 marine grade available on request for external signs.

Series code - 60



Special Effect **Aluminium Composite**

Available in both mirrored gold and brushed silver finish. These special effect finishes create a contemporary look when used on internal signage.

Bespoke material on request

Installation Guide

Prior to buying your sign it is important to consider where the sign will be used and from what distance it needs to be viewed.

The diagram below is intended to used as a guide only.

For further advice speak to our sales team on 01737 774077.

Recommended installation heights:

Above doors:


2m - 2.5m

from floor level to base of sign.

Directional wall fixed signs:

1.4m - 2.0m

from floor level to base of sign.



Easy Ordering

Understanding the Code

All of our standard products featured in this catalogue are identified by a unique five or six figure product code, followed in most cases by a size code consisting of two letters. e.g. [20] 11090 RG



How to Order



STEP

- ▶ Find the sign design you require.
- ▶ Note the product code.



STEP 2

- ▶ Choose the material you require.
- ▶ Use our material guide on the left to select the most suitable material for the job.



STEP 3

- ▶ Look at the sizes your sign is available in.
- ▶ Use the price grids for size codes.
- ▶ Choose the most appropriate size using the installation guide above.

To order this sign in Rigid Plastic size 600×200 mm

use the code: **20 11090 RG**

Prices can be found by using the grids at the bottom of the pages or in the price list enclosed. (Except where items are separately priced).

Payment

- ▶ Choose your payment method: Credit Card We accept Mastercard, Visa and American Express.
- ▶ Cheques should be made payable to Stocksigns Ltd.
- ▶ Accounts We will be happy to open a credit account for you (subject to a standard credit check). All such sales are payable no later than 30 days from invoice date.
- ▶ BACS Payment welcome. Our account is: The Royal Bank of Scotland plc. Account No. 23111244 Sort code 16-00-15

All prices are exclusive of Value Added Tax

▶ Phone, post or e-mail (sales@stocksigns.co.uk) your order.

By submitting your order, you confirm that you have read and understood our terms and conditions and agree to be bound by them (please see our T&C's online at www.stocksigns.co.uk or call 01737 774077 for a copy).

All rights reserved. All of this catalogue is protected by the Laws of Copyright. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise.

RETURNING A PRODUCT

We expect our products to meet your expectations. However, if you do need to make a return, you MUST use our Returns Procedure.

Please contact our Customer Services Team on 01737 774077, or at info@stocksigns.co.uk, to obtain a returns reference, and subsequently making sure that the packaging is robust enough to avoid damage in transit. On certain returns a re-stocking charge may be applicable.

Our Services



Professional Site Survey

At Stocksigns we pride ourselves on our experience across many industries. We've successfully managed projects from airports and quarries, to schools and commercial premises.

We have experience with an extensive range of materials from vinyl graphics, through to large illuminated monoliths and everything in between.

If you are embarking on a project and need professional help and support, our site survey specialists are available to help. They can offer advice and expertise to ensure the wayfinding, health and safety and corporate branding in your workplace are legislation compliant and reflective of your company and brand.

Installation

Alongside our professional surveyors, Stocksigns have a dedicated team of fitters and installation experts.

The team operate throughout the UK and over our long history we have experience of installing everything from single signs to managing large scale installation projects.

We recognise the importance of working safely on-site and Stocksigns are proud to be accredited members of the SafeContrator scheme. This accreditation demonstrates that we operate under recognised high health and safety standards.

In addition, all our installation crews are CSCS (Construction Skills Certification Scheme) certified, Asbestos Trained in line with UKATA, certified by UPAF standards to operate Mobile Evaluating Work Platforms and hold current First Aid certificates.



Delivery Services



Orders for stocked standard signs will be despatched next day and will take between 2-3 days for delivery. Custom made orders will be despatched within 5 working days from receipt of order.

If you require these signs urgently, you may wish to use our premium service, where your signs will be despatched as priority. Please speak to the sales team regarding this service.

Export

Worldwide despatch is no problem. Our Export Sales Team is happy to provide quotations for any quantity of signs for any country.

Collection

At our Trade Counter in Redhill, signs can be purchased and/or collected between 8.30am and 5.00pm Monday - Friday.

Delivery Costs

The charge for packing, delivery and insurance to most UK mainland postcodes is FREE for standard orders over £50.

Standard Product Delivery Charges

- ▶ Orders under £20 (Depending on size and weight) £1.95
- ▶ Orders up to £49.00 (Depending on size and weight) £6.75
- ▶ Orders over £50.00 FREE

Custom-made Signs Delivery Charges

- ► Orders less than 10kgs £7.50
- ▶ Orders 10 20 kgs £13.50
- ▶ Orders 20 50 kgs £25.00
- ▶ Orders over 50kgs POA

For **Premium Service** delivery rates, export, Scottish Highlands and off-shore locations, please contact our Sales Team on 01737 774077 for prices.

Fire Safety



The Health and Safety (Safety Signs and Signals) Regulations 1996 covers the provision of essential fire safety signage. The effective use of clear, accurate and well placed signs is vital to ensuring the safety and wellbeing of those who find themselves in an emergency situation.

At Stocksigns we provide an extensive selection of fire safety prohibition, warning and action notices for use in any setting. Alongside this, our range of fire extinguisher location panels, identification markers and hydrant plates help those tasked with tackling a blaze.

All our signs are manufactured in the UK in our ISO accredited production facility and adhere to the latest British Standards.

For further advice and to discuss your signage requirements, please call our dedicated team on 01737 774077.

	Tapes and Floor MarkersII
	Fire Escape Signs 12-17
	Assembly Point Signs15
	Luminaires16
	Prestige Fire Signs18
	Mandatory Fire Prevention Signs19
۹	Fire Action Notices20-22
-{	Fire Fighting Equipment Signs 23-25
-	Fire Extinguisher Signs 26-27
	Fire Prevention Signs28-30

Photoluminescent Signs6-10









Photoluminescent sign shown in dark and normal light.

BS EN ISO 7010 Standard Signs

Can be used for all escape routes



21 31 16020 GD MG



21 31 16006 KD NF RG



21 31 16003 KD NF RG 66 29782 KD NF RG (Double sided)



21 31 16022 GD MG



21 31 16007 KD NF RG



21 31 16004 KD NF RG 66 29780 KD NF RG (Double sided)

hilume

incur additional cost.

removed.

Hilume is a PSPA (Photoluminescent Safety Products Association) Class B performing product which means it illuminates in the event of fire. Also available from Stocksigns is the PSPA Class C product which if required should be stated at the time of order. This may

▶ Aesthetic Improvement - New white appearance under usual

▶ Extremely durable - Resistant to shrinkage and curl. The low profile thinner material is less prone to attention from

▶ Flame retardant - Passing all flame, smoke and toxicity tests


lighting conditions yet glows bright green when light source is

Both materials are suitable for interior and exterior use.

21 31 16000 KD NF RG 66 29781 KD NF RG (Double sided)



21 31 16008 KD NF RG



21 31 16005 KD NF RG



21 31 16009 KD NF RG

To be used for your Primary (main) escape route only



21 31 16016 KD NF RG



21 31 16014 KD NF RG 66 29783 KD NF RG (Double sided)



21 31 16017 KD NF RG



21 31 16013 KD NF RG 66 29785 KD NF RG (Double sided)



21 31 16010 KD NF RG 66 29784 KD NF RG (Double sided)



21 31 16019 KD NF RG



21 31 16015 KD NF RG



21 31 16018 KD NF RG

Designs to Hospital Technical Memorandum 65, Signs Guide 2



21 31 16822 LD RF



21 31 16276 LD RF



21 31 16824 LD RF



21 31 16821 LD RF



21 31 16818 KD QF



21 31 16819 LD RF



21 31 16277 LD RF



21 31 16817 KD QF




21 31 16820 LD RF



21 31 16823 LD RF

REMEMBER

For a satisfactory performance, photoluminescent materials require initial activation from a good light source.



Easy Mount Sign Frames

These frames are an attractive and practical way to display your safety signage. Designed to fit our most popular size ranges and made from lightweight and durable anodised aluminium, they have an opening at the top to simply slide the signs in. For ceiling mounting, the suspended frame version comes with suspension wires and ceiling clips; while the wall-mounted frame comes complete with fixing screws.

Frames come with fixings but additional fixings can be bought separately (see below)

Suspended Frames:

- 66 26923 300mm x 100mm £35.92 66 23522 350mm x 100mm £36.56
- 66 23523 450mm x 150mm £38.28 66 26912 600mm x 150mm £40.41
- 66 26149 600mm x 200mm £43.86

Wall-mounted Frames:

- 66 26022 300mm x 100mm £39.01
- 66 23524 350mm x 100mm £35.09 66 23525 450mm x 150mm £36.87
- 66 26023 400mm x 200mm £44.58
- 66 26024 600mm x 200mm £46.90
- 66 23694 210mm x 297mm (A4) £37.56
- 66 23695 420mm x 297mm (A3) £49.31
- 66 23696 420mm x 594mm(A2) £54.31







Suspended frame





Wall-mounted Frame

Symbols to BS **EN ISO 7010**

It is not permissable to use emergency escape signs with text only. The supplementary wording and arrows below can only be used with the running person symbols from BS EN ISO 7010.









21 31 16026 GG MM









21 31 16761 GG MM

21 31 16025 GG MM



21 31 16760 GG MM



21|31| 16054 GG MM



GG MM

Emergency Escape Signs



21 31 16180 KA RD

Open

21 31 17693 DD

Fire escape

light switch

21 31 16029 GF

break glass bolt

to open

21 31 16030 FG







21 31 17692 DD



21 31 16028 GF



21 31 16031 FG



Pull to open






21 31 17677 DF



21 31 16032 FG



21 31 16186 KD





21 31 17678 DF



21 31 16033 FG

		Size in mm	400x200	400x400	450x150	550x150	600x100	600x150	600x200	600x450	685x125
		Size code	MG	MM	NF	QF	RD	RF	RG	RN	TE
21	Photolui	ne R Plastic	£13.95	£26.03	£11.66	£14.09	£9.84	£14.24	£17.89	£40.35	£14.16
31	Photolui	me S/A Vinyl	£10.25	£14.06	£8.83	£10.41	£8.01	£10.64	£14.19	£17.50	£10.57
66	Double-s	sided Rigid Plastic	-	-	£23.33	-	-	-	£35.78	-	-

Fire Fighting Equipment Signs



21|31|16039 GG



21 31 16048 GG



21 31 16040 GG



21 31 16038 DD GG

Deluge

manual

release

21 31 17741 GF

electrical fires

21 31 16859 GF



21|31|16036 GG



21 31 16052 CC GG

Fire

Blanket

21 31 17743 GF

Sprinkler

control

21 31 17739 GF

valve



21 31 16037 GG



21 31 16050 GG MM



21 31 16049 GG MM



21 31 17740 GF



inlet

21 31 16041 GG

reel

21 31 16165 JK

21 31 17744 KM FG



Photoluminescent Fire Action Notices



21 31 16862 GJ



21 31 13526 GJ

Deluge control valve

21 31 17742 GF



21 31 16860 GF



21 31 03748 KM FG



21 31 16163 JK





21 31 16162 JK



21 31 16166 JK



21 31 16164 JK

Projecting Fire Equipment Signs

Highly visible from several directions, these signs are designed to be fixed above fire equipment where flat signs would not easily be seen from some angles.

Signs are supplied with concealed fixing holes for easy fixing. Size of each sign face is 200×300 mm.



66 26689 £44.88



66 26690 £44.88



66 26691 £44.88



66 26692 £44.88



66 26688 £44.88



Fire Equipment Number Markings







REMEMBER

For a satisfactory performance, photoluminescent materials require initial activation from a good light source.

	Size in mm	75x100	75x210	80x80	100x100	150x200	200x150	200x200
	Size code	BD	ВН	CC	DD	FG	GF	GG
21	Photolume R Plastic	£3.10	£5.03	£3.10	£3.10	£6.66	£6.66	£7.67
31	Photolume S/A Vinyl	£2.34	£3.91	£2.34	£2.34	£5.16	£5.16	£5.97

Projecting Sign

Fire Exit sign visible from several directions

For fixing above fire exits. To be used in auditoriums/revolving doors, or in conjunction with other fire exit signs.

Manufactured from Rigid Plastic and attached by concealed screw fixings.



66 26693 200mm x 300mm £44.88



Fire Equipment Signs









AFF FOAM









21 31 06966 BH

Emergency Escape Signs for the physically impaired

Designed to indicate Exit Routes and Refuge Areas for assisting the physically impaired.



21 31 16377 LD RF



21 31 16378 LD RF



21 31 16373 LD RF



21 31 16380 KD



21 31 16381 KD







21 31 16383 JK





Refuge

point

21 31 16382 JK

General Fire Safety Signs







21|31| 16861 CC



21|31| 16836 GG



21 31 16837 GG



21 31 16838 GG



Fire door Keep clear

21 31 16183 BD



Fire door keep shut

21 31 16181 BD



21 31 16869 BH



21|31|16043 DD GG MM



21 31 16042 DD GG MM



Keep clear

21 31 16178 BD

* All BD, CC, DB & DD sizes now come with self-adhesive backing **FREE** or holes on request.



21 31 16182 BD



21 31 16184 BD



21 31 16185 BD

	Size in mm	200x250	250x300	300x100	300x400	350x100	400x400	600x150
	Size code	GJ	JK	KD	KM	LD	MM	RF
21 Photo	olume R Plastic	£9.56	£12.33	£6.66	£17.89	£6.96	£26.03	£14.24
31 Photo	olume S/A Vinyl	£7.82	£9.42	£5.16	£14.19	£6.42	£14.06	£10.64

High Visibility **Armbands**

To assist in the identification of supervisory personnel in cases of emergency.

The armbands are made of retroflective material secured using velcro and incorporating a photoluminescent strip.



FIRE WARDEN

66 26077 £11.77

FIRE MARSHAL

66 26027 £11.77

FIRE OFFICER

66 26059 £11.77

FIRST AIDER

66 26060 £11.77

Hazard Symbols





All DD sized 21|31| 17748 **DD GG** signs now come with self-adhesive backing **FREE**




21|31|17749 DD GG 21|31|17750 DD GG





21 31 17756 FG GJ











No entry

No smoking

beyond this

point

No naked

light



4

21|31|16848 KD

21 31 16847 KD

21 31 16852 KD

General Fire and Safety Signs

smoking

No exit

Dangerous

chemicals

L. P. G.

Highly flammable

Hand protection

must be worn

Use ear

protectors

Eye wash

21 31 16850 KD

21 31 16853 KD

21 31 16857 KD

21 31 16858 KD

21 31 16839 KD

21 31 16844 KD

21 31 17745 KD

Hazard Signs



21 31 16840 KD



21 31 16842 KD



21 31 16843 KD



21 31 17746 KD



21 31 16849 KD



21 31 16851 KD



21 31 16856 KD



21 31 16855 KD



21 31 16841 KD



21 31 16845 KD



21 31 16846 KD



21 31 16278 KD



21 31 17758 FG GJ

Biohazard



21 31 17759 FG GJ



21|31| 17751 DD GG 21|31| 17747 DD GG



21 31 17753 FG GJ




21 31 17752 FG GJ



21 31 17754 FG GJ



21 31 17755 FG GJ





In situations of emergency evacuation, especially when confronted by power failure, a way guidance system using photoluminescent tapes, signs and markers will help to indicate clearly defined escape routes, saving critical time for the evacuation of the building.





21 31 16003 KD RG

Emergency Escape Designs to BS 5499 Part 4 2000 and BS EN ISO 7010

Floor Markers / Floor Trail Safe Marker Dots

Photoluminescent floor markers will assist with orientation during evacuation, and enhance your overall way guidance system. These signs will adhere to most clean, smooth floor surfaces and are ideal for reinforcing your safety policy. This product is not suitable for external use.


Sold in packs of 10







80mm diameter: 66 20784 Vinyl £41.42



80mm diameter: 66 20782 Vinyl £41.42

Wellglow™ Lightsticks



The Wellglow™ Lightsticks require no naked flame, electrical connection or battery. The Emergency Lights give off no spark or heat. All the energy created by a non-toxic chemical reaction is given off as light for 12 hours continuously once activated.

66 26861 Price per stick (each lasting 12 hours) £5.32

	Size in mm	100x100	150x200	200x200	200x250	250x200	300x100	600x200
	Size code	DD	FG	GG	GJ	JG	KD	RG
21	Photolume R Plastic	£3.10	£6.66	£7.67	£9.56	£5.16	£6.66	£17.89
31	Photolume S/A Vinyl	£2.34	£5.16	£5.97	£7.82	£7.83	£5.16	£14.19

Photoluminescent Floor Graphics

