

modular **DUCTING**




DUCTWORK

ABOUT US

Air pollution is one of the biggest problems worldwide, not only on the outside environment but also on the inside work environment. Air pollution is a risk for the environment itself, as well as for people's health. Thus, it is important that industries ensure a clean environment inside their companies and work environments. This can be done by implementing proper systems with quality products to ensure good air quality.

Modular ducting supplies products to ensure clean air in the working environment. We stock a different variety of products such as galvanized ductwork, including bends and dampers, between others; industrial hoses and industrial vacuum cleaners. We have also available in our range, products such as filter and fans, which can be made available on order.

Our products are suitable for different industry sectors such as plastics, metal, food and pharma, agricultural, raw material, fume and dust extraction, wood processing, automotive and disposal industries.



INDEX

MEDIUM PRESSURE **3**

PULL RING EDGE 4

FLANGED EDGE 12

ROLLED EDGE 15

DAMPERS 18

THROTTLE VALVES 21

DIVERTERS 22

FIRESAFE DAMPER 24

ACCESSORIES 25

HIGH PRESSURE **28**

DUCTING 29

CLEANING SYSTEMS 37

DAMPERS 38

MEDIUM PRESSURE



Pull Ring Edge

GALVANIZED

GAPL

2 mt - Galvanized pipe, laser welded with pull ring edge



Diameter	Product Code	Diameter	Product Code
080	GAPL-080-20	200	GAPL-200-20
100	GAPL-100-20	225	GAPL-225-20
120	GAPL-120-20	250	GAPL-250-20
125	GAPL-125-20	300	GAPL-300-20
140	GAPL-140-20	315	GAPL-315-20
150	GAPL-150-20	350	GAPL-350-20
160	GAPL-160-20	400	GAPL-400-20
180	GAPL-180-20		

GAPI

2 mt - Galvanized pipe with lengthwise seam, with pull ring edge



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
100	GAPI-100-20	200	GAPI-200-20	450	GAPI-450-20	750	GAPI-750-20
120	GAPI-120-20	225	GAPI-225-20	500	GAPI-500-20	800	GAPI-800-20
125	GAPI-125-20	250	GAPI-250-20	550	GAPI-550-20	850	GAPI-850-20
140	GAPI-140-20	300	GAPI-300-20	600	GAPI-600-20	900	GAPI-900-20
150	GAPI-150-20	315	GAPI-315-20	630	GAPI-630-20	950	GAPI-950-20
160	GAPI-160-20	350	GAPI-350-20	650	GAPI-650-20	1000	GAPI-1000-20
180	GAPI-180-20	400	GAPI-400-20	700	GAPI-700-20		

GABE - Pressed

Galvanized bend, segmented with pull ring edge. $R = 1.5 \times \varnothing$



Diameter	Product Code				
	90°	60°	45°	30°	15°
080	GABE-080-90	GABE-080-60	GABE-080-45	GABE-080-30	GABE-080-15
100	GABE-100-90	GABE-100-60	GABE-100-45	GABE-100-30	GABE-100-15
120	GABE-120-90	GABE-120-60	GABE-120-45	GABE-120-30	GABE-120-15
125	GABE-125-90	GABE-125-60	GABE-125-45	GABE-125-30	GABE-125-15
140	GABE-140-90	GABE-140-60	GABE-140-45	GABE-140-30	GABE-140-15
150	GABE-150-90	GABE-150-60	GABE-150-45	GABE-150-30	GABE-150-15
160	GABE-160-90	GABE-160-60	GABE-160-45	GABE-160-30	GABE-160-15
180	GABE-180-90	GABE-180-60	GABE-180-45	GABE-180-30	GABE-180-15
200	GABE-200-90	GABE-200-60	GABE-200-45	GABE-200-30	GABE-200-15
225	GABE-225-90	GABE-225-60	GABE-225-45	GABE-225-30	GABE-225-15
250	GABE-250-90	GABE-250-60	GABE-250-45	GABE-250-30	GABE-250-15
300	GABE-300-90	GABE-300-60	GABE-300-45	GABE-300-30	GABE-300-15
315	GABE-315-90	GABE-315-60	GABE-315-45	GABE-315-30	GABE-315-15
350	GABE-350-90	GABE-350-60	GABE-350-45	GABE-350-30	GABE-350-15
400	GABE-400-90	GABE-400-60	GABE-400-45	GABE-400-30	GABE-400-15

GALVANIZED

Pull Ring Edge

GABE - Pressed


Galvanized bend, segmented with pull ring edge. $R = 1.5 \times \varnothing$



Diameter	Product Code				
	90°	60°	45°	30°	15°
080	GABE-080-90	GABE-080-60	GABE-080-45	GABE-080-30	GABE-080-15
100	GABE-100-90	GABE-100-60	GABE-100-45	GABE-100-30	GABE-100-15
120	GABE-120-90	GABE-120-60	GABE-120-45	GABE-120-30	GABE-120-15
125	GABE-125-90	GABE-125-60	GABE-125-45	GABE-125-30	GABE-125-15
140	GABE-140-90	GABE-140-60	GABE-140-45	GABE-140-30	GABE-140-15
150	GABE-150-90	GABE-150-60	GABE-150-45	GABE-150-30	GABE-150-15
160	GABE-160-90	GABE-160-60	GABE-160-45	GABE-160-30	GABE-160-15
180	GABE-180-90	GABE-180-60	GABE-180-45	GABE-180-30	GABE-180-15
200	GABE-200-90	GABE-200-60	GABE-200-45	GABE-200-30	GABE-200-15
225	GABE-225-90	GABE-225-60	GABE-225-45	GABE-225-30	GABE-225-15
250	GABE-250-90	GABE-250-60	GABE-250-45	GABE-250-30	GABE-250-15
300	GABE-300-90	GABE-300-60	GABE-300-45	GABE-300-30	GABE-300-15
315	GABE-315-90	GABE-315-60	GABE-315-45	GABE-315-30	GABE-315-15
350	GABE-350-90	GABE-350-60	GABE-350-45	GABE-350-30	GABE-350-15
400	GABE-400-90	GABE-400-60	GABE-400-45	GABE-400-30	GABE-400-15

GABE - Segmented

Galvanized bend, segmented with pull ring edge. $R = 1.5 \times \varnothing$



Diameter	Product Code				
	90°	60°	45°	30°	15°
450	GABE-450-90	GABE-450-60	GABE-450-45	GABE-450-30	GABE-450-15
500	GABE-500-90	GABE-500-60	GABE-500-45	GABE-500-30	GABE-500-15
550	GABE-550-90	GABE-550-60	GABE-550-45	GABE-550-30	GABE-550-15
600	GABE-600-90	GABE-600-60	GABE-600-45	GABE-600-30	GABE-600-15
630	GABE-630-90	GABE-630-60	GABE-630-45	GABE-630-30	GABE-630-15
650	GABE-650-90	GABE-650-60	GABE-650-45	GABE-650-30	GABE-650-15
700	GABE-700-90	GABE-700-60	GABE-700-45	GABE-700-30	GABE-700-15
750	GABE-750-90	GABE-750-60	GABE-750-45	GABE-750-30	GABE-750-15
800	GABE-800-90	GABE-800-60	GABE-800-45	GABE-800-30	GABE-800-15
850	GABE-850-90	GABE-850-60	GABE-850-45	GABE-850-30	GABE-850-15
900	GABE-900-90	GABE-900-60	GABE-900-45	GABE-900-30	GABE-900-15
950	GABE-950-90	GABE-950-60	GABE-950-45	GABE-950-30	GABE-950-15
1000	GABE-1000-90	GABE-1000-60	GABE-1000-45	GABE-1000-30	GABE-1000-15

Pull Ring Edge

GALVANIZED

GABP


Branch on taper/straight pipe galvanized 30° with pull ring edge



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	GABP-080	180	GABP-180	400	GABP-400	700	GABP-700
100	GABP-100	200	GABP-200	450	GABP-450	750	GABP-750
120	GABP-120	225	GABP-225	500	GABP-500	800	GABP-800
125	GABP-125	250	GABP-250	550	GABP-550		
140	GABP-140	300	GABP-300	600	GABP-600		
150	GABP-150	315	GABP-315	630	GABP-630		
160	GABP-160	350	GABP-350	650	GABP-650		

GATP

Trouser pipe galvanized 30° with pull ring edge



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	GATP-080	180	GATP-180	400	GATP-400	700	GATP-700
100	GATP-100	200	GATP-200	450	GATP-450	750	GATP-750
120	GATP-120	225	GATP-225	500	GATP-500	800	GATP-800
125	GATP-125	250	GATP-250	550	GATP-550		
140	GATP-140	300	GATP-300	600	GATP-600		
150	GATP-150	315	GATP-315	630	GATP-630		
160	GATP-160	350	GATP-350	650	GATP-650		

GABD

Double branch pipe galvanized 30° with pull ring edge



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	GABD-080	180	GABD-180	400	GABD-400	700	GABD-700
100	GABD-100	200	GABD-200	450	GABD-450	750	GABD-750
120	GABD-120	225	GABD-225	500	GABD-500	800	GABD-800
125	GABD-125	250	GABD-250	550	GABD-550		
140	GABD-140	300	GABD-300	600	GABD-600		
150	GABD-150	315	GABD-315	630	GABD-630		
160	GABD-160	350	GABD-350	650	GABD-650		

GABR

Branch on plate galvanized 30° with pull ring edge



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	GABR-080	180	GABR-180	400	GABR-400
100	GABR-100	200	GABR-200	450	GABR-450
120	GABR-120	225	GABR-225	500	GABR-500
125	GABR-125	250	GABR-250	550	GABR-550
140	GABR-140	300	GABR-300	600	GABR-600
150	GABR-150	315	GABR-315		
160	GABR-160	350	GABR-350		

GALVANIZED

Pull Ring Edge

GANI

Nipple for flex, inside. Length 100mm



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	GANI-080	180	GANI-180	400	GANI-400
100	GANI-100	200	GANI-200	450	GANI-450
120	GANI-120	225	GANI-225	500	GANI-500
125	GANI-125	250	GANI-250	550	GANI-550
140	GANI-140	300	GANI-300	600	GANI-600
150	GANI-150	315	GANI-315		
160	GANI-160	350	GANI-350		

GANO

Nipple for flex, outside. Length 100mm



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	GANO-080	180	GANO-180	400	GANO-400
100	GANO-100	200	GANO-200	450	GANO-450
120	GANO-120	225	GANO-225	500	GANO-500
125	GANO-125	250	GANO-250	550	GANO-550
140	GANO-140	300	GANO-300	600	GANO-600
150	GANO-150	315	GANO-315		
160	GANO-160	350	GANO-350		

GACO

Galvanized cone with pull ring edge



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
100	GACO-100	200	GACO-200	450	GACO-450	750	GACO-750
120	GACO-120	225	GACO-225	500	GACO-500	800	GACO-800
125	GACO-125	250	GACO-250	550	GACO-550	850	GACO-850
140	GACO-140	300	GACO-300	600	GACO-600	900	GACO-900
150	GACO-150	315	GACO-315	630	GACO-630	950	GACO-950
160	GACO-160	350	GACO-350	650	GACO-650	1000	GACO-1000
180	GACO-180	400	GACO-400	700	GACO-700		

GACH

Galvanized cone for hose connection



Diameter	Product Code
080-050	GACH-080-050
080-060	GACH-080-060
100-050	GACH-100-050
100-060	GACH-100-060
100-080	GACH-100-080

Pull Ring Edge

GALVANIZED

GAEN End plate



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	GAEN-080	180	GAEN-180	400	GAEN-400
100	GAEN-100	200	GAEN-200	450	GAEN-450
120	GAEN-120	225	GAEN-225	500	GAEN-500
125	GAEN-125	250	GAEN-250		
140	GAEN-140	300	GAEN-300		
150	GAEN-150	315	GAEN-315		
160	GAEN-160	350	GAEN-350		

GAPT Inside telescope pipe, pull ring edge, including pull ring



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	GAPT-080	180	GAPT-180	400	GAPT-400
100	GAPT-100	200	GAPT-200	450	GAPT-450
120	GAPT-120	225	GAPT-225	500	GAPT-500
125	GAPT-125	250	GAPT-250	550	GAPT-550
140	GAPT-140	300	GAPT-300	600	GAPT-600
150	GAPT-150	315	GAPT-315	630	GAPT-630
160	GAPT-160	350	GAPT-350		

GATR Galvanized transition piece, with pull ring edge. Does not include square flange



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	GATR-080	180	GATR-180	400	GATR-400
100	GATR-100	200	GATR-200	450	GATR-450
120	GATR-120	225	GATR-225	500	GATR-500
125	GATR-125	250	GATR-250	550	GATR-550
140	GATR-140	300	GATR-300	600	GATR-600
150	GATR-150	315	GATR-315		
160	GATR-160	350	GATR-350		

GAAD Inspection door mounted on pipe. L = 0,5 m. Inspection door GAAL



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	GAAD-080	180	GAAD-180	400	GAAD-400
100	GAAD-100	200	GAAD-200	450	GAAD-450
120	GAAD-120	225	GAAD-225	500	GAAD-500
125	GAAD-125	250	GAAD-250	550	GAAD-550
140	GAAD-140	300	GAAD-300	600	GAAD-600
150	GAAD-150	315	GAAD-315		
160	GAAD-160	350	GAAD-350		

GALVANIZED

Pull Ring Edge

GAAL



Diameter	Product Code
080-315	GAAL-080-315
350-1000	GAAL-350-1000

GAKF Block trap



Diameter	Product Code
080-200	GAKF-080-200
225-315	GAKF-225-315
350-450	GAKF-350-450
500-630	GAKF-500-630
650-1000	GAKF-650-1000

GASB Galvanized suction hood



Connections	Product Code
2-4	GASB-2-4
5-9	GASB-5-9

GASP Spoutnik GASP galvanized



Connections	Product Code
2-4	GASP-2-4
5-9	GASP-5-9

Pull Ring Edge

GALVANIZED

GASH

Suction head galvanized



Diameter	Product Code
080	GASH-080
100	GASH-100
120	GASH-120
125	GASH-125
140	GASH-140
150	GASH-150
160	GASH-160

GASD

Suction head GASD galvanized with door



Diameter	Product Code
080	GASD-080
100	GASD-100
120	GASD-120
125	GASD-125
140	GASD-140
150	GASD-150
160	GASD-160

IDRO

Oval inspection door, galvanized



Diameter	Product Code
100	IDRO-100
125	IDRO-125
160	IDRO-160
200	IDRO-200
250	IDRO-250
315	IDRO-315
400	IDRO-400

PRTE

Rapid pull ring with EPDM rubber for 1 mm galvanized. Standard temp. -30 to +80° C
With silicone for max 200° C



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	PRTE-080	150	PRTE-150	250	PRTE-250
100	PRTE-100	160	PRTE-160	300	PRTE-300
120	PRTE-120	180	PRTE-180	315	PRTE-315
125	PRTE-125	200	PRTE-200	350	PRTE-350
140	PRTE-140	225	PRTE-225	400	PRTE-400

GALVANIZED

Pull Ring Edge

PRTE-1

Rapid pull ring with PVC sealing. Standard temp. -30 to +80° C. With silicone for max 200° C



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	PRTE-080-1	180	PRTE-180-1	400	PRTE-400-1	700	PRTE-700-1
100	PRTE-100-1	200	PRTE-200-1	450	PRTE-450-1	750	PRTE-750-1
120	PRTE-120-1	225	PRTE-225-1	500	PRTE-500-1	800	PRTE-800-1
125	PRTE-125-1	250	PRTE-250-1	550	PRTE-550-1		
140	PRTE-140-1	300	PRTE-300-1	600	PRTE-600-1		
150	PRTE-150-1	315	PRTE-315-1	630	PRTE-630-1		
160	PRTE-160-1	350	PRTE-350-1	650	PRTE-650-1		

PRTC

Rapid pull ring for 1 mm galvanized



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	PRTC-080	180	PRTC-180	400	PRTC-400
100	PRTC-100	200	PRTC-200	450	PRTC-450
120	PRTC-120	225	PRTC-225	500	PRTC-500
125	PRTC-125	250	PRTC-250	550	PRTC-550
140	PRTC-140	300	PRTC-300	600	PRTC-600
150	PRTC-150	315	PRTC-315		
160	PRTC-160	350	PRTC-350		

PRTB

Pull ring for 1 mm galvanized



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	PRTB-080	160	PRTB-160	315	PRTB-315
100	PRTB-100	180	PRTB-180	350	PRTB-350
120	PRTB-120	200	PRTB-200	400	PRTB-400
125	PRTB-125	225	PRTB-225	450	PRTB-450
140	PRTB-140	250	PRTB-250	500	PRTB-500
150	PRTB-150	300	PRTB-300		

PRTD

Wide pull ring for 1 mm galvanized



Diameter	Product Code	Diameter	Product Code
160	PRTD-160	350	PRTD-350
180	PRTD-180	400	PRTD-400
200	PRTD-200	450	PRTD-450
225	PRTD-225	500	PRTD-500
250	PRTD-250	550	PRTD-550
300	PRTD-300	600	PRTD-600
315	PRTD-315		

Pull Ring Edge

GALVANIZED

RUPR

Rubber ring for pull ring



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	RUPR-080	150	RUPR-150	250	RUPR-250
100	RUPR-100	160	RUPR-160	300	RUPR-300
120	RUPR-120	180	RUPR-180	315	RUPR-315
125	RUPR-125	200	RUPR-200	350	RUPR-350
140	RUPR-140	225	RUPR-225	400	RUPR-400

Flanged Edge

GALVANIZED

GAPF

Pipe, galvanized with flange, laser welded \varnothing 80-400. Lengthwise seam from \varnothing 450



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	GAPF-080-20	180	GAPF-180-20	400	GAPF-400-20	700	GAPF-700-20
100	GAPF-100-20	200	GAPF-200-20	450	GAPF-450-20	750	GAPF-750-20
120	GAPF-120-20	225	GAPF-225-20	500	GAPF-500-20	800	GAPF-800-20
125	GAPF-125-20	250	GAPF-250-20	550	GAPF-550-20	850	GAPF-850-20
140	GAPF-140-20	300	GAPF-300-20	600	GAPF-600-20	900	GAPF-900-20
150	GAPF-150-20	315	GAPF-315-20	630	GAPF-630-20	950	GAPF-950-20
160	GAPF-160-20	350	GAPF-350-20	650	GAPF-650-20	1000	GAPF-1000-20

GABF Pressed

Bend galvanized, segmented with flange. $R = 1.5 \times \varnothing$



Diameter	Product Code				
	90°	60°	45°	30°	15°
080	GABF-080-90	GABF-080-60	GABF-080-45	GABF-080-30	GABF-080-15
100	GABF-100-90	GABF-100-60	GABF-100-45	GABF-100-30	GABF-100-15
120	GABF-120-90	GABF-120-60	GABF-120-45	GABF-120-30	GABF-120-15
125	GABF-125-90	GABF-125-60	GABF-125-45	GABF-125-30	GABF-125-15
140	GABF-140-90	GABF-140-60	GABF-140-45	GABF-140-30	GABF-140-15
150	GABF-150-90	GABF-150-60	GABF-150-45	GABF-150-30	GABF-150-15
160	GABF-160-90	GABF-160-60	GABF-160-45	GABF-160-30	GABF-160-15
180	GABF-180-90	GABF-180-60	GABF-180-45	GABF-180-30	GABF-180-15
200	GABF-200-90	GABF-200-60	GABF-200-45	GABF-200-30	GABF-200-15
225	GABF-225-90	GABF-225-60	GABF-225-45	GABF-225-30	GABF-225-15
250	GABF-250-90	GABF-250-60	GABF-250-45	GABF-250-30	GABF-250-15
300	GABF-300-90	GABF-300-60	GABF-300-45	GABF-300-30	GABF-300-15
315	GABF-315-90	GABF-315-60	GABF-315-45	GABF-315-30	GABF-315-15
350	GABF-350-90	GABF-350-60	GABF-350-45	GABF-350-30	GABF-350-15
400	GABF-400-90	GABF-400-60	GABF-400-45	GABF-400-30	GABF-400-15

GALVANIZED

Flanged Edge

GABF Segmented

Bend galvanized, segmented with flange. $R = 1.5 \times \phi$



Diameter	Product Code				
	90°	60°	45°	30°	15°
450	GABF-450-90	GABF-450-60	GABF-450-45	GABF-450-30	GABF-450-15
500	GABF-500-90	GABF-500-60	GABF-500-45	GABF-500-30	GABF-500-15
550	GABF-550-90	GABF-550-60	GABF-550-45	GABF-550-30	GABF-550-15
600	GABF-600-90	GABF-600-60	GABF-600-45	GABF-600-30	GABF-600-15
630	GABF-630-90	GABF-630-60	GABF-630-45	GABF-630-30	GABF-630-15
650	GABF-650-90	GABF-650-60	GABF-650-45	GABF-650-30	GABF-650-15
700	GABF-700-90	GABF-700-60	GABF-700-45	GABF-700-30	GABF-700-15
750	GABF-750-90	GABF-750-60	GABF-750-45	GABF-750-30	GABF-750-15
800	GABF-800-90	GABF-800-60	GABF-800-45	GABF-800-30	GABF-800-15
850	GABF-850-90	GABF-850-60	GABF-850-45	GABF-850-30	GABF-850-15
900	GABF-900-90	GABF-900-60	GABF-900-45	GABF-900-30	GABF-900-15
950	GABF-950-90	GABF-950-60	GABF-950-45	GABF-950-30	GABF-950-15
1000	GABF-1000-90	GABF-1000-60	GABF-1000-45	GABF-1000-30	GABF-1000-15

GFBP

Branch on taper/straight pipe 30°, galvanized with flange



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	GFBP-080	180	GFBP-180	400	GFBP-400	700	GFBP-700
100	GFBP-100	200	GFBP-200	450	GFBP-450	750	GFBP-750
120	GFBP-120	225	GFBP-225	500	GFBP-500	800	GFBP-800
125	GFBP-125	250	GFBP-250	550	GFBP-550		
140	GFBP-140	300	GFBP-300	600	GFBP-600		
150	GFBP-150	315	GFBP-315	630	GFBP-630		
160	GFBP-160	350	GFBP-350	650	GFBP-650		

GFTP

Trouser pipe 30°, galvanized with flange



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	GFTP-080	180	GFTP-180	400	GFTP-400	700	GFTP-700
100	GFTP-100	200	GFTP-200	450	GFTP-450	750	GFTP-750
120	GFTP-120	225	GFTP-225	500	GFTP-500	800	GFTP-800
125	GFTP-125	250	GFTP-250	550	GFTP-550		
140	GFTP-140	300	GFTP-300	600	GFTP-600		
150	GFTP-150	315	GFTP-315	630	GFTP-630		
160	GFTP-160	350	GFTP-350	650	GFTP-650		

Flanged Edge

GALVANIZED

GFCO

Cone, galvanized with flange



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
100	GFCO-100	200	GFCO-200	450	GFCO-450	750	GFCO-750
120	GFCO-120	225	GFCO-225	500	GFCO-500	800	GFCO-800
125	GFCO-125	250	GFCO-250	550	GFCO-550	850	GFCO-850
140	GFCO-140	300	GFCO-300	600	GFCO-600	900	GFCO-900
150	GFCO-150	315	GFCO-315	630	GFCO-630	950	GFCO-950
160	GFCO-160	350	GFCO-350	650	GFCO-650	1000	GFCO-1000
180	GFCO-180	400	GFCO-400	700	GFCO-700		

GAFL

Flange, galvanized



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	GAFL-080	180	GAFL-180	400	GAFL-400	700	GAFL-700
100	GAFL-100	200	GAFL-200	450	GAFL-450	750	GAFL-750
120	GAFL-120	225	GAFL-225	500	GAFL-500	800	GAFL-800
125	GAFL-125	250	GAFL-250	550	GAFL-550	850	GAFL-850
140	GAFL-140	300	GAFL-300	600	GAFL-600	900	GAFL-900
150	GAFL-150	315	GAFL-315	630	GAFL-630	950	GAFL-950
160	GAFL-160	350	GAFL-350	650	GAFL-650	1000	GAFL-1000

RUFL

Flange packing in nitrile rubber, 3 mm



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	RUFL-080	180	RUFL-180	400	RUFL-400	700	RUFL-700
100	RUFL-100	200	RUFL-200	450	RUFL-450	750	RUFL-750
120	RUFL-120	225	RUFL-225	500	RUFL-500	800	RUFL-800
125	RUFL-125	250	RUFL-250	550	RUFL-550	850	RUFL-850
140	RUFL-140	300	RUFL-300	600	RUFL-600	900	RUFL-900
150	RUFL-150	315	RUFL-315	630	RUFL-630	950	RUFL-950
160	RUFL-160	350	RUFL-350	650	RUFL-650	1000	RUFL-1000

GALVANIZED

Rolled Edge

GRPL

Pipe galvanized, laser welded with rolled edge



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	RUPR-080	160	RUPR-160	300	RUPR-300
100	RUPR-100	180	RUPR-180	315	RUPR-315
125	RUPR-125	200	RUPR-200	350	RUPR-350
140	RUPR-140	225	RUPR-225	400	RUPR-400
150	RUPR-150	250	RUPR-250		

GRBE

Bend galvanized, pressed with rolled edges. $R = 1.0 \times \varnothing$



Diameter	Product Code				
	90°	60°	45°	30°	15°
080	GRBE-080-90	GRBE-080-60	GRBE-080-45	GRBE-080-30	GRBE-080-15
100	GRBE-100-90	GRBE-100-60	GRBE-100-45	GRBE-100-30	GRBE-100-15
125	GRBE-125-90	GRBE-125-60	GRBE-125-45	GRBE-125-30	GRBE-125-15
140	GRBE-140-90	GRBE-140-60	GRBE-140-45	GRBE-140-30	GRBE-140-15
150	GRBE-150-90	GRBE-150-60	GRBE-150-45	GRBE-150-30	GRBE-150-15
160	GRBE-160-90	GRBE-160-60	GRBE-160-45	GRBE-160-30	GRBE-160-15
180	GRBE-180-90	GRBE-180-60	GRBE-180-45	GRBE-180-30	GRBE-180-15
200	GRBE-200-90	GRBE-200-60	GRBE-200-45	GRBE-200-30	GRBE-200-15
225	GRBE-225-90	GRBE-225-60	GRBE-225-45	GRBE-225-30	GRBE-225-15
250	GRBE-250-90	GRBE-250-60	GRBE-250-45	GRBE-250-30	GRBE-250-15
300	GRBE-300-90	GRBE-300-60	GRBE-300-45	GRBE-300-30	GRBE-300-15
315	GRBE-315-90	GRBE-315-60	GRBE-315-45	GRBE-315-30	GRBE-315-15
350	GRBE-350-90	GRBE-350-60	GRBE-350-45	GRBE-350-30	GRBE-350-15
400	GRBE-400-90	GRBE-400-60	GRBE-400-45	GRBE-400-30	GRBE-400-15

GRBP

Branch on taper/straight pipe, 30° with rolled edges



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	GRBP-080	150	GRBP-150	250	GRBP-250
100	GRBP-100	160	GRBP-160	300	GRBP-300
120	GRBP-120	180	GRBP-180	315	GRBP-315
125	GRBP-125	200	GRBP-200	350	GRBP-350
140	GRBP-140	225	GRBP-225	400	GRBP-400

Rolled Edge

GALVANIZED

GRTP

Trouser pipe GRTP galvanized 30° with rolled edge



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	GRTP-080	150	GRTP-150	250	GRTP-250
100	GRTP-100	160	GRTP-160	300	GRTP-300
120	GRTP-120	180	GRTP-180	315	GRTP-315
125	GRTP-125	200	GRTP-200	350	GRTP-350
140	GRTP-140	225	GRTP-225	400	GRTP-400

GRBD

Double branch pipe galvanized 30° with pull ring edge



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	GRBD-080	150	GRBD-150	250	GRBD-250
100	GRBD-100	160	GRBD-160	300	GRBD-300
120	GRBD-120	180	GRBD-180	315	GRBD-315
125	GRBD-125	200	GRBD-200	350	GRBD-350
140	GRBD-140	225	GRBD-225	400	GRBD-400

GRBR

Branch on plate galvanized 30° with pull ring edge



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	GRBR-080	150	GRBR-150	250	GRBR-250
100	GRBR-100	160	GRBR-160	300	GRBR-300
120	GRBR-120	180	GRBR-180	315	GRBR-315
125	GRBR-125	200	GRBR-200	350	GRBR-350
140	GRBR-140	225	GRBR-225	400	GRBR-400

GRCO

Cone, with rolled edges



Diameter	Product Code	Diameter	Product Code
100	GRCO-100	200	GRCO-200
120	GRCO-120	225	GRCO-225
125	GRCO-125	250	GRCO-250
140	GRCO-140	300	GRCO-300
150	GRCO-150	315	GRCO-315
160	GRCO-160	350	GRCO-350
180	GRCO-180	400	GRCO-400

GALVANIZED

Rolled Edge

GRNI

Nipple, rolled edge - pull ring edge



Diameter	Product Code	Diameter	Product Code
100	GRNI-100	200	GRNI-200
120	GRNI-120	225	GRNI-225
125	GRNI-125	250	GRNI-250
140	GRNI-140	300	GRNI-300
150	GRNI-150	315	GRNI-315
160	GRNI-160	350	GRNI-350
180	GRNI-180	400	GRNI-400

GRTR

Transition piece, galvanized. Rolled edge



Diameter	Product Code	Diameter	Product Code
080	GRTR-080	200	GRTR-200
100	GRTR-100	225	GRTR-225
125	GRTR-125	250	GRTR-250
140	GRTR-140	300	GRTR-300
150	GRTR-150	315	GRTR-315
160	GRTR-160	350	GRTR-350
180	GRTR-180	400	GRTR-400

RURE

Rubber ring for rolled edge



Diameter	Product Code	Diameter	Product Code
080	RURE-080	180	RURE-180
100	RURE-100	200	RURE-200
120	RURE-120	225	RURE-225
125	RURE-125	250	RURE-250
140	RURE-140	300	RURE-300
150	RURE-150	315	RURE-315
160	RURE-160		

PRTR

Rapid pull ring for rolled edge



Diameter	Product Code	Diameter	Product Code
080	PRTR-080	200	PRTR-200
100	PRTR-100	225	PRTR-225
125	PRTR-125	250	PRTR-250
140	PRTR-140	300	PRTR-300
150	PRTR-150	315	PRTR-315
160	PRTR-160	350	PRTR-350
180	PRTR-180	400	PRTR-400

DAMPERS

AUDA

Pneumatic automatic damper with pull ring edge. Micro switch can be mounted up to Ø180 mm, sensors fits all dimensions.



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	AUDA-080	160	AUDA-160	315	AUDA-315	600	AUDA-600
100	AUDA-100	180	AUDA-180	350	AUDA-350	630	AUDA-630
120	AUDA-120	200	AUDA-200	400	AUDA-400	650	AUDA-650
125	AUDA-125	225	AUDA-225	450	AUDA-450	700	AUDA-700
140	AUDA-140	250	AUDA-250	500	AUDA-500	800	AUDA-800
150	AUDA-150	300	AUDA-300	550	AUDA-550		

AUDF

Pneumatic automatic damper with flanges. Micro switch can be mounted up to Ø180 mm, sensors fits all dimensions.



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	AUDF-080	160	AUDF-160	315	AUDF-315	600	AUDF-600
100	AUDF-100	180	AUDF-180	350	AUDF-350	630	AUDF-630
120	AUDF-120	200	AUDF-200	400	AUDF-400	650	AUDF-650
125	AUDF-125	225	AUDF-225	450	AUDF-450	700	AUDF-700
140	AUDF-140	250	AUDF-250	500	AUDF-500	800	AUDF-800
150	AUDF-150	300	AUDF-300	550	AUDF-550		

AUDR

Pneumatic automatic damper with rolled edge. Micro switch can be mounted up to Ø180 mm, sensors fits all dimensions.



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	AUDR-080	150	AUDR-150	225	AUDR-225	350	AUDR-350
100	AUDR-100	160	AUDR-160	250	AUDR-250	400	AUDR-400
125	AUDR-125	180	AUDR-180	300	AUDR-300	450	AUDR-450
140	AUDR-140	200	AUDR-200	315	AUDR-315	500	AUDR-500

AUDS

Pneumatic automatic damper with pull ring edge, stainless steel AISI304. Acid-proof stainless steel AISI316 can be delivered upon request. Micro switch can be mounted up to Ø180 mm, sensors fits all dimensions.



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	AUDS-080	150	AUDS-150	250	AUDS-250	450	AUDS-450
100	AUDS-100	160	AUDS-160	300	AUDS-300	500	AUDS-500
120	AUDS-120	180	AUDS-180	315	AUDS-315	550	AUDS-550
125	AUDS-125	200	AUDS-200	350	AUDS-350	600	AUDS-600
140	AUDS-140	225	AUDS-225	400	AUDS-400		

DAMPERS

AUDE

Electric sliding damper with pull ring edge.



Diameter	Product Code	Diameter	Product Code
080	AUDE-080	140	AUDE-140
100	AUDE-100	150	AUDE-150
120	AUDE-120	160	AUDE-160
125	AUDE-125		

ADWP

Manual tight damper with pull ring edge. Micro switch can be mounted up to Ø180 mm, sensors fits all dimensions.



Diameter	Product Code	Diameter	Product Code
080	ADWP-080	150	ADWP-150
100	ADWP-100	160	ADWP-160
120	ADWP-120	180	ADWP-180
125	ADWP-125	200	ADWP-200
140	ADWP-140		

ADWR

Manual tight damper with rolled edge.



Diameter	Product Code	Diameter	Product Code
080	ADWR-080	160	ADWR-160
100	ADWR-100	180	ADWR-180
125	ADWR-125	200	ADWR-200
140	ADWR-140		

ADWS

Manual tight damper with pull ring edge, prepared for pneumatics, in stainless steel AISI304. Acid-proof stainless steel AISI316 can be delivered upon request. Micro switch can be mounted up to Ø180 mm, sensors fits all dimensions.



Diameter	Product Code	Diameter	Product Code
080	ADWS-080	150	ADWS-150
100	ADWS-100	160	ADWS-160
120	ADWS-120	180	ADWS-180
125	ADWS-125	200	ADWS-200
140	ADWS-140		

DAMPERS

MADA

Manual sliding damper with pull ring edge.



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	MADA-080	160	MADA-160	315	MADA-315
100	MADA-100	180	MADA-180	350	MADA-350
120	MADA-120	200	MADA-200	400	MADA-400
125	MADA-125	225	MADA-225	450	MADA-450
140	MADA-140	250	MADA-250	500	MADA-500
150	MADA-150	300	MADA-300		

GADA

Manual damper with pull ring edge.



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	GADA-080	160	GADA-160	315	GADA-315
100	GADA-100	180	GADA-180	350	GADA-350
120	GADA-120	200	GADA-200	400	GADA-400
125	GADA-125	225	GADA-225	450	GADA-450
140	GADA-140	250	GADA-250	500	GADA-500
150	GADA-150	300	GADA-300		

MADR

Manual sealed damper, galvanized with rolled edge.



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	MADR-080	160	MADR-160	315	MADR-315
100	MADR-100	180	MADR-180	350	MADR-350
120	MADR-120	200	MADR-200	400	MADR-400
125	MADR-125	225	MADR-225	450	MADR-450
140	MADR-140	250	MADR-250	500	MADR-500
150	MADR-150	300	MADR-300		

GADR

Manual damper, galvanized with rolled edge. Without seal.



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	GADR-080	160	GADR-160	315	GADR-315
100	GADR-100	180	GADR-180	350	GADR-350
120	GADR-120	200	GADR-200	400	GADR-400
125	GADR-125	225	GADR-225	450	GADR-450
140	GADR-140	250	GADR-250	500	GADR-500
150	GADR-150	300	GADR-300		

THROTTLE VALVES

GATV

Throttle valve with pull ring edge.



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	GATV-080	160	GATV-160	315	GATV-315
100	GATV-100	180	GATV-180	350	GATV-350
120	GATV-120	200	GATV-200	400	GATV-400
125	GATV-125	225	GATV-225	450	GATV-450
140	GATV-140	250	GATV-250	500	GATV-500
150	GATV-150	300	GATV-300		

GTVP

Pneumatic throttle valve with pull ring edge. Can be delivered with rubber tightening.



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	GTVP-080	160	GTVP-160	315	GTVP-315
100	GTVP-100	180	GTVP-180	350	GTVP-350
120	GTVP-120	200	GTVP-200	400	GTVP-400
125	GTVP-125	225	GTVP-225		
140	GTVP-140	250	GTVP-250		
150	GTVP-150	300	GTVP-300		

GTVE

Electrical throttle valve with pull ring edge. Can be delivered with tightening.



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	GTVE-080	160	GTVE-160	315	GTVE-315
100	GTVE-100	180	GTVE-180	350	GTVE-350
120	GTVE-120	200	GTVE-200	400	GTVE-400
125	GTVE-125	225	GTVE-225		
140	GTVE-140	250	GTVE-250		
150	GTVE-150	300	GTVE-300		

BRANCH AND TROUSER DIVERTERS

BRPD

Pressed branch diverter 60° with pulring edge. Black plate 2-3 mm. Painted in RAL 5010.



Diameter	Product Code	Diameter	Product Code
100	BRPD-100	180	BRPD-180
120	BRPD-120	200	BRPD-200
125	BRPD-125	250	BRPD-250
160	BRPD-160	300	BRPD-300

TRPD

Pressed trouser diverter 60° with pulling edge. Black plate 2-3 mm. Painted in RAL 5010.



Diameter	Product Code	Diameter	Product Code
100	TRPD-100	180	TRPD-180
120	TRPD-120	200	TRPD-200
125	TRPD-125	250	TRPD-250
160	TRPD-160	300	TRPD-300

BRDA

Hand maneuvered branch diverter 45° with pulling edge. Black plate 2-3 mm. Painted in RAL 5010.



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
100	BRDA-100	160	BRDA-160	300	BRDA-300	500	BRDA-500
120	BRDA-120	180	BRDA-180	315	BRDA-315	550	BRDA-550
125	BRDA-125	200	BRDA-200	350	BRDA-350	600	BRDA-600
140	BRDA-140	225	BRDA-225	400	BRDA-400		
150	BRDA-150	250	BRDA-250	450	BRDA-450		

TRDA

Hand maneuvered trouser diverter 30° with pulling edge. Black plate 2-3 mm. Painted in RAL 5010.



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
100	TRDA-100	160	TRDA-160	300	TRDA-300	500	TRDA-500
120	TRDA-120	180	TRDA-180	315	TRDA-315	550	TRDA-550
125	TRDA-125	200	TRDA-200	350	TRDA-350	600	TRDA-600
140	TRDA-140	225	TRDA-225	400	TRDA-400		
150	TRDA-150	250	TRDA-250	450	TRDA-450		

BRANCH AND TROUSER DIVERTERS

BRDP

Pneumatic branch diverter 45° with pulling edge. Black plate 2-3 mm. Painted in RAL 5010.



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
100	BRDP-100	160	BRDP-160	300	BRDP-300	500	BRDP-500
120	BRDP-120	180	BRDP-180	315	BRDP-315	550	BRDP-550
125	BRDP-125	200	BRDP-200	350	BRDP-350	600	BRDP-600
140	BRDP-140	225	BRDP-225	400	BRDP-400		
150	BRDP-150	250	BRDP-250	450	BRDP-450		

TRDP

Pneumatic trouser diverter 30° with pullrig edge. Black plate 2-3 mm. Painted in RAL 5010.



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
100	TRDP-100	160	TRDP-160	300	TRDP-300	500	TRDP-500
120	TRDP-120	180	TRDP-180	315	TRDP-315	550	TRDP-550
125	TRDP-125	200	TRDP-200	350	TRDP-350		
140	TRDP-140	225	TRDP-225	400	TRDP-400		
150	TRDP-150	250	TRDP-250	450	TRDP-450		

BRDE

Electrical branch diverter 45° with pulling edge. Black plate 2-3 mm. Painted in RAL 5010. Attention! Do not manoeuvre during drive.



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
100	BRDE-100	160	BRDE-160	300	BRDE-300	500	BRDE-500
120	BRDE-120	180	BRDE-180	315	BRDE-315	550	BRDE-550
125	BRDE-125	200	BRDE-200	350	BRDE-350	600	BRDE-600
140	BRDE-140	225	BRDE-225	400	BRDE-400		
150	BRDE-150	250	BRDE-250	450	BRDE-450		

TRDE

Electrical trouser diverter 30° with pulling edge. Black plate 2-3 mm. Painted in RAL 5010. Attention! Do not manoeuvre during drive.



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
100	TRDE-100	160	TRDE-160	300	TRDE-300	500	TRDE-500
120	TRDE-120	180	TRDE-180	315	TRDE-315	550	TRDE-550
125	TRDE-125	200	TRDE-200	350	TRDE-350	600	TRDE-600
140	TRDE-140	225	TRDE-225	400	TRDE-400		
150	TRDE-150	250	TRDE-250	450	TRDE-450		

FIRESAFE DAMPER/NOT RETURN VALVE

FSWP

Firesafe damper with pull ring edge. Fire dampers are used to prevent smoke and heat spreading through the duct system in case of fire.



Diameter	Product Code	Diameter	Product Code
200	FSWP-200	500	FSWP-500
250	FSWP-250	550	FSWP-550
300	FSWP-300	600	FSWP-600
350	FSWP-350	650	FSWP-650
400	FSWP-400	700	FSWP-700
450	FSWP-450	750	FSWP-750

FSDA

Pneumatic firesafe damper with pull ring edge. Fire dampers are used to prevent smoke and heat spreading through the duct system in case of fire.



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
200	FSDA-200	500	FSDA-500	800	FSDA-800
250	FSDA-250	550	FSDA-550	900	FSDA-900
300	FSDA-300	600	FSDA-600	1000	FSDA-1000
350	FSDA-350	650	FSDA-650	1100	FSDA-1100
400	FSDA-400	700	FSDA-700	1200	FSDA-1200
450	FSDA-450	750	FSDA-750		

SNR

Not return valve is a safe solution to isolate the environments where there is a risk of explosion. The valve prevents the blast wave and flames in an explosion to return into the tube, in which the valve is mounted. Ø160 and Ø180 are delivered with pull ring edge, all bigger dimensions with flanges. Certified to ATEX EN15089.



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
160	SNR-160	400	SNR-400	700	SNR-700
180	SNR-180	450	SNR-450	800	SNR-800
200	SNR-200	500	SNR-500	900	SNR-900
250	SNR-250	550	SNR-550	1000	SNR-1000
300	SNR-300	600	SNR-600		
350	SNR-350	650	SNR-650		

GALVANIZED

Accessories

PICL Clamps



Diameter	Product Code	Diameter	Product Code
050	PICL-050	160	PICL-160
063	PICL-063	203	PICL-203
076	PICL-076	250	PICL-250
102	PICL-102	315	PICL-315
108	PICL-108	400	PICL-400
127	PICL-127	500	PICL-500
152	PICL-152	630	PICL-630

PIHO Pipe support



Diameter	Product Code	Diameter	Product Code
050	PIHO-050	108	PIHO-108
063	PIHO-063	127	PIHO-127
076	PIHO-076	152	PIHO-152
102	PIHO-102	203	PIHO-203

PISR Pipe support with rubber inlay.



Diameter	Product Code	Diameter	Product Code
050	PISR-050	160	PISR-160
063	PISR-063	180	PISR-180
076	PISR-076	200	PISR-200
100	PISR-100	225	PISR-225
125	PISR-125	250	PISR-250
140	PISR-140	300	PISR-300
150	PISR-150	315	PISR-315

PISU Pipe support



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
080	PISU-080	180	PISU-180	350	PISU-350	650	PISU-650
100	PISU-100	200	PISU-200	400	PISU-400	700	PISU-700
120	PISU-120	225	PISU-225	450	PISU-450	750	PISU-750
125	PISU-125	250	PISU-250	500	PISU-500	800	PISU-800
140	PISU-140	275	PISU-275	550	PISU-550		
150	PISU-150	300	PISU-300	600	PISU-600		
160	PISU-160	315	PISU-315	630	PISU-630		

Accessories

GALVANIZED

PISL Pipe support leg



Diameter	Product Code	Diameter	Product Code
080-160	PISL-080-160	600	PISL-600
160-315	PISL-160-315	630	PISL-630
350	PISL-350	650	PISL-650
400	PISL-400	700	PISL-700
450	PISL-450	750	PISL-750
500	PISL-500	800	PISL-800
550	PISL-550		

MEDIUM PRESSURE



FILTERS · ROTARY VALVES · FANS · CYCLONES · ACCESSORIES

Contact us for more information

HIGH PRESSURE



GALVANIZED

High Pressure

STPI

Steel pipe, sendzimir galvanized. Pipes are available in other thickness and surface treatment



Diameter	Product Code
050	STPI-050-30
063	STPI-063-30
076	STPI-076-30
102	STPI-102-30
108	STPI-108-30
127	STPI-127-30
152	STPI-152-30
203	STPI-203-30

STBE

Steel bend, electro galvanized.



Diameter	Product Code	
	90°	45°
050	STBE-050-90	STBE-050-45
063	STBE-063-90	STBE-063-45
076	STBE-076-90	STBE-076-45
102	STBE-102-90	STBE-102-45
108	STBE-108-90	STBE-108-45
127	STBE-127-90	STBE-127-45
152	STBE-152-90	STBE-152-45
203	STBE-203-90	STBE-203-45

STBL

Long radius bend stainless steel AISI304. 90 degrees.



Diameter	Product Code
050	STBL-050-90
063	STBL-063-90
076	STBL-076-90
102	STBL-102-90
108	STBL-108-90
129	STBL-129-90
154	STBL-154-90

High Pressure

GALVANIZED

STBH

Steel bend, electro galvanized



Diameter	Product Code
050	STBH-050-90
063	STBH-063-90
076	STBH-076-90
102	STBH-102-90
108	STBH-108-90
127	STBH-127-90
152	STBH-152-90

STBP

Branch pipe 45°, electro galvanized. Thickness 1,5 - 2 mm



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
050-050	STBP-050-050	102-063	STBP-102-063	108-108	STBP-108-108	152-050	STBP-152-050	203-050	STBP-203-050
063-050	STBP-063-050	102-076	STBP-102-076	127-050	STBP-127-050	152-063	STBP-152-063	203-063	STBP-203-063
063-063	STBP-063-063	102-102	STBP-102-102	127-063	STBP-127-063	152-076	STBP-152-076	203-076	STBP-203-076
076-050	STBP-076-050	108-050	STBP-108-050	127-076	STBP-127-076	152-102	STBP-152-102	203-203	STBP-203-203
076-063	STBP-076-063	108-063	STBP-108-063	127-102	STBP-127-102	152-108	STBP-152-108	203-127	STBP-203-127
076-076	STBP-076-076	108-076	STBP-108-076	127-108	STBP-127-108	152-127	STBP-152-127	203-152	STBP-203-152
102-050	STBP-102-050	108-102	STBP-108-102	127-127	STBP-127-127	152-152	STBP-152-152		

STTP

Trouser pipe 45°, electro galvanized. Thickness 1,5 - 2 mm.



Diameter	Product Code	Diameter	Product Code
050-050-050	STTP-050-050-05	108-108-108	STTP-108-108-108
063-063-063	STTP-063-063-06	127-127-127	STTP-127-127-127
076-076-076	STTP-076-076-07	152-152-152	STTP-152-152-152
102-102-102	STTP-102-102-102	203-203-203	STTP-203-203-203

STCO

Cone, electro galvanized. Thickness 1,5 - 2 mm.



Diameter	Product Code	Diameter	Product Code	Diameter	Product Code
050-038	STCO-050-038	108-063	STCO-108-063	152-102	STCO-152-102
063-050	STCO-063-050	108-076	STCO-108-076	152-108	STCO-152-108
076-050	STCO-076-050	108-102	STCO-108-102	152-127	STCO-152-127
076-063	STCO-076-063	127-076	STCO-127-076	203-152	STCO-203-152
102-063	STCO-102-063	127-102	STCO-127-102	203-127	STCO-203-127
102-076	STCO-102-076	127-108	STCO-127-108		

GALVANIZED

High Pressure

STEN

End plate, electro galvanized. Thickness 1,5 - 2 mm.



Diameter	Product Code
050	STEN-050
063	STEN-063
076	STEN-076
102	STEN-102
108	STEN-108
127	STEN-127
152	STEN-152
203	STEN-203

RUBE

Rubber hose, 754 with inner antistatic durable rubber.



Diameter	Product Code
050	RUBE-050
063	RUBE-063
076	RUBE-076
102	RUBE-102
108	RUBE-108
127	RUBE-127
152	RUBE-152

RUCO

Connector to rubber hose.



Diameter	Product Code
050	RUCO-050
063	RUCO-063
076	RUCO-076
102	RUCO-102
108	RUCO-108
127	RUCO-127
152	RUCO-152

PICO

Pipe coupling, galvanized. Conductive EPDM-rubber.



Diameter	Product Code	Diameter	Product Code
050	PICO-050A	114	PICO-114
063	PICO-063A	127	PICO-127A
076	PICO-076A	139	PICO-139
089	PICO-089	152	PICO-152A
102	PICO-102A	203	PICO-203A
108	PICO-108A		

High Pressure

GALVANIZED

PICO-L 100mm



Diameter	Product Code
050	PICO-050-LONG
063	PICO-063-LONG
076	PICO-076-LONG

PICO-L 150mm



Diameter	Product Code
102	PICO-102-LONG
108	PICO-108-LONG
127	PICO-127-LONG
152	PICO-152-LONG
203	PICO-203-LONG

KLVA

Leaf valve. Picture refers to diameter KLVA 063-050.



Diameter	Product Code
050-050	KLVA-050-050
063-050	KLVA-063-050
063-063	KLVA-063-063
076-063	KLVA-076-063
076-076	KLVA-076-076

KLVM

Leaf valve with micro switch.



Diameter	Product Code
050-050	KLVM-050-050
063-050	KLVM-063-050
063-063	KLVM-063-063
076-063	KLVM-076-063
076-076	KLVM-076-076

GALVANIZED

High Pressure

COKL

Flap valve with cone for connection to pipes with pull ring edge. Available with micro switch.



Diameter	Product Code
063	COKL-063
076	COKL-076

KLVP

Flap valve for connection with PICO coupling. Can be supplied with microswitch.



Diameter	Product Code
050-050	KLVP-050-050
063-050	KLVP-063-050
063-063	KLVP-063-063

FLPA

Flap valve FLPA, black antistatic plastic. Installed with PICO.



Diameter	Product Code
063-050	FLPA-063-050

FLPM

Flap valve FLPM, black antistatic plastic. With microswitch. Installed with PICO.



Diameter	Product Code
063-050	FLPM-063-050

High Pressure

GALVANIZED

PLVA

Leaf valve, black plastic, antistatic treated. Mounted with PICO.



Diameter	Product Code
050-050	PLVA-050-050

PLVM

Leaf valve, black plastic with microswitch.



Diameter	Product Code
050-050	PLVM-050-050

KL VH

Leaf valve.



Diameter	Product Code
076-076	KL VH-076-076
108-108	KL VH-108-108

HOCO

Hose connector for connection to KLVA, KLVM and STCN.



Diameter	Product Code	Diameter	Product Code
050-038	HOCO-050-038	063-063	HOCO-063-063
050-045	HOCO-050-045	076-050	HOCO-076-050
050-050	HOCO-050-050	076-063	HOCO-076-063
063-050	HOCO-063-050	076-076	HOCO-076-076
063-045	HOCO-063-045		

GALVANIZED

High Pressure

HOCN

Joint coupling for connection of two HOCO.



Diameter	Product Code
050-050	HOCN-050-050
063-063	HOCN-063-063
076-076	HOCN-076-076

STCN

Connector to HOCO.



Diameter	Product Code
050-050	STCN-050-050
063-050	STCN-063-050
076-063	STCN-076-063

HOCP

Hose connector, black plastic. To fit with PLVA and PLVM.



Diameter	Product Code
050-028	HOCP-050-028
050-050	HOCP-050-050

HOCA

Hose connector, black antistatic plastic. For leaf valve FLPA and FLPM.



Diameter	Product Code
050-050	HOCA-050-050
050-038	HOCA-050-038

High Pressure

GALVANIZED

HOCH

Hose connector for connection to KLVH.



Diameter	Product Code	Diameter	Product Code
076-050	HOCH-076-050	108-076	HOCH-108-076
076-060	HOCH-076-060	108-060	HOCH-108-060
076-076	HOCH-076-076	108-050	HOCH-108-050
108-100	HOCH-108-100		

SPLV



Product Code

SPLV-01

MANO

Machine nozzle 60 mm.



Product Code

MANO

CLEANING SYSTEMS

High Pressure

50 MM

Cleaning system 50 mm



Number	Description	Product Code
1	ANTISTATIC HOSE	ANHO-050
1	HOSE EVA	CLHP-050
2	HOSE SOCKET DIAM 50 MM, ANTISTAT	MUHO-050
3	HOSE CONNECTOR	HOCO-063-050
4	CONNECTION FROM CLEANING PIPE TO HOCO	PIDI-050
5	BEND 50 MM	CLBE-050
6	FLOOR PIPE DIAM. 50 MM, TWO PARTED	CLPI-050
7	FLOOR PIPE DIAM. 50 MM, ONE PIECE	CLPC-050
8	FLOOR NOZZLE 50 MM, WIDTH 450 MM	FLNO-050
9	BRUSH 50 MM 90°	CLBZ-050
9a	BRUSH 50 MM 45°	CLBR-050
10	PIPE NOZZLE 50 MM	PLNO-050
11	NOZZLE, METAL 50 MM	STNO-050
12	CONICAL NOZZLE 50 MM	CONO-050
13	LEAF VALVE 050-CONE 080	COKL-050
14	FLOOR PIPE ALUMINUM 50 MM	CLPA-050
15	ALUMINUM PIPE WITH FLOOR NOZZLE 50 MM	CLPF-050
16	JOINT SOCKET 50-50 MM	SVCO-050
17	JOINT SOCKET 50-50 MM	MUCO-050
18	PLASTIC PIPE Ø 50 MM	PLPI-02

63-100 MM

Cleaning system 63-100 mm



Number	Description	Product Code
1	FLOOR PIPE ALUMINUM 63 MM	CLPA-063
2	FLOOR NOZZLE 63 MM, 450 MM	FLNO-063
3	CONNECTION FROM CLEANING PIPE TO HOCO	PIDI-063
4	FLOOR PIPE ALUMINUM Ø 76 MM	CLPA-076
5	FLOOR NOZZLE 076 MM, 450 MM	FLNO-076
6	BULK NOZZLE Ø 76 MM	CLPH-076
7	NOZZLE WITH CONNECTION 100 MM	CLPH-100
8	LEAF VALVE 063-CONE 080	COKL-063
9	NOZZLE Ø 100 MM	CLBP-100
9	NOZZLE Ø 120 MM	CLBP-120
9	NOZZLE Ø 125 MM	CLBP-125
9	NOZZLE Ø 160 MM	CLBP-160
9	NOZZLE Ø 180 MM	CLBP-180
10	BULK NOZZLE	FLH-060-152

High Pressure

DAMPERS

AUDA

Pneumatic automatic damper with pull ring edge. Ø202 mm has double cylinders. Micro switch can be mounted up to Ø152 mm, sensors fits all dimensions.



Diameter	Product Code	Diameter	Product Code
050	AUDA-050	108	AUDA-108
063	AUDA-063	127	AUDA-127
076	AUDA-076	152	AUDA-152
102	AUDA-102	202	AUDA-202

AUDS

Pneumatic automatic damper with straight edges, stainless steel AISI304. Acid-proof stainless steel AISI316 can be delivered upon request. Micro switch can be mounted up to Ø180 mm, sensors fits all dimensions.



Diameter	Product Code	Diameter	Product Code
050	AUDS-050	108	AUDS-108
063	AUDS-063	127	AUDS-127
076	AUDS-076	152	AUDS-152
102	AUDS-102	202	AUDS-202

AUDE

Electric sliding damper with straight edges.



Diameter	Product Code	Diameter	Product Code
050	AUDE-050	108	AUDE-108
063	AUDE-063	127	AUDE-127
076	AUDE-076	152	AUDE-152
102	AUDE-102		

ADES

Electric sliding damper with pull ring edge, stainless steel AISI304.



Diameter	Product Code	Diameter	Product Code
050	ADES-050	108	ADES-108
063	ADES-063	127	ADES-127
076	ADES-076	152	ADES-152
102	ADES-102		

DAMPERS

High Pressure

ADWP

Manual tight damper with straight edges. Micro switch can be mounted up to Ø180 mm, sensors fits all dimensions.



Diameter	Product Code	Diameter	Product Code
050	ADWP-050	108	ADWP-108
063	ADWP-063	127	ADWP-127
076	ADWP-076	152	ADWP-152
102	ADWP-102	202	ADWP-202

ADWS

Manual tight damper with straight edges, prepared for pneumatics, in stainless steel AISI304. Acid-proof stainless steel AISI316 can be delivered upon request. Micro switch can be mounted up to Ø180 mm, sensors fits all dimensions.



Diameter	Product Code	Diameter	Product Code
050	ADWS-050	108	ADWS-108
063	ADWS-063	127	ADWS-127
076	ADWS-076	152	ADWS-152
102	ADWS-102	202	ADWS-202

MADA

Manual sliding damper with straight edges.



Diameter	Product Code	Diameter	Product Code
050	MADA-050	108	MADA-108
063	MADA-063	127	MADA-127
076	MADA-076	152	MADA-152
102	MADA-102		

HIGH PRESSURE



FILTERS · SUCTION UNITS · FANS · ROTARY VALVES · ACCESSORIES

Contact us for more information

modular
DUCTING 

www.modularducting.co.uk