




**ALLVALVES**  
O N L I N E

## Actuators & Accessories

PRICELIST 2013 – 2014



Telephone: +44(0)1386 553190

Email: [sales@allvalves.co.uk](mailto:sales@allvalves.co.uk)

Web: [www.allvalves.co.uk](http://www.allvalves.co.uk)

Information subject to change without notice



**GENEBRE**



**hidrotten**





**ALLVALVES**  
O N L I N E

**Industrial Valves**



**CONTACT US TODAY**

**PRICELIST 2013– 2014**



Allvalves Online Ltd  
Automation House  
Unit 2, Lyttleton Road  
Racecourse Industrial Estate  
Persnore, Worcestershire  
United Kingdom, WR10 2DF



sales@allvalves.co.uk



Phone: +44 (0)1386 553190

Fax: +44 (0)1386 554227

## Allvalves Online Pricing Structure explained:

The prices shown within this document and for the products shown on the website for this range are List prices which are eligible for a discount to be applied based on two things;

- 1 - You must be logged into our site to see the discounts available for the product you are looking at.
- 2 - The more you buy the more you save, the discount is quantity based due to the fittings being sold as box quantities.

To sign up for an account today - [click here](#)

\*Please note that if 'No' discount is showing for the product of choice, this item has been priced as special net prices.

## Payment Options:

You can securely purchase the required items through the following payment options:

- 1 - **SagePay** secure payment system. Payment taken online using your Visa / MasterCard debit or credit card.
- 2 - **Paypal**. Use your Paypal account to pay for the goods you require.
- 3 - **Proforma Invoice** - If you would prefer us supply you with a proforma invoice this can be done by contacting the sales team on the details below. This can be paid by cheque, BACS or card payment over the phone.
- 4 - **30 Day credit account** - If you would prefer to setup a 30 day credit account this can be done by completing our Account Application form (available on request) we then carry out a Risk Disk credit check on your company. You can then place orders at ease either online or by contacting the sales office. If you choose online, when you log in, the account is setup for 30 days. You checkout as usual but the order will come through to us with no payment being taken at that stage.

DID YOU  
**KNOW**  **Explained**

Around the website you will see the following icon by clicking on this icon,



additional information about the

item you are looking at will appear such as stock availability for this item.

Telephone: +44(0)1386 553190

Email: sales@allvalves.co.uk

Web: www.allvalves.co.uk









\*If viewing this document as a PDF, simply click on the code to view the product on our website.

Information subject to change without notice



Actuators are in stock and available to buy online today, receive tomorrow!

PRICELIST 2013– 2014

	DESCRIPTION	CODE	FUNCTION	VOLTAGE	PRICE																
	<p>Model J3-20 20Nm electric actuator</p>  <table border="1"> <tr> <td>Mounting</td> <td>F03</td> <td>F04</td> <td>F05</td> </tr> <tr> <td>ISO: S211</td> <td>36mm</td> <td>42mm</td> <td>50mm</td> </tr> <tr> <td>Drive</td> <td colspan="3">14mm (standard)</td> </tr> <tr> <td>Optional</td> <td>9mm</td> <td>11mm</td> <td></td> </tr> </table>	Mounting	F03	F04	F05	ISO: S211	36mm	42mm	50mm	Drive	14mm (standard)			Optional	9mm	11mm		<a href="#">J3L20</a>	On/Off	24VAC / DC	£199.00
		Mounting	F03	F04	F05																
		ISO: S211	36mm	42mm	50mm																
		Drive	14mm (standard)																		
		Optional	9mm	11mm																	
		<a href="#">J3H20</a>	On/Off	110/240V AC/DC	£199.00																
<a href="#">J3L20 BSR</a>	Failsafe	24VAC / DC	£429.00																		
<a href="#">J3H20 BSR</a>	Failsafe	110/240V AC/DC	£429.00																		
<a href="#">J3L20 DPS</a>	Modulating	24VAC / DC	£429.00																		
<a href="#">J3H20 DPS</a>	Modulating	110/240V AC/DC	£429.00																		
	<p>Model J3C-35 35Nm electric actuator</p>  <table border="1"> <tr> <td>Mounting</td> <td>F03</td> <td>F04</td> <td>F05</td> </tr> <tr> <td>ISO: S211</td> <td>36mm</td> <td>42mm</td> <td>50mm</td> </tr> <tr> <td>Drive</td> <td colspan="3">14mm</td> </tr> <tr> <td>Optional</td> <td>9mm</td> <td>11mm</td> <td>17mm</td> </tr> </table>	Mounting	F03	F04	F05	ISO: S211	36mm	42mm	50mm	Drive	14mm			Optional	9mm	11mm	17mm	<a href="#">J3LC35</a>	On/Off	24VAC / DC	£262.00
		Mounting	F03	F04	F05																
		ISO: S211	36mm	42mm	50mm																
		Drive	14mm																		
		Optional	9mm	11mm	17mm																
		<a href="#">J3HC35</a>	On/Off	110/240V AC/DC	£262.00																
<a href="#">J2LC35 BSR</a>	Failsafe	24VAC / DC	£492.00																		
<a href="#">J3LC35 BSR</a>	Failsafe	110/240V AC/DC	£492.00																		
<a href="#">J3LC35 DPS</a>	Modulating	24VAC / DC	£492.00																		
<a href="#">J3HC35 DPS</a>	Modulating	110/240V AC/DC	£492.00																		
	<p>Model J3C-55 55Nm electric actuator</p>  <table border="1"> <tr> <td>Mounting</td> <td>F05</td> <td>F07</td> </tr> <tr> <td>ISO: S211</td> <td>50mm</td> <td>70mm</td> </tr> <tr> <td>Drive</td> <td colspan="2">14mm</td> </tr> <tr> <td>Optional</td> <td colspan="2">14mm</td> </tr> </table>	Mounting	F05	F07	ISO: S211	50mm	70mm	Drive	14mm		Optional	14mm		<a href="#">J3LC55</a>	On/Off	24VAC / DC	£302.00				
		Mounting	F05	F07																	
		ISO: S211	50mm	70mm																	
		Drive	14mm																		
		Optional	14mm																		
		<a href="#">J3HC55</a>	On/Off	110/240V AC/DC	£302.00																
<a href="#">J2LC55 BSR</a>	Failsafe	24VAC / DC	£532.00																		
<a href="#">J3LC55 BSR</a>	Failsafe	110/240V AC/DC	£532.00																		
<a href="#">J3LC55 DPS</a>	Modulating	24VAC / DC	£532.00																		
<a href="#">J3HC55 DPS</a>	Modulating	110/240V AC/DC	£532.00																		
	<p>Model J3C-85 85Nm electric actuator</p>  <table border="1"> <tr> <td>Mounting</td> <td>F05</td> <td>F07</td> </tr> <tr> <td>ISO: S211</td> <td>50mm</td> <td>70mm</td> </tr> <tr> <td>Drive</td> <td colspan="2">17mm</td> </tr> <tr> <td>Optional</td> <td colspan="2">14mm</td> </tr> </table>	Mounting	F05	F07	ISO: S211	50mm	70mm	Drive	17mm		Optional	14mm		<a href="#">J3LC85</a>	On/Off	24VAC / DC	£451.00				
		Mounting	F05	F07																	
		ISO: S211	50mm	70mm																	
		Drive	17mm																		
		Optional	14mm																		
		<a href="#">J3HC85</a>	On/Off	110/240V AC/DC	£451.00																
<a href="#">J2LC85 BSR</a>	Failsafe	24VAC / DC	£681.00																		
<a href="#">J3LC85 BSR</a>	Failsafe	110/240V AC/DC	£681.00																		
<a href="#">J3LC85 DPS</a>	Modulating	24VAC / DC	£681.00																		
<a href="#">J3HC85 DPS</a>	Modulating	110/240V AC/DC	£681.00																		

Telephone: +44(0)1386 553190

Email: [sales@allvalves.co.uk](mailto:sales@allvalves.co.uk)









Web: [www.allvalves.co.uk](http://www.allvalves.co.uk)

Information subject to change without notice



Failsafe and Modulating plug and play kits held in stock for the model 20 through to 85!

PRICELIST 2013– 2014

	DESCRIPTION	CODE	FUNCTION	VOLTAGE	PRICE
	<p>Model J2-140 140Nm electric actuator</p> 	<a href="#">J2L140</a>	On/Off	24VAC / DC	£589.00
		<a href="#">J2H140</a>	On/Off	110/240V AC/DC	£589.00
		<a href="#">J2L140 BSR</a>	Failsafe	24VAC / DC	£819.00
		<a href="#">J2H140 BSR</a>	Failsafe	110/240V AC/DC	£819.00
		<a href="#">J2L140 DPS</a>	Modulating	24VAC / DC	£819.00
		<a href="#">J2L140 DPS</a>	Modulating	110/240V AC/DC	£819.00
	<p>Model J2-300 350Nm electric actuator</p> 	<a href="#">J2L300</a>	On/Off	24VAC / DC	£745.00
		<a href="#">J2H300</a>	On/Off	110/240V AC/DC	£745.00
		<a href="#">J2L300 BSR</a>	Failsafe	24VAC / DC	£975.00
		<a href="#">J2H300 BSR</a>	Failsafe	110/240V AC/DC	£975.00
		<a href="#">J2L300 DPS</a>	Modulating	24VAC / DC	£975.00
		<a href="#">J2L300 DPS</a>	Modulating	110/240V AC/DC	£975.00
	<p>Digital Positioning System provides an accurate modulating function whereby the movement of the actuator is controlled by either 4-20mA or a 0-10VDC control signal. Any change in the control input signal results in a corresponding and proportional change in the position of the actuator.</p> 	<a href="#">CODE</a>	<a href="#">MODEL</a>	<a href="#">BOX QTY</a>	<a href="#">PRICE</a>
		<a href="#">BSR-KIT</a>	20-85	1	£230.00
	<p>The Battery Spring Return system simply provides an alternative power supply to drive the electric actuator to a pre-set failsafe position in the event of a mains power failure. It has no mechanical springs and uses internal battery power.</p> 	<a href="#">CODE</a>	<a href="#">MODEL</a>	<a href="#">BOX QTY</a>	<a href="#">PRICE</a>
		<a href="#">DPS-KIT</a>	20-85	1	£230.00

Telephone: +44(0)1386 553190

Email: [sales@allvalves.co.uk](mailto:sales@allvalves.co.uk)

Web: [www.allvalves.co.uk](http://www.allvalves.co.uk)

Information subject to change without notice











# ALLVALVES Actuators & Accessories

O N L I N E



We can offer the following actuated valves in a variety of end connections!

PRICELIST 2013– 2014

	DESCRIPTION	CODE	FUNCTION	VOLTAGE	PRICE																																																																																																																								
	Model J2-10: 10NM electric actuator 	J2H10	On/Off	24V/110/240V AC/DC	CALL																																																																																																																								
		J2L10	On/Off	24V/110/240V AC/DC	CALL																																																																																																																								
	2 way brass ball valve with BSP end connection fitted with electric actuator 24V-110/240V multi voltage.  <small>Dimensions remain unchanged for all versions (on-off, failure &amp; modulating)</small> <table border="1"> <thead> <tr> <th>Model</th> <th>A</th> <th>B</th> <th>C</th> <th>F</th> <th>H</th> <th>W</th> <th>Klbs</th> <th>Kv</th> </tr> </thead> <tbody> <tr><td>1/4"</td><td>30</td><td>177</td><td>149</td><td>29</td><td>45</td><td>138</td><td>110</td><td>1.9</td><td>16.3</td></tr> <tr><td>3/8"</td><td>30</td><td>177</td><td>149</td><td>29</td><td>45</td><td>178</td><td>110</td><td>1.9</td><td>16.3</td></tr> <tr><td>1/2"</td><td>30</td><td>177</td><td>149</td><td>29</td><td>45</td><td>178</td><td>110</td><td>1.9</td><td>16.3</td></tr> <tr><td>3/4"</td><td>30</td><td>177</td><td>149</td><td>32</td><td>75</td><td>181</td><td>110</td><td>1.9</td><td>29.5</td></tr> <tr><td>1"</td><td>30</td><td>177</td><td>149</td><td>36</td><td>86</td><td>185</td><td>110</td><td>2.2</td><td>45.0</td></tr> <tr><td>1 1/4"</td><td>30</td><td>177</td><td>149</td><td>41</td><td>95</td><td>190</td><td>110</td><td>2.6</td><td>89.0</td></tr> <tr><td>1 1/2"</td><td>30</td><td>177</td><td>149</td><td>47</td><td>101</td><td>206</td><td>110</td><td>3.2</td><td>130.0</td></tr> <tr><td>2"</td><td>30</td><td>177</td><td>149</td><td>44</td><td>121</td><td>213</td><td>110</td><td>4.2</td><td>265.0</td></tr> <tr><td>2 1/2"</td><td>35</td><td>177</td><td>171</td><td>90</td><td>185</td><td>220</td><td>110</td><td>5.8</td><td>540.0</td></tr> <tr><td>3"</td><td>35</td><td>177</td><td>171</td><td>100</td><td>188</td><td>271</td><td>110</td><td>7.9</td><td>873.0</td></tr> </tbody> </table>	Model	A	B	C	F	H	W	Klbs	Kv	1/4"	30	177	149	29	45	138	110	1.9	16.3	3/8"	30	177	149	29	45	178	110	1.9	16.3	1/2"	30	177	149	29	45	178	110	1.9	16.3	3/4"	30	177	149	32	75	181	110	1.9	29.5	1"	30	177	149	36	86	185	110	2.2	45.0	1 1/4"	30	177	149	41	95	190	110	2.6	89.0	1 1/2"	30	177	149	47	101	206	110	3.2	130.0	2"	30	177	149	44	121	213	110	4.2	265.0	2 1/2"	35	177	171	90	185	220	110	5.8	540.0	3"	35	177	171	100	188	271	110	7.9	873.0	CODE	SIZE	BOX QTY	PRICE											
		Model	A	B	C	F	H	W	Klbs	Kv																																																																																																																			
		1/4"	30	177	149	29	45	138	110	1.9	16.3																																																																																																																		
		3/8"	30	177	149	29	45	178	110	1.9	16.3																																																																																																																		
		1/2"	30	177	149	29	45	178	110	1.9	16.3																																																																																																																		
		3/4"	30	177	149	32	75	181	110	1.9	29.5																																																																																																																		
		1"	30	177	149	36	86	185	110	2.2	45.0																																																																																																																		
		1 1/4"	30	177	149	41	95	190	110	2.6	89.0																																																																																																																		
		1 1/2"	30	177	149	47	101	206	110	3.2	130.0																																																																																																																		
		2"	30	177	149	44	121	213	110	4.2	265.0																																																																																																																		
2 1/2"	35	177	171	90	185	220	110	5.8	540.0																																																																																																																				
3"	35	177	171	100	188	271	110	7.9	873.0																																																																																																																				
<a href="#">1103-04</a>	1/2"	1	£268.48																																																																																																																										
<a href="#">1103-05</a>	3/4"	1	£273.22																																																																																																																										
<a href="#">1103-06</a>	1"	1	£281.09																																																																																																																										
<a href="#">1103-07</a>	1 1/4"	1	£297.95																																																																																																																										
<a href="#">1103-08</a>	1 1/2"	1	£305.00																																																																																																																										
<a href="#">1103-09</a>	2"	1	£334.15																																																																																																																										
	3 way brass ball valve with BSP end connection fitted with electric actuator 24V-110/240V multi voltage.  <small>Dimensions remain unchanged for all versions (on-off, failure &amp; modulating)</small> <table border="1"> <thead> <tr> <th>Model</th> <th>A</th> <th>B</th> <th>C</th> <th>F</th> <th>G</th> <th>H</th> <th>W</th> <th>Klbs</th> <th>Kv</th> <th>PNB</th> </tr> </thead> <tbody> <tr><td>1/4"</td><td>30</td><td>177</td><td>149</td><td>31</td><td>47</td><td>34</td><td>180</td><td>110</td><td>2.1</td><td>2.8</td><td>30</td></tr> <tr><td>3/8"</td><td>30</td><td>177</td><td>149</td><td>31</td><td>47</td><td>34</td><td>180</td><td>110</td><td>2.1</td><td>3.0</td><td>30</td></tr> <tr><td>1/2"</td><td>30</td><td>177</td><td>149</td><td>33</td><td>77</td><td>39</td><td>182</td><td>110</td><td>2.7</td><td>3.9</td><td>30</td></tr> <tr><td>3/4"</td><td>30</td><td>177</td><td>149</td><td>45</td><td>87</td><td>44</td><td>191</td><td>110</td><td>2.6</td><td>7.9</td><td>30</td></tr> <tr><td>1"</td><td>30</td><td>177</td><td>149</td><td>47</td><td>102</td><td>50</td><td>196</td><td>110</td><td>2.1</td><td>15.0</td><td>40</td></tr> <tr><td>1 1/4"</td><td>30</td><td>177</td><td>149</td><td>60</td><td>123</td><td>41</td><td>209</td><td>110</td><td>4.3</td><td>26.7</td><td>15</td></tr> <tr><td>1 1/2"</td><td>35</td><td>177</td><td>171</td><td>74</td><td>139</td><td>49</td><td>243</td><td>110</td><td>6.6</td><td>38.7</td><td>10</td></tr> <tr><td>2"</td><td>35</td><td>177</td><td>176</td><td>85</td><td>166</td><td>63</td><td>281</td><td>110</td><td>10.8</td><td>54.0</td><td>10</td></tr> </tbody> </table>	Model	A	B	C	F	G	H	W	Klbs	Kv	PNB	1/4"	30	177	149	31	47	34	180	110	2.1	2.8	30	3/8"	30	177	149	31	47	34	180	110	2.1	3.0	30	1/2"	30	177	149	33	77	39	182	110	2.7	3.9	30	3/4"	30	177	149	45	87	44	191	110	2.6	7.9	30	1"	30	177	149	47	102	50	196	110	2.1	15.0	40	1 1/4"	30	177	149	60	123	41	209	110	4.3	26.7	15	1 1/2"	35	177	171	74	139	49	243	110	6.6	38.7	10	2"	35	177	176	85	166	63	281	110	10.8	54.0	10	CODE	SIZE	BOX QTY	PRICE													
		Model	A	B	C	F	G	H	W	Klbs	Kv	PNB																																																																																																																	
		1/4"	30	177	149	31	47	34	180	110	2.1	2.8	30																																																																																																																
		3/8"	30	177	149	31	47	34	180	110	2.1	3.0	30																																																																																																																
		1/2"	30	177	149	33	77	39	182	110	2.7	3.9	30																																																																																																																
		3/4"	30	177	149	45	87	44	191	110	2.6	7.9	30																																																																																																																
		1"	30	177	149	47	102	50	196	110	2.1	15.0	40																																																																																																																
		1 1/4"	30	177	149	60	123	41	209	110	4.3	26.7	15																																																																																																																
		1 1/2"	35	177	171	74	139	49	243	110	6.6	38.7	10																																																																																																																
		2"	35	177	176	85	166	63	281	110	10.8	54.0	10																																																																																																																
<a href="#">1303-02</a>	1/4"	1	£294.63																																																																																																																										
<a href="#">1303-03</a>	3/8"	1	£294.63																																																																																																																										
<a href="#">1303-04</a>	1/2"	1	£294.63																																																																																																																										
<a href="#">1303-05</a>	3/4"	1	£313.33																																																																																																																										
<a href="#">1303-06</a>	1"	1	£346.53																																																																																																																										
<a href="#">1303-07</a>	1 1/4"	1	£396.16																																																																																																																										
<a href="#">1303-08</a>	1 1/2"	1	£573.85																																																																																																																										
<a href="#">1303-09</a>	2"	1	£851.95																																																																																																																										
	2 way stainless ball valve with BSP end connection fitted with electric actuator 24V-110/240V multi voltage.  <small>Dimensions remain unchanged for all versions (on-off, failure &amp; modulating)</small> <table border="1"> <thead> <tr> <th>Model</th> <th>A</th> <th>B</th> <th>C</th> <th>F</th> <th>G</th> <th>H</th> <th>W</th> <th>Klbs</th> <th>Kv</th> </tr> </thead> <tbody> <tr><td>1/4"</td><td>30</td><td>177</td><td>149</td><td>42</td><td>64</td><td>191</td><td>110</td><td>2.1</td><td>6.8</td></tr> <tr><td>3/8"</td><td>30</td><td>177</td><td>149</td><td>42</td><td>64</td><td>191</td><td>110</td><td>2.1</td><td>6.8</td></tr> <tr><td>1/2"</td><td>30</td><td>177</td><td>149</td><td>42</td><td>64</td><td>191</td><td>110</td><td>2.2</td><td>12.8</td></tr> <tr><td>3/4"</td><td>30</td><td>177</td><td>149</td><td>48</td><td>76</td><td>197</td><td>110</td><td>2.3</td><td>29.1</td></tr> <tr><td>1"</td><td>30</td><td>177</td><td>149</td><td>57</td><td>86</td><td>206</td><td>110</td><td>2.8</td><td>47.8</td></tr> <tr><td>1 1/4"</td><td>30</td><td>177</td><td>149</td><td>61</td><td>103</td><td>210</td><td>110</td><td>3.4</td><td>72.6</td></tr> <tr><td>1 1/2"</td><td>35</td><td>177</td><td>171</td><td>78</td><td>119</td><td>249</td><td>110</td><td>5.0</td><td>106.9</td></tr> <tr><td>2"</td><td>35</td><td>177</td><td>176</td><td>85</td><td>131</td><td>281</td><td>110</td><td>6.6</td><td>213.7</td></tr> <tr><td>2 1/2"</td><td>85</td><td>177</td><td>176</td><td>109</td><td>164</td><td>305</td><td>128</td><td>11.0</td><td>273.3</td></tr> <tr><td>3"</td><td>85</td><td>177</td><td>176</td><td>118</td><td>183</td><td>314</td><td>128</td><td>14.3</td><td>495.3</td></tr> <tr><td>4"</td><td>21-140</td><td>235</td><td>214</td><td>133</td><td>226</td><td>354</td><td>254</td><td>26.7</td><td>871.1</td></tr> </tbody> </table>	Model	A	B	C	F	G	H	W	Klbs	Kv	1/4"	30	177	149	42	64	191	110	2.1	6.8	3/8"	30	177	149	42	64	191	110	2.1	6.8	1/2"	30	177	149	42	64	191	110	2.2	12.8	3/4"	30	177	149	48	76	197	110	2.3	29.1	1"	30	177	149	57	86	206	110	2.8	47.8	1 1/4"	30	177	149	61	103	210	110	3.4	72.6	1 1/2"	35	177	171	78	119	249	110	5.0	106.9	2"	35	177	176	85	131	281	110	6.6	213.7	2 1/2"	85	177	176	109	164	305	128	11.0	273.3	3"	85	177	176	118	183	314	128	14.3	495.3	4"	21-140	235	214	133	226	354	254	26.7	871.1	CODE	SIZE	BOX QTY	PRICE
		Model	A	B	C	F	G	H	W	Klbs	Kv																																																																																																																		
		1/4"	30	177	149	42	64	191	110	2.1	6.8																																																																																																																		
		3/8"	30	177	149	42	64	191	110	2.1	6.8																																																																																																																		
		1/2"	30	177	149	42	64	191	110	2.2	12.8																																																																																																																		
		3/4"	30	177	149	48	76	197	110	2.3	29.1																																																																																																																		
		1"	30	177	149	57	86	206	110	2.8	47.8																																																																																																																		
		1 1/4"	30	177	149	61	103	210	110	3.4	72.6																																																																																																																		
		1 1/2"	35	177	171	78	119	249	110	5.0	106.9																																																																																																																		
		2"	35	177	176	85	131	281	110	6.6	213.7																																																																																																																		
2 1/2"	85	177	176	109	164	305	128	11.0	273.3																																																																																																																				
3"	85	177	176	118	183	314	128	14.3	495.3																																																																																																																				
4"	21-140	235	214	133	226	354	254	26.7	871.1																																																																																																																				
<a href="#">2103-02</a>	1/4"	1	£289.92																																																																																																																										
<a href="#">2103-03</a>	3/8"	1	£290.51																																																																																																																										
<a href="#">2103-04</a>	1/2"	1	£289.92																																																																																																																										
<a href="#">2103-05</a>	3/4"	1	£295.13																																																																																																																										
<a href="#">2103-06</a>	1"	1	£312.78																																																																																																																										
<a href="#">2103-07</a>	1 1/4"	1	£334.49																																																																																																																										
<a href="#">2103-08</a>	1 1/2"	1	£470.55																																																																																																																										
<a href="#">2103-09</a>	2"	1	£636.73																																																																																																																										

Telephone: +44(0)1386 553190

Email: sales@allvalves.co.uk

Web: www.allvalves.co.uk

Information subject to change without notice











# ALLVALVES ONLINE Actuators & Accessories



We can offer the following actuated valves in a variety of end connections!

PRICELIST 2013– 2014

	DESCRIPTION	CODE	SIZE	BOX QTY	PRICE																																																																																																			
	<p>3 way stainless ball valve with BSP end connection fitted with electric actuator 24V-110/240V multi voltage.</p>  <table border="1"> <caption>Dimensions remain unchanged for all versions (on-off, fail-safe &amp; modulating)</caption> <thead> <tr> <th>Model</th> <th>A</th> <th>B</th> <th>C</th> <th>F</th> <th>G</th> <th>H</th> <th>W</th> <th>Kilos</th> </tr> </thead> <tbody> <tr> <td>1/4"</td> <td>20</td> <td>177</td> <td>149</td> <td>39</td> <td>72</td> <td>36</td> <td>188</td> <td>110</td> <td>2.2</td> </tr> <tr> <td>3/8"</td> <td>20</td> <td>177</td> <td>149</td> <td>39</td> <td>72</td> <td>36</td> <td>188</td> <td>110</td> <td>2.2</td> </tr> <tr> <td>1/2"</td> <td>20</td> <td>177</td> <td>149</td> <td>41</td> <td>83</td> <td>42</td> <td>190</td> <td>110</td> <td>2.4</td> </tr> <tr> <td>3/4"</td> <td>20</td> <td>177</td> <td>149</td> <td>49</td> <td>99</td> <td>50</td> <td>196</td> <td>110</td> <td>3.0</td> </tr> <tr> <td>1"</td> <td>20</td> <td>177</td> <td>149</td> <td>55</td> <td>112</td> <td>56</td> <td>204</td> <td>110</td> <td>3.7</td> </tr> <tr> <td>1 1/4"</td> <td>35</td> <td>177</td> <td>171</td> <td>63</td> <td>125</td> <td>63</td> <td>214</td> <td>110</td> <td>5.1</td> </tr> <tr> <td>1 1/2"</td> <td>55</td> <td>177</td> <td>196</td> <td>74</td> <td>149</td> <td>75</td> <td>230</td> <td>110</td> <td>7.3</td> </tr> <tr> <td>2"</td> <td>85</td> <td>177</td> <td>196</td> <td>93</td> <td>174</td> <td>87</td> <td>289</td> <td>110</td> <td>11.5</td> </tr> </tbody> </table>	Model	A	B	C	F	G	H	W	Kilos	1/4"	20	177	149	39	72	36	188	110	2.2	3/8"	20	177	149	39	72	36	188	110	2.2	1/2"	20	177	149	41	83	42	190	110	2.4	3/4"	20	177	149	49	99	50	196	110	3.0	1"	20	177	149	55	112	56	204	110	3.7	1 1/4"	35	177	171	63	125	63	214	110	5.1	1 1/2"	55	177	196	74	149	75	230	110	7.3	2"	85	177	196	93	174	87	289	110	11.5	<a href="#">2303-02</a> <a href="#">2303-03</a> <a href="#">2303-04</a> <a href="#">2303-05</a> <a href="#">2303-06</a> <a href="#">2303-07</a> <a href="#">2303-08</a> <a href="#">2303-09</a>	1/4" 3/8" 1/2" 3/4" 1" 1 1/4" 1 1/2" 2"	1 1 1 1 1 1 1 1	£333.63 £333.63 £333.63 £346.73 £375.36 £524.30 £707.43 £811.60										
		Model	A	B	C	F	G	H	W	Kilos																																																																																														
		1/4"	20	177	149	39	72	36	188	110	2.2																																																																																													
		3/8"	20	177	149	39	72	36	188	110	2.2																																																																																													
		1/2"	20	177	149	41	83	42	190	110	2.4																																																																																													
		3/4"	20	177	149	49	99	50	196	110	3.0																																																																																													
		1"	20	177	149	55	112	56	204	110	3.7																																																																																													
		1 1/4"	35	177	171	63	125	63	214	110	5.1																																																																																													
		1 1/2"	55	177	196	74	149	75	230	110	7.3																																																																																													
		2"	85	177	196	93	174	87	289	110	11.5																																																																																													
	<p>2 way stainless ball valve with flanged end connection fitted with electric actuator 24V-110/240V multi voltage.</p>  <table border="1"> <caption>Dimensions remain unchanged for all versions (on-off, fail-safe &amp; modulating)</caption> <thead> <tr> <th>Model</th> <th>A</th> <th>B</th> <th>C</th> <th>F</th> <th>H</th> <th>W</th> <th>Kilos</th> </tr> </thead> <tbody> <tr> <td>1/2"</td> <td>20</td> <td>177</td> <td>149</td> <td>48</td> <td>115</td> <td>197</td> <td>110</td> <td>3.6</td> </tr> <tr> <td>3/4"</td> <td>20</td> <td>177</td> <td>149</td> <td>53</td> <td>120</td> <td>202</td> <td>110</td> <td>4.4</td> </tr> <tr> <td>1"</td> <td>20</td> <td>177</td> <td>149</td> <td>59</td> <td>125</td> <td>208</td> <td>110</td> <td>5.2</td> </tr> <tr> <td>1 1/4"</td> <td>20</td> <td>177</td> <td>149</td> <td>71</td> <td>130</td> <td>220</td> <td>110</td> <td>6.8</td> </tr> <tr> <td>1 1/2"</td> <td>35</td> <td>177</td> <td>171</td> <td>76</td> <td>140</td> <td>247</td> <td>110</td> <td>8.9</td> </tr> <tr> <td>2"</td> <td>35</td> <td>177</td> <td>171</td> <td>85</td> <td>150</td> <td>256</td> <td>110</td> <td>11.5</td> </tr> <tr> <td>2 1/2"</td> <td>85</td> <td>177</td> <td>196</td> <td>94</td> <td>170</td> <td>290</td> <td>128</td> <td>15.5</td> </tr> <tr> <td>3"</td> <td>85</td> <td>177</td> <td>196</td> <td>103</td> <td>180</td> <td>299</td> <td>128</td> <td>19.5</td> </tr> <tr> <td>4"</td> <td>J2-300</td> <td>235</td> <td>254</td> <td>132</td> <td>190</td> <td>386</td> <td>214</td> <td>30.8</td> </tr> </tbody> </table>	Model	A	B	C	F	H	W	Kilos	1/2"	20	177	149	48	115	197	110	3.6	3/4"	20	177	149	53	120	202	110	4.4	1"	20	177	149	59	125	208	110	5.2	1 1/4"	20	177	149	71	130	220	110	6.8	1 1/2"	35	177	171	76	140	247	110	8.9	2"	35	177	171	85	150	256	110	11.5	2 1/2"	85	177	196	94	170	290	128	15.5	3"	85	177	196	103	180	299	128	19.5	4"	J2-300	235	254	132	190	386	214	30.8	<a href="#">4103-04</a> <a href="#">4103-05</a> <a href="#">4103-06</a> <a href="#">4103-07</a> <a href="#">4103-08</a> <a href="#">4103-09</a> <a href="#">4103-10</a> <a href="#">4103-11</a>	1/2" 3/4" 1" 1 1/4" 1 1/2" 2" 2 1/2" 3"	1 1 1 1 1 1 1 1	£400.94 £421.98 £461.85 £523.13 £646.56 £834.16 £1161.09 £1521.68										
		Model	A	B	C	F	H	W	Kilos																																																																																															
		1/2"	20	177	149	48	115	197	110	3.6																																																																																														
		3/4"	20	177	149	53	120	202	110	4.4																																																																																														
		1"	20	177	149	59	125	208	110	5.2																																																																																														
		1 1/4"	20	177	149	71	130	220	110	6.8																																																																																														
		1 1/2"	35	177	171	76	140	247	110	8.9																																																																																														
		2"	35	177	171	85	150	256	110	11.5																																																																																														
		2 1/2"	85	177	196	94	170	290	128	15.5																																																																																														
		3"	85	177	196	103	180	299	128	19.5																																																																																														
4"	J2-300	235	254	132	190	386	214	30.8																																																																																																
	<p>3 way stainless ball valve with flanged end connection fitted with electric actuator 24V-110/240V multi voltage.</p>  <table border="1"> <caption>Dimensions remain unchanged for all versions (on-off, fail-safe &amp; modulating)</caption> <thead> <tr> <th>Model</th> <th>A</th> <th>B</th> <th>C</th> <th>E</th> <th>F</th> <th>G</th> <th>H</th> <th>W</th> <th>Kilos</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>35</td> <td>177</td> <td>171</td> <td>70</td> <td>50</td> <td>180</td> <td>90</td> <td>291</td> <td>110</td> <td>11.4</td> </tr> <tr> <td>1 1/2"</td> <td>55</td> <td>177</td> <td>196</td> <td>85</td> <td>50</td> <td>200</td> <td>100</td> <td>331</td> <td>110</td> <td>15.0</td> </tr> <tr> <td>2"</td> <td>85</td> <td>177</td> <td>196</td> <td>85</td> <td>50</td> <td>220</td> <td>110</td> <td>331</td> <td>110</td> <td>19.2</td> </tr> <tr> <td>2 1/2"</td> <td>J2-140</td> <td>235</td> <td>254</td> <td>90</td> <td>70</td> <td>250</td> <td>125</td> <td>414</td> <td>214</td> <td>33.2</td> </tr> <tr> <td>3"</td> <td>J2-140</td> <td>235</td> <td>254</td> <td>105</td> <td>70</td> <td>250</td> <td>130</td> <td>429</td> <td>214</td> <td>35.2</td> </tr> <tr> <td>4"</td> <td>J2-300</td> <td>235</td> <td>254</td> <td>115</td> <td>70</td> <td>340</td> <td>170</td> <td>439</td> <td>214</td> <td>51.2</td> </tr> </tbody> </table>	Model	A	B	C	E	F	G	H	W	Kilos	1"	35	177	171	70	50	180	90	291	110	11.4	1 1/2"	55	177	196	85	50	200	100	331	110	15.0	2"	85	177	196	85	50	220	110	331	110	19.2	2 1/2"	J2-140	235	254	90	70	250	125	414	214	33.2	3"	J2-140	235	254	105	70	250	130	429	214	35.2	4"	J2-300	235	254	115	70	340	170	439	214	51.2	<a href="#">4303-09</a> <a href="#">4303-10</a> <a href="#">4303-11</a> <a href="#">4303-12</a>	2" 2 1/2" 3" 4"	1 1 1 1	£1168.58 £1559.00 £1711.59 £2139.05																							
		Model	A	B	C	E	F	G	H	W	Kilos																																																																																													
		1"	35	177	171	70	50	180	90	291	110	11.4																																																																																												
		1 1/2"	55	177	196	85	50	200	100	331	110	15.0																																																																																												
		2"	85	177	196	85	50	220	110	331	110	19.2																																																																																												
2 1/2"	J2-140	235	254	90	70	250	125	414	214	33.2																																																																																														
3"	J2-140	235	254	105	70	250	130	429	214	35.2																																																																																														
4"	J2-300	235	254	115	70	340	170	439	214	51.2																																																																																														
	<p>2 way cast iron ball valve with flanged end connection fitted with electric actuator 24V-110/240V multi voltage.</p>  <table border="1"> <caption>Dimensions remain unchanged for all versions (on-off, fail-safe &amp; modulating)</caption> <thead> <tr> <th>Model</th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> <th>F</th> <th>H</th> <th>W</th> <th>Kilos</th> </tr> </thead> <tbody> <tr> <td>1/2"</td> <td>20</td> <td>177</td> <td>149</td> <td>52</td> <td>50</td> <td>115</td> <td>251</td> <td>110</td> <td>4.7</td> </tr> <tr> <td>3/4"</td> <td>20</td> <td>177</td> <td>149</td> <td>54</td> <td>50</td> <td>120</td> <td>253</td> <td>110</td> <td>4.7</td> </tr> <tr> <td>1"</td> <td>20</td> <td>177</td> <td>149</td> <td>60</td> <td>50</td> <td>125</td> <td>259</td> <td>110</td> <td>5.7</td> </tr> <tr> <td>1 1/4"</td> <td>35</td> <td>177</td> <td>171</td> <td>65</td> <td>50</td> <td>130</td> <td>266</td> <td>110</td> <td>6.8</td> </tr> <tr> <td>1 1/2"</td> <td>35</td> <td>177</td> <td>171</td> <td>75</td> <td>50</td> <td>140</td> <td>296</td> <td>110</td> <td>10.0</td> </tr> <tr> <td>2"</td> <td>55</td> <td>177</td> <td>196</td> <td>83</td> <td>50</td> <td>150</td> <td>329</td> <td>110</td> <td>13.2</td> </tr> <tr> <td>2 1/2"</td> <td>55</td> <td>177</td> <td>196</td> <td>96</td> <td>50</td> <td>170</td> <td>342</td> <td>110</td> <td>17.2</td> </tr> <tr> <td>3"</td> <td>85</td> <td>177</td> <td>196</td> <td>114</td> <td>50</td> <td>180</td> <td>360</td> <td>110</td> <td>22.2</td> </tr> <tr> <td>4"</td> <td>J2-140</td> <td>235</td> <td>254</td> <td>128</td> <td>70</td> <td>190</td> <td>452</td> <td>214</td> <td>35.2</td> </tr> </tbody> </table>	Model	A	B	C	D	F	H	W	Kilos	1/2"	20	177	149	52	50	115	251	110	4.7	3/4"	20	177	149	54	50	120	253	110	4.7	1"	20	177	149	60	50	125	259	110	5.7	1 1/4"	35	177	171	65	50	130	266	110	6.8	1 1/2"	35	177	171	75	50	140	296	110	10.0	2"	55	177	196	83	50	150	329	110	13.2	2 1/2"	55	177	196	96	50	170	342	110	17.2	3"	85	177	196	114	50	180	360	110	22.2	4"	J2-140	235	254	128	70	190	452	214	35.2	<a href="#">4803-06</a> <a href="#">4803-07</a> <a href="#">4803-08</a> <a href="#">4803-09</a> <a href="#">4803-10</a> <a href="#">4803-11</a> <a href="#">4803-12</a> <a href="#">4803-13</a>	1" 1 1/4" 1 1/2" 2" 2 1/2" 3" 4" 5"	1 1 1 1 1 1 1 1	£396.22 £507.73 £657.79 £680.71 £826.05 £1214.21 £1278.03 £1753.32
		Model	A	B	C	D	F	H	W	Kilos																																																																																														
		1/2"	20	177	149	52	50	115	251	110	4.7																																																																																													
		3/4"	20	177	149	54	50	120	253	110	4.7																																																																																													
		1"	20	177	149	60	50	125	259	110	5.7																																																																																													
		1 1/4"	35	177	171	65	50	130	266	110	6.8																																																																																													
		1 1/2"	35	177	171	75	50	140	296	110	10.0																																																																																													
		2"	55	177	196	83	50	150	329	110	13.2																																																																																													
2 1/2"	55	177	196	96	50	170	342	110	17.2																																																																																															
3"	85	177	196	114	50	180	360	110	22.2																																																																																															
4"	J2-140	235	254	128	70	190	452	214	35.2																																																																																															

Telephone: +44(0)1386 553190

Email: sales@allvalves.co.uk







Web: www.allvalves.co.uk

Information subject to change without notice



We can offer the following actuated valves in a variety of end connections!

PRICELIST 2013– 2014

	DESCRIPTION	CODE	SIZE	BOX QTY	PRICE																																																																																																														
	<p>2 way PVC ball valve with plain, metric and BSP end connection fitted with electric actuator 24V-110/240V multi voltage.</p>  <p>Dimensions remain unchanged for all versions (on-off, failsafe &amp; modulating)</p> <table border="1"> <thead> <tr> <th>Imperial</th> <th>Model</th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> <th>F</th> <th>H</th> <th>W</th> <th>Kilos</th> <th>Metric pipe OD</th> </tr> </thead> <tbody> <tr> <td>1/2"</td> <td>30</td> <td>177</td> <td>149</td> <td>25</td> <td>50</td> <td>102</td> <td>224</td> <td>110</td> <td>1.9</td> <td>30 / 15</td> </tr> <tr> <td>3/4"</td> <td>20</td> <td>177</td> <td>149</td> <td>30</td> <td>50</td> <td>120</td> <td>229</td> <td>110</td> <td>1.9</td> <td>25 / 20</td> </tr> <tr> <td>1"</td> <td>20</td> <td>177</td> <td>149</td> <td>35</td> <td>50</td> <td>128</td> <td>233</td> <td>110</td> <td>2.0</td> <td>32 / 25</td> </tr> <tr> <td>1 1/4"</td> <td>30</td> <td>177</td> <td>149</td> <td>40</td> <td>50</td> <td>147</td> <td>239</td> <td>110</td> <td>2.2</td> <td>40 / 32</td> </tr> <tr> <td>1 1/2"</td> <td>30</td> <td>177</td> <td>149</td> <td>48</td> <td>50</td> <td>163</td> <td>247</td> <td>110</td> <td>2.4</td> <td>50 / 40</td> </tr> <tr> <td>2"</td> <td>20</td> <td>177</td> <td>149</td> <td>58</td> <td>50</td> <td>197</td> <td>257</td> <td>110</td> <td>2.9</td> <td>63 / 50</td> </tr> <tr> <td>2 1/2"</td> <td>35</td> <td>177</td> <td>171</td> <td>70</td> <td>70</td> <td>214</td> <td>271</td> <td>110</td> <td>3.8</td> <td>75 / 65</td> </tr> <tr> <td>3"</td> <td>35</td> <td>177</td> <td>176</td> <td>80</td> <td>70</td> <td>241</td> <td>289</td> <td>110</td> <td>5.2</td> <td>90 / 80</td> </tr> <tr> <td>4"</td> <td>85</td> <td>177</td> <td>176</td> <td>105</td> <td>70</td> <td>281</td> <td>371</td> <td>128</td> <td>7.2</td> <td>110 / 90</td> </tr> </tbody> </table>	Imperial	Model	A	B	C	D	F	H	W	Kilos	Metric pipe OD	1/2"	30	177	149	25	50	102	224	110	1.9	30 / 15	3/4"	20	177	149	30	50	120	229	110	1.9	25 / 20	1"	20	177	149	35	50	128	233	110	2.0	32 / 25	1 1/4"	30	177	149	40	50	147	239	110	2.2	40 / 32	1 1/2"	30	177	149	48	50	163	247	110	2.4	50 / 40	2"	20	177	149	58	50	197	257	110	2.9	63 / 50	2 1/2"	35	177	171	70	70	214	271	110	3.8	75 / 65	3"	35	177	176	80	70	241	289	110	5.2	90 / 80	4"	85	177	176	105	70	281	371	128	7.2	110 / 90	<a href="#">3743-03</a> <a href="#">3743-04</a> <a href="#">3743-05</a> <a href="#">3743-06</a> <a href="#">3743-07</a> <a href="#">3743-08</a> <a href="#">3743-09</a> <a href="#">3743-10</a>	3/8" 1/2" 3/4" 1" 1 1/4" 1 1/2" 2" 2 1/2"	1 1 1 1 1 1 1 1	£337.62 £337.62 £345.24 £354.88 £370.32 £393.06 £417.98 £665.26
		Imperial	Model	A	B	C	D	F	H	W	Kilos	Metric pipe OD																																																																																																							
		1/2"	30	177	149	25	50	102	224	110	1.9	30 / 15																																																																																																							
		3/4"	20	177	149	30	50	120	229	110	1.9	25 / 20																																																																																																							
		1"	20	177	149	35	50	128	233	110	2.0	32 / 25																																																																																																							
		1 1/4"	30	177	149	40	50	147	239	110	2.2	40 / 32																																																																																																							
		1 1/2"	30	177	149	48	50	163	247	110	2.4	50 / 40																																																																																																							
		2"	20	177	149	58	50	197	257	110	2.9	63 / 50																																																																																																							
		2 1/2"	35	177	171	70	70	214	271	110	3.8	75 / 65																																																																																																							
		3"	35	177	176	80	70	241	289	110	5.2	90 / 80																																																																																																							
4"	85	177	176	105	70	281	371	128	7.2	110 / 90																																																																																																									
	<p>Wafer pattern butterfly valve with plain, metric and BSP end connection fitted with electric actuator 24V-110/240V multi voltage.</p>  <p>Dimensions remain unchanged for all versions (on-off, failsafe &amp; modulating)</p> <table border="1"> <thead> <tr> <th>Imperial</th> <th>Model</th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>H</th> <th>W</th> <th>Kilos</th> </tr> </thead> <tbody> <tr> <td>2"</td> <td>30</td> <td>177</td> <td>149</td> <td>126</td> <td>84</td> <td>43</td> <td>275</td> <td>110</td> <td>3.9</td> </tr> <tr> <td>2 1/2"</td> <td>30</td> <td>177</td> <td>149</td> <td>134</td> <td>93</td> <td>46</td> <td>283</td> <td>110</td> <td>4.6</td> </tr> <tr> <td>3"</td> <td>35</td> <td>177</td> <td>171</td> <td>157</td> <td>104</td> <td>46</td> <td>328</td> <td>110</td> <td>6.0</td> </tr> <tr> <td>4"</td> <td>55</td> <td>177</td> <td>176</td> <td>167</td> <td>115</td> <td>52</td> <td>363</td> <td>110</td> <td>7.4</td> </tr> <tr> <td>5"</td> <td>55</td> <td>177</td> <td>176</td> <td>180</td> <td>127</td> <td>56</td> <td>376</td> <td>110</td> <td>9.1</td> </tr> <tr> <td>6"</td> <td>03-140</td> <td>235</td> <td>254</td> <td>203</td> <td>150</td> <td>56</td> <td>407</td> <td>214</td> <td>17.2</td> </tr> <tr> <td>8"</td> <td>03-150</td> <td>235</td> <td>254</td> <td>228</td> <td>176</td> <td>60</td> <td>462</td> <td>214</td> <td>23.2</td> </tr> <tr> <td>10"</td> <td>03-300</td> <td>235</td> <td>254</td> <td>264</td> <td>212</td> <td>68</td> <td>520</td> <td>214</td> <td>31.7</td> </tr> <tr> <td>12"</td> <td>03-300</td> <td>235</td> <td>254</td> <td>291</td> <td>237</td> <td>70</td> <td>545</td> <td>214</td> <td>41.2</td> </tr> </tbody> </table>	Imperial	Model	A	B	C	D	E	H	W	Kilos	2"	30	177	149	126	84	43	275	110	3.9	2 1/2"	30	177	149	134	93	46	283	110	4.6	3"	35	177	171	157	104	46	328	110	6.0	4"	55	177	176	167	115	52	363	110	7.4	5"	55	177	176	180	127	56	376	110	9.1	6"	03-140	235	254	203	150	56	407	214	17.2	8"	03-150	235	254	228	176	60	462	214	23.2	10"	03-300	235	254	264	212	68	520	214	31.7	12"	03-300	235	254	291	237	70	545	214	41.2	<a href="#">6103-06</a> <a href="#">6103-07</a> <a href="#">6103-08</a> <a href="#">6103-09</a> <a href="#">6103-10</a> <a href="#">6103-11</a> <a href="#">6103-12</a> <a href="#">6103-13</a>	1" 1 1/4" 1 1/2" 2" 2 1/2" 3" 4" 5"	1 1 1 1 1 1 1 1	£296.94 £296.94 £301.72 £306.50 £312.87 £555.06 £567.81 £743.40										
		Imperial	Model	A	B	C	D	E	H	W	Kilos																																																																																																								
		2"	30	177	149	126	84	43	275	110	3.9																																																																																																								
		2 1/2"	30	177	149	134	93	46	283	110	4.6																																																																																																								
		3"	35	177	171	157	104	46	328	110	6.0																																																																																																								
		4"	55	177	176	167	115	52	363	110	7.4																																																																																																								
		5"	55	177	176	180	127	56	376	110	9.1																																																																																																								
		6"	03-140	235	254	203	150	56	407	214	17.2																																																																																																								
		8"	03-150	235	254	228	176	60	462	214	23.2																																																																																																								
		10"	03-300	235	254	264	212	68	520	214	31.7																																																																																																								
12"	03-300	235	254	291	237	70	545	214	41.2																																																																																																										
	<p>Lugged pattern butterfly valve with PN16/150 flange connection fitted with electric actuator 24V-110/240V multi voltage.</p>  <p>Dimensions remain unchanged for all versions (on-off, failsafe &amp; modulating)</p> <table border="1"> <thead> <tr> <th>Imperial</th> <th>Model</th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>H</th> <th>W</th> <th>Kilos</th> <th>Standard flange alignment</th> </tr> </thead> <tbody> <tr> <td>2"</td> <td>30</td> <td>177</td> <td>149</td> <td>126</td> <td>84</td> <td>43</td> <td>275</td> <td>110</td> <td>3.7</td> <td>PN16</td> </tr> <tr> <td>2 1/2"</td> <td>30</td> <td>177</td> <td>149</td> <td>134</td> <td>93</td> <td>46</td> <td>283</td> <td>110</td> <td>4.4</td> <td>PN16</td> </tr> <tr> <td>3"</td> <td>35</td> <td>177</td> <td>171</td> <td>157</td> <td>104</td> <td>46</td> <td>328</td> <td>110</td> <td>6.0</td> <td>PN16</td> </tr> <tr> <td>4"</td> <td>55</td> <td>177</td> <td>176</td> <td>167</td> <td>115</td> <td>52</td> <td>363</td> <td>110</td> <td>7.8</td> <td>PN16</td> </tr> <tr> <td>5"</td> <td>55</td> <td>177</td> <td>176</td> <td>180</td> <td>127</td> <td>56</td> <td>376</td> <td>110</td> <td>9.9</td> <td>PN16</td> </tr> <tr> <td>6"</td> <td>03-140</td> <td>235</td> <td>254</td> <td>203</td> <td>150</td> <td>56</td> <td>407</td> <td>214</td> <td>16.2</td> <td>PN16</td> </tr> <tr> <td>8"</td> <td>03-150</td> <td>235</td> <td>254</td> <td>228</td> <td>176</td> <td>60</td> <td>462</td> <td>214</td> <td>20.2</td> <td>PN16**</td> </tr> <tr> <td>10"</td> <td>03-300</td> <td>235</td> <td>254</td> <td>264</td> <td>212</td> <td>68</td> <td>520</td> <td>214</td> <td>28.7</td> <td>PN16**</td> </tr> <tr> <td>12"</td> <td>03-300</td> <td>235</td> <td>254</td> <td>291</td> <td>237</td> <td>70</td> <td>545</td> <td>214</td> <td>40.2</td> <td>PN16**</td> </tr> </tbody> </table>	Imperial	Model	A	B	C	D	E	H	W	Kilos	Standard flange alignment	2"	30	177	149	126	84	43	275	110	3.7	PN16	2 1/2"	30	177	149	134	93	46	283	110	4.4	PN16	3"	35	177	171	157	104	46	328	110	6.0	PN16	4"	55	177	176	167	115	52	363	110	7.8	PN16	5"	55	177	176	180	127	56	376	110	9.9	PN16	6"	03-140	235	254	203	150	56	407	214	16.2	PN16	8"	03-150	235	254	228	176	60	462	214	20.2	PN16**	10"	03-300	235	254	264	212	68	520	214	28.7	PN16**	12"	03-300	235	254	291	237	70	545	214	40.2	PN16**	<a href="#">6203-06</a> <a href="#">6203-07</a> <a href="#">6203-08</a> <a href="#">6203-09</a> <a href="#">6203-10</a> <a href="#">6203-11</a> <a href="#">6203-12</a> <a href="#">6203-13</a>	1" 1 1/4" 1 1/2" 2" 2 1/2" 3" 4" 5"	1 1 1 1 1 1 1 1	£319.24 £319.24 £319.24 £319.24 £319.24 £574.18 £594.89 £780.04
		Imperial	Model	A	B	C	D	E	H	W	Kilos	Standard flange alignment																																																																																																							
		2"	30	177	149	126	84	43	275	110	3.7	PN16																																																																																																							
		2 1/2"	30	177	149	134	93	46	283	110	4.4	PN16																																																																																																							
		3"	35	177	171	157	104	46	328	110	6.0	PN16																																																																																																							
		4"	55	177	176	167	115	52	363	110	7.8	PN16																																																																																																							
		5"	55	177	176	180	127	56	376	110	9.9	PN16																																																																																																							
		6"	03-140	235	254	203	150	56	407	214	16.2	PN16																																																																																																							
		8"	03-150	235	254	228	176	60	462	214	20.2	PN16**																																																																																																							
		10"	03-300	235	254	264	212	68	520	214	28.7	PN16**																																																																																																							
12"	03-300	235	254	291	237	70	545	214	40.2	PN16**																																																																																																									

CALL US TODAY ABOUT OTHER ACTUATED VALVES WE CAN OFFER:



Actuated 3 way PVC valve



Actuated SS butterfly valve



Actuated 3 way high pressure ball valve



Actuated hygienic valve



Actuated PVC/PP butterfly valve

Telephone: +44(0)1386 553190

Email: sales@allvalves.co.uk

Web: www.allvalves.co.uk

Information subject to change without notice



# ALLVALVES Actuators & Accessories

O N L I N E



A range of pneumatic actuated valves available next day!

PRICELIST 2013– 2014

		DESCRIPTION												CODE	SIZE	BOX QTY	PRICE																																																																																																																																																																														
	2 way screwed BSP brass ball valve fitted with Haitima double / single acting pneumatic actuator												1100-008	1/4"	1	CALL																																																																																																																																																																															
													1100-010	3/8"	1	CALL																																																																																																																																																																															
													1100-015	1/2"	1	CALL																																																																																																																																																																															
													1100-020	3/4"	1	CALL																																																																																																																																																																															
													1100-025	1"	1	CALL																																																																																																																																																																															
													1100-032	1 1/4"	1	CALL																																																																																																																																																																															
													1100-040	1 1/2"	1	CALL																																																																																																																																																																															
													1100-050	2"	1	CALL																																																																																																																																																																															
																																																																																																																																																																																															
	<table border="1"> <thead> <tr> <th>NPS</th> <th>d</th> <th colspan="2">W</th> <th colspan="2">L</th> <th colspan="2">H</th> <th colspan="2">H1</th> <th colspan="2">H2</th> <th colspan="2">H3</th> <th colspan="2">Actuators</th> </tr> <tr> <th></th> <th></th> <th>HTS</th> <th>HTD</th> <th>HTS</th> <th>HTD</th> <th>HTS</th> <th>HTD</th> <th>HTS</th> <th>HTD</th> <th>HTS</th> <th>HTD</th> <th>HTS</th> <th>HTD</th> <th>HTS-092-10</th> <th>HTD-092</th> </tr> </thead> <tbody> <tr> <td>1/4"</td> <td>0.46</td> <td>6.2</td> <td>4.33</td> <td>2.28</td> <td>5.13</td> <td>3.99</td> <td>2.89</td> <td>2.32</td> <td>0.79</td> <td>2.91</td> <td>1.77</td> <td>HTS-092-10</td> <td>HTD-092</td> <td></td> <td></td> </tr> <tr> <td>3/8"</td> <td>0.5</td> <td>6.2</td> <td>4.33</td> <td>2.28</td> <td>5.13</td> <td>3.99</td> <td>2.89</td> <td>2.32</td> <td>0.79</td> <td>2.91</td> <td>1.77</td> <td>HTS-092-10</td> <td>HTD-092</td> <td></td> <td></td> </tr> <tr> <td>1/2"</td> <td>0.59</td> <td>6.2</td> <td>4.33</td> <td>2.28</td> <td>5.13</td> <td>3.99</td> <td>2.89</td> <td>2.32</td> <td>0.79</td> <td>2.91</td> <td>1.77</td> <td>HTS-092-10</td> <td>HTD-092</td> <td></td> <td></td> </tr> <tr> <td>3/4"</td> <td>0.79</td> <td>6.2</td> <td>4.33</td> <td>2.58</td> <td>5.24</td> <td>4.1</td> <td>3</td> <td>2.43</td> <td>0.79</td> <td>2.91</td> <td>1.77</td> <td>HTS-092-10</td> <td>HTD-092</td> <td></td> <td></td> </tr> <tr> <td>1"</td> <td>0.98</td> <td>7.48</td> <td>6.2</td> <td>3.1</td> <td>6.17</td> <td>5.26</td> <td>3.65</td> <td>3.37</td> <td>0.79</td> <td>3.46</td> <td>2.91</td> <td>HTS-092-10</td> <td>HTD-092</td> <td></td> <td></td> </tr> <tr> <td>1 1/4"</td> <td>1.29</td> <td>8.09</td> <td>6.2</td> <td>3.54</td> <td>6.99</td> <td>5.93</td> <td>4.1</td> <td>3.59</td> <td>0.79</td> <td>3.94</td> <td>3.46</td> <td>HTS-075-10</td> <td>HTD-092</td> <td></td> <td></td> </tr> <tr> <td>1 1/2"</td> <td>1.5</td> <td>8.09</td> <td>7.48</td> <td>4.13</td> <td>7.31</td> <td>6.84</td> <td>4.56</td> <td>4.32</td> <td>0.79</td> <td>3.94</td> <td>3.46</td> <td>HTS-075-10</td> <td>HTD-092</td> <td></td> <td></td> </tr> <tr> <td>2"</td> <td>1.97</td> <td>10.2</td> <td>8.09</td> <td>4.88</td> <td>8.48</td> <td>7.7</td> <td>5.33</td> <td>4.94</td> <td>0.79</td> <td>4.72</td> <td>3.94</td> <td>HTS-092-10</td> <td>HTD-075</td> <td></td> <td></td> </tr> </tbody> </table>												NPS	d	W		L		H		H1		H2		H3		Actuators				HTS	HTD	HTS	HTD	HTS	HTD	HTS	HTD	HTS	HTD	HTS	HTD	HTS-092-10	HTD-092	1/4"	0.46	6.2	4.33	2.28	5.13	3.99	2.89	2.32	0.79	2.91	1.77	HTS-092-10	HTD-092			3/8"	0.5	6.2	4.33	2.28	5.13	3.99	2.89	2.32	0.79	2.91	1.77	HTS-092-10	HTD-092			1/2"	0.59	6.2	4.33	2.28	5.13	3.99	2.89	2.32	0.79	2.91	1.77	HTS-092-10	HTD-092			3/4"	0.79	6.2	4.33	2.58	5.24	4.1	3	2.43	0.79	2.91	1.77	HTS-092-10	HTD-092			1"	0.98	7.48	6.2	3.1	6.17	5.26	3.65	3.37	0.79	3.46	2.91	HTS-092-10	HTD-092			1 1/4"	1.29	8.09	6.2	3.54	6.99	5.93	4.1	3.59	0.79	3.94	3.46	HTS-075-10	HTD-092			1 1/2"	1.5	8.09	7.48	4.13	7.31	6.84	4.56	4.32	0.79	3.94	3.46	HTS-075-10	HTD-092			2"	1.97	10.2	8.09	4.88	8.48	7.7	5.33	4.94	0.79	4.72	3.94	HTS-092-10	HTD-075																					
NPS	d	W		L		H		H1		H2		H3		Actuators																																																																																																																																																																																	
		HTS	HTD	HTS	HTD	HTS	HTD	HTS	HTD	HTS	HTD	HTS	HTD	HTS-092-10	HTD-092																																																																																																																																																																																
1/4"	0.46	6.2	4.33	2.28	5.13	3.99	2.89	2.32	0.79	2.91	1.77	HTS-092-10	HTD-092																																																																																																																																																																																		
3/8"	0.5	6.2	4.33	2.28	5.13	3.99	2.89	2.32	0.79	2.91	1.77	HTS-092-10	HTD-092																																																																																																																																																																																		
1/2"	0.59	6.2	4.33	2.28	5.13	3.99	2.89	2.32	0.79	2.91	1.77	HTS-092-10	HTD-092																																																																																																																																																																																		
3/4"	0.79	6.2	4.33	2.58	5.24	4.1	3	2.43	0.79	2.91	1.77	HTS-092-10	HTD-092																																																																																																																																																																																		
1"	0.98	7.48	6.2	3.1	6.17	5.26	3.65	3.37	0.79	3.46	2.91	HTS-092-10	HTD-092																																																																																																																																																																																		
1 1/4"	1.29	8.09	6.2	3.54	6.99	5.93	4.1	3.59	0.79	3.94	3.46	HTS-075-10	HTD-092																																																																																																																																																																																		
1 1/2"	1.5	8.09	7.48	4.13	7.31	6.84	4.56	4.32	0.79	3.94	3.46	HTS-075-10	HTD-092																																																																																																																																																																																		
2"	1.97	10.2	8.09	4.88	8.48	7.7	5.33	4.94	0.79	4.72	3.94	HTS-092-10	HTD-075																																																																																																																																																																																		
	2 way screwed BSP SS ball valve fitted with Haitima double / single acting pneumatic actuator												2100-008	1/4"	1	CALL																																																																																																																																																																															
													2100-010	3/8"	1	CALL																																																																																																																																																																															
													2100-015	1/2"	1	CALL																																																																																																																																																																															
													2100-020	3/4"	1	CALL																																																																																																																																																																															
													2100-025	1"	1	CALL																																																																																																																																																																															
													2100-032	1 1/4"	1	CALL																																																																																																																																																																															
													2100-040	1 1/2"	1	CALL																																																																																																																																																																															
													2100-050	2"	1	CALL																																																																																																																																																																															
																																																																																																																																																																																															
	<table border="1"> <thead> <tr> <th>NPS</th> <th>d</th> <th colspan="2">W</th> <th colspan="2">L</th> <th colspan="2">H</th> <th colspan="2">H1</th> <th colspan="2">H2</th> <th colspan="2">H3</th> <th colspan="2">Actuators</th> </tr> <tr> <th></th> <th></th> <th>HTS</th> <th>HTD</th> <th>HTS</th> <th>HTD</th> <th>HTS</th> <th>HTD</th> <th>HTS</th> <th>HTD</th> <th>HTS</th> <th>HTD</th> <th>HTS</th> <th>HTD</th> <th>HTS-092-10</th> <th>HTD-092</th> </tr> </thead> <tbody> <tr> <td>1/2"</td> <td>0.59</td> <td>6.2</td> <td>4.33</td> <td>2.56</td> <td>5.19</td> <td>3.95</td> <td>2.89</td> <td>2.32</td> <td>0.79</td> <td>2.91</td> <td>1.77</td> <td>HTS-092-10</td> <td>HTD-092</td> <td></td> <td></td> </tr> <tr> <td>3/4"</td> <td>0.79</td> <td>7.48</td> <td>6.2</td> <td>2.95</td> <td>7.7</td> <td>5.26</td> <td>3.18</td> <td>3.01</td> <td>0.79</td> <td>3.46</td> <td>2.91</td> <td>HTS-092-10</td> <td>HTD-092</td> <td></td> <td></td> </tr> <tr> <td>1"</td> <td>0.98</td> <td>7.48</td> <td>6.2</td> <td>3.05</td> <td>6.16</td> <td>5.63</td> <td>3.66</td> <td>3.39</td> <td>0.79</td> <td>3.46</td> <td>2.91</td> <td>HTS-092-10</td> <td>HTD-092</td> <td></td> <td></td> </tr> <tr> <td>1 1/4"</td> <td>1.26</td> <td>8.09</td> <td>6.2</td> <td>3.96</td> <td>6.86</td> <td>5.63</td> <td>4.1</td> <td>3.59</td> <td>0.79</td> <td>3.94</td> <td>2.91</td> <td>HTS-075-10</td> <td>HTD-092</td> <td></td> <td></td> </tr> <tr> <td>1 1/2"</td> <td>1.5</td> <td>8.31</td> <td>7.48</td> <td>4.41</td> <td>7.82</td> <td>6.8</td> <td>4.69</td> <td>4.28</td> <td>0.79</td> <td>4.29</td> <td>3.46</td> <td>HTS-092-10</td> <td>HTD-092</td> <td></td> <td></td> </tr> <tr> <td>2"</td> <td>1.97</td> <td>10.2</td> <td>8.09</td> <td>5.12</td> <td>8.37</td> <td>7.58</td> <td>5.22</td> <td>4.82</td> <td>0.79</td> <td>4.72</td> <td>3.94</td> <td>HTS-092-10</td> <td>HTD-075</td> <td></td> <td></td> </tr> </tbody> </table>												NPS	d	W		L		H		H1		H2		H3		Actuators				HTS	HTD	HTS	HTD	HTS	HTD	HTS	HTD	HTS	HTD	HTS	HTD	HTS-092-10	HTD-092	1/2"	0.59	6.2	4.33	2.56	5.19	3.95	2.89	2.32	0.79	2.91	1.77	HTS-092-10	HTD-092			3/4"	0.79	7.48	6.2	2.95	7.7	5.26	3.18	3.01	0.79	3.46	2.91	HTS-092-10	HTD-092			1"	0.98	7.48	6.2	3.05	6.16	5.63	3.66	3.39	0.79	3.46	2.91	HTS-092-10	HTD-092			1 1/4"	1.26	8.09	6.2	3.96	6.86	5.63	4.1	3.59	0.79	3.94	2.91	HTS-075-10	HTD-092			1 1/2"	1.5	8.31	7.48	4.41	7.82	6.8	4.69	4.28	0.79	4.29	3.46	HTS-092-10	HTD-092			2"	1.97	10.2	8.09	5.12	8.37	7.58	5.22	4.82	0.79	4.72	3.94	HTS-092-10	HTD-075																																																					
NPS	d	W		L		H		H1		H2		H3		Actuators																																																																																																																																																																																	
		HTS	HTD	HTS	HTD	HTS	HTD	HTS	HTD	HTS	HTD	HTS	HTD	HTS-092-10	HTD-092																																																																																																																																																																																
1/2"	0.59	6.2	4.33	2.56	5.19	3.95	2.89	2.32	0.79	2.91	1.77	HTS-092-10	HTD-092																																																																																																																																																																																		
3/4"	0.79	7.48	6.2	2.95	7.7	5.26	3.18	3.01	0.79	3.46	2.91	HTS-092-10	HTD-092																																																																																																																																																																																		
1"	0.98	7.48	6.2	3.05	6.16	5.63	3.66	3.39	0.79	3.46	2.91	HTS-092-10	HTD-092																																																																																																																																																																																		
1 1/4"	1.26	8.09	6.2	3.96	6.86	5.63	4.1	3.59	0.79	3.94	2.91	HTS-075-10	HTD-092																																																																																																																																																																																		
1 1/2"	1.5	8.31	7.48	4.41	7.82	6.8	4.69	4.28	0.79	4.29	3.46	HTS-092-10	HTD-092																																																																																																																																																																																		
2"	1.97	10.2	8.09	5.12	8.37	7.58	5.22	4.82	0.79	4.72	3.94	HTS-092-10	HTD-075																																																																																																																																																																																		
	2 way flanged PN16/150 SS ball valve fitted with Haitima double / single acting pneumatic actuator												4100-008	1/4"	1	CALL																																																																																																																																																																															
													4100-010	3/8"	1	CALL																																																																																																																																																																															
													4100-015	1/2"	1	CALL																																																																																																																																																																															
													4100-020	3/4"	1	CALL																																																																																																																																																																															
													4100-025	1"	1	CALL																																																																																																																																																																															
													4100-032	1 1/4"	1	CALL																																																																																																																																																																															
													4100-040	1 1/2"	1	CALL																																																																																																																																																																															
													4100-050	2"	1	CALL																																																																																																																																																																															
																																																																																																																																																																																															
	<table border="1"> <thead> <tr> <th>NPS</th> <th>d</th> <th colspan="2">W</th> <th colspan="2">L</th> <th colspan="2">H</th> <th colspan="2">H1</th> <th colspan="2">H2</th> <th colspan="2">H3</th> <th colspan="2">Actuators</th> </tr> <tr> <th></th> <th></th> <th>HTS</th> <th>HTD</th> <th>HTS</th> <th>HTD</th> <th>HTS</th> <th>HTD</th> <th>HTS</th> <th>HTD</th> <th>HTS</th> <th>HTD</th> <th>HTS</th> <th>HTD</th> <th>HTS-092-10</th> <th>HTD-092</th> </tr> </thead> <tbody> <tr> <td>1/2"</td> <td>0.59</td> <td>6.2</td> <td>4.33</td> <td>4.25</td> <td>5.69</td> <td>4.55</td> <td>3.44</td> <td>2.87</td> <td>0.79</td> <td>2.91</td> <td>1.77</td> <td>HTS-092-10</td> <td>HTD-092</td> <td></td> <td></td> </tr> <tr> <td>3/4"</td> <td>0.79</td> <td>6.2</td> <td>4.33</td> <td>4.61</td> <td>5.89</td> <td>4.74</td> <td>3.64</td> <td>3.07</td> <td>0.79</td> <td>2.91</td> <td>1.77</td> <td>HTS-092-10</td> <td>HTD-092</td> <td></td> <td></td> </tr> <tr> <td>1"</td> <td>0.94</td> <td>7.48</td> <td>6.2</td> <td>5.02</td> <td>6.57</td> <td>6.02</td> <td>4.06</td> <td>3.76</td> <td>0.79</td> <td>3.46</td> <td>2.91</td> <td>HTS-092-10</td> <td>HTD-092</td> <td></td> <td></td> </tr> <tr> <td>1 1/4"</td> <td>1.18</td> <td>7.48</td> <td>6.2</td> <td>5.53</td> <td>6.69</td> <td>6.14</td> <td>4.17</td> <td>3.9</td> <td>0.79</td> <td>3.46</td> <td>2.91</td> <td>HTS-092-10</td> <td>HTD-092</td> <td></td> <td></td> </tr> <tr> <td>1 1/2"</td> <td>1.5</td> <td>8.09</td> <td>7.48</td> <td>6.5</td> <td>7.72</td> <td>7.24</td> <td>4.96</td> <td>4.72</td> <td>0.79</td> <td>3.94</td> <td>3.46</td> <td>HTS-075-10</td> <td>HTD-092</td> <td></td> <td></td> </tr> <tr> <td>2"</td> <td>1.97</td> <td>10.2</td> <td>7.48</td> <td>7.01</td> <td>8.84</td> <td>7.58</td> <td>5.69</td> <td>5.06</td> <td>0.79</td> <td>4.72</td> <td>3.46</td> <td>HTS-092-10</td> <td>HTD-092</td> <td></td> <td></td> </tr> <tr> <td>2 1/2"</td> <td>2.52</td> <td>10.2</td> <td>8.31</td> <td>7.5</td> <td>9.83</td> <td>9.19</td> <td>6.48</td> <td>6.26</td> <td>0.79</td> <td>4.72</td> <td>4.29</td> <td>HTS-092-10</td> <td>HTD-092</td> <td></td> <td></td> </tr> <tr> <td>3"</td> <td>2.99</td> <td>10.2</td> <td>8.31</td> <td>7.99</td> <td>9.9</td> <td>9.47</td> <td>6.75</td> <td>6.54</td> <td>0.79</td> <td>4.72</td> <td>4.29</td> <td>HTS-092-10</td> <td>HTD-092</td> <td></td> <td></td> </tr> <tr> <td>4"</td> <td>3.86</td> <td>11.22</td> <td>11.22</td> <td>9.02</td> <td>11.96</td> <td>11.96</td> <td>7.95</td> <td>7.95</td> <td>0.79</td> <td>5.24</td> <td>5.24</td> <td>HTS-105-10</td> <td>HTD-105</td> <td></td> <td></td> </tr> </tbody> </table>												NPS	d	W		L		H		H1		H2		H3		Actuators				HTS	HTD	HTS	HTD	HTS	HTD	HTS	HTD	HTS	HTD	HTS	HTD	HTS-092-10	HTD-092	1/2"	0.59	6.2	4.33	4.25	5.69	4.55	3.44	2.87	0.79	2.91	1.77	HTS-092-10	HTD-092			3/4"	0.79	6.2	4.33	4.61	5.89	4.74	3.64	3.07	0.79	2.91	1.77	HTS-092-10	HTD-092			1"	0.94	7.48	6.2	5.02	6.57	6.02	4.06	3.76	0.79	3.46	2.91	HTS-092-10	HTD-092			1 1/4"	1.18	7.48	6.2	5.53	6.69	6.14	4.17	3.9	0.79	3.46	2.91	HTS-092-10	HTD-092			1 1/2"	1.5	8.09	7.48	6.5	7.72	7.24	4.96	4.72	0.79	3.94	3.46	HTS-075-10	HTD-092			2"	1.97	10.2	7.48	7.01	8.84	7.58	5.69	5.06	0.79	4.72	3.46	HTS-092-10	HTD-092			2 1/2"	2.52	10.2	8.31	7.5	9.83	9.19	6.48	6.26	0.79	4.72	4.29	HTS-092-10	HTD-092			3"	2.99	10.2	8.31	7.99	9.9	9.47	6.75	6.54	0.79	4.72	4.29	HTS-092-10	HTD-092			4"	3.86	11.22	11.22	9.02	11.96	11.96	7.95	7.95	0.79	5.24	5.24	HTS-105-10	HTD-105					
NPS	d	W		L		H		H1		H2		H3		Actuators																																																																																																																																																																																	
		HTS	HTD	HTS	HTD	HTS	HTD	HTS	HTD	HTS	HTD	HTS	HTD	HTS-092-10	HTD-092																																																																																																																																																																																
1/2"	0.59	6.2	4.33	4.25	5.69	4.55	3.44	2.87	0.79	2.91	1.77	HTS-092-10	HTD-092																																																																																																																																																																																		
3/4"	0.79	6.2	4.33	4.61	5.89	4.74	3.64	3.07	0.79	2.91	1.77	HTS-092-10	HTD-092																																																																																																																																																																																		
1"	0.94	7.48	6.2	5.02	6.57	6.02	4.06	3.76	0.79	3.46	2.91	HTS-092-10	HTD-092																																																																																																																																																																																		
1 1/4"	1.18	7.48	6.2	5.53	6.69	6.14	4.17	3.9	0.79	3.46	2.91	HTS-092-10	HTD-092																																																																																																																																																																																		
1 1/2"	1.5	8.09	7.48	6.5	7.72	7.24	4.96	4.72	0.79	3.94	3.46	HTS-075-10	HTD-092																																																																																																																																																																																		
2"	1.97	10.2	7.48	7.01	8.84	7.58	5.69	5.06	0.79	4.72	3.46	HTS-092-10	HTD-092																																																																																																																																																																																		
2 1/2"	2.52	10.2	8.31	7.5	9.83	9.19	6.48	6.26	0.79	4.72	4.29	HTS-092-10	HTD-092																																																																																																																																																																																		
3"	2.99	10.2	8.31	7.99	9.9	9.47	6.75	6.54	0.79	4.72	4.29	HTS-092-10	HTD-092																																																																																																																																																																																		
4"	3.86	11.22	11.22	9.02	11.96	11.96	7.95	7.95	0.79	5.24	5.24	HTS-105-10	HTD-105																																																																																																																																																																																		
	3 way hygienic SS ball valve fitted with Haitima double / single acting pneumatic actuator												2390-008	1/4"	1	CALL																																																																																																																																																																															
													2390-010	3/8"	1	CALL																																																																																																																																																																															
													2390-015	1/2"	1	CALL																																																																																																																																																																															
													2390-020	3/4"	1	CALL																																																																																																																																																																															
													2390-025	1"	1	CALL																																																																																																																																																																															
													2390-032	1 1/4"	1	CALL																																																																																																																																																																															
													2390-040	1 1/2"	1	CALL																																																																																																																																																																															
													2390-050	2"	1	CALL																																																																																																																																																																															
																																																																																																																																																																																															
	<table border="1"> <thead> <tr> <th>NPS</th> <th>d</th> <th>D</th> <th colspan="2">W</th> <th colspan="2">L</th> <th colspan="2">H</th> <th colspan="2">H1</th> <th colspan="2">H2</th> <th colspan="2">H3</th> <th colspan="2">Actuators</th> </tr> <tr> <th></th> <th></th> <th></th> <th>HTS</th> <th>HTD</th> <th>HTS</th> <th>HTD</th> <th>HTS</th> <th>HTD</th> <th>HTS</th> <th>HTD</th> <th>HTS</th> <th>HTD</th> <th>HTS</th> <th>HTD</th> <th>HTS-092</th> <th>HTD-092</th> </tr> </thead> <tbody> <tr> <td>1/2"</td> <td>0.37</td> <td>0.5</td> <td>6.2</td> <td>4.33</td> <td>4.66</td> <td>5.45</td> <td>4.31</td> <td>3.21</td> <td>2.54</td> <td>0.79</td> <td>2.91</td> <td>1.77</td> <td>HTS-092</td> <td>HTD-092</td> <td></td> <td></td> </tr> <tr> <td>3/4"</td> <td>0.62</td> <td>0.75</td> <td>6.2</td> <td>4.33</td> <td>5</td> <td>5.59</td> <td>4.45</td> <td>3.35</td> <td>2.78</td> <td>0.79</td> <td>2.91</td> <td>1.77</td> <td>HTS-092</td> <td>HTD-092</td> <td></td> <td></td> </tr> <tr> <td>1"</td> <td>0.87</td> <td>1</td> <td>7.48</td> <td>6.2</td> <td>6</td> <td>6.57</td> <td>6.02</td> <td>4.06</td> <td>3.78</td> <td>0.79</td> <td>3.46</td> <td>2.91</td> <td>HTS-092</td> <td>HTD-092</td> <td></td> <td></td> </tr> <tr> <td>1 1/2"</td> <td>1.38</td> <td>1.5</td> <td>8.09</td> <td>7.48</td> <td>6.89</td> <td>7.59</td> <td>7.09</td> <td>4.8</td> <td>4.57</td> <td>0.79</td> <td>3.94</td> <td>3.46</td> <td>HTS-075</td> <td>HTD-092</td> <td></td> <td></td> </tr> <tr> <td>2"</td> <td>1.87</td> <td>2</td> <td>8.31</td> <td>7.48</td> <td>7.48</td> <td>8.31</td> <td>7.48</td> <td>5.37</td> <td>4.86</td> <td>0.79</td> <td>4.28</td> <td>3.46</td> <td>HTS-092</td> <td>HTD-092</td> <td></td> <td></td> </tr> <tr> <td>2 1/2"</td> <td>2.36</td> <td>2.5</td> <td>11.22</td> <td>8.31</td> <td>8.88</td> <td>9.96</td> <td>9.02</td> <td>6.56</td> <td>6.08</td> <td>0.79</td> <td>5.24</td> <td>4.28</td> <td>HTS-105</td> <td>HTD-092</td> <td></td> <td></td> </tr> <tr> <td>3"</td> <td>2.87</td> <td>3</td> <td>13.39</td> <td>11.22</td> <td>10.24</td> <td>11.83</td> <td>10.96</td> <td>7.89</td> <td>7.56</td> <td>0.79</td> <td>6.1</td> <td>5.24</td> <td>HTS-125</td> <td>HTD-105</td> <td></td> <td></td> </tr> <tr> <td>4"</td> <td>3.83</td> <td>4.02</td> <td>16.2</td> <td>11.22</td> <td>12.92</td> <td>12.87</td> <td>11.36</td> <td>8.71</td> <td>7.95</td> <td>0.79</td> <td>6.75</td> <td>5.24</td> <td>HTS-140</td> <td>HTD-105</td> <td></td> <td></td> </tr> </tbody> </table>												NPS	d	D	W		L		H		H1		H2		H3		Actuators					HTS	HTD	HTS	HTD	HTS	HTD	HTS	HTD	HTS	HTD	HTS	HTD	HTS-092	HTD-092	1/2"	0.37	0.5	6.2	4.33	4.66	5.45	4.31	3.21	2.54	0.79	2.91	1.77	HTS-092	HTD-092			3/4"	0.62	0.75	6.2	4.33	5	5.59	4.45	3.35	2.78	0.79	2.91	1.77	HTS-092	HTD-092			1"	0.87	1	7.48	6.2	6	6.57	6.02	4.06	3.78	0.79	3.46	2.91	HTS-092	HTD-092			1 1/2"	1.38	1.5	8.09	7.48	6.89	7.59	7.09	4.8	4.57	0.79	3.94	3.46	HTS-075	HTD-092			2"	1.87	2	8.31	7.48	7.48	8.31	7.48	5.37	4.86	0.79	4.28	3.46	HTS-092	HTD-092			2 1/2"	2.36	2.5	11.22	8.31	8.88	9.96	9.02	6.56	6.08	0.79	5.24	4.28	HTS-105	HTD-092			3"	2.87	3	13.39	11.22	10.24	11.83	10.96	7.89	7.56	0.79	6.1	5.24	HTS-125	HTD-105			4"	3.83	4.02	16.2	11.22	12.92	12.87	11.36	8.71	7.95	0.79	6.75	5.24	HTS-140	HTD-105											
NPS	d	D	W		L		H		H1		H2		H3		Actuators																																																																																																																																																																																
			HTS	HTD	HTS	HTD	HTS	HTD	HTS	HTD	HTS	HTD	HTS	HTD	HTS-092	HTD-092																																																																																																																																																																															
1/2"	0.37	0.5	6.2	4.33	4.66	5.45	4.31	3.21	2.54	0.79	2.91	1.77	HTS-092	HTD-092																																																																																																																																																																																	
3/4"	0.62	0.75	6.2	4.33	5	5.59	4.45	3.35	2.78	0.79	2.91	1.77	HTS-092	HTD-092																																																																																																																																																																																	
1"	0.87	1	7.48	6.2	6	6.57	6.02	4.06	3.78	0.79	3.46	2.91	HTS-092	HTD-092																																																																																																																																																																																	
1 1/2"	1.38	1.5	8.09	7.48	6.89	7.59	7.09	4.8	4.57	0.79	3.94	3.46	HTS-075	HTD-092																																																																																																																																																																																	
2"	1.87	2	8.31	7.48	7.48	8.31	7.48	5.37	4.86	0.79	4.28	3.46	HTS-092	HTD-092																																																																																																																																																																																	
2 1/2"	2.36	2.5	11.22	8.31	8.88	9.96	9.02	6.56	6.08	0.79	5.24	4.28	HTS-105	HTD-092																																																																																																																																																																																	
3"	2.87	3	13.39	11.22	10.24	11.83	10.96	7.89	7.56	0.79	6.1	5.24	HTS-125	HTD-105																																																																																																																																																																																	
4"	3.83	4.02	16.2	11.22	12.92	12.87	11.36	8.71	7.95	0.79	6.75	5.24	HTS-140	HTD-105																																																																																																																																																																																	

\*Pneumatic assembly section coming soon to our online shop

Telephone: +44(0)1386 553190

Email: sales@allvalves.co.uk

Web: www.allvalves.co.uk

Information subject to change without notice







DID YOU  
KNOW



Loose pneumatic actuators available next day!

	DESCRIPTION	CODE	SIZE	BOX QTY	PRICE
	Haitima Single Acting Pneumatic Actuator  Wide Range Available The actuator range consists of 14 sizes, with torques from 9Nm (80in.lbs) to 3,920Nm (34,660in.lbs) at 6 bar (87 psig) air supply. Construction Twin piston rack and pinion actuator design, suitable for indoor and outdoor installation.	<a href="#">AV-H052-12</a>	5.9NM	1	£43.86
		<a href="#">AV-H063-12</a>	10.7NM	1	£53.07
		<a href="#">AV-H075-12</a>	16.8NM	1	£66.67
		<a href="#">AV-H083-12</a>	23.7NM	1	£78.83
		<a href="#">AV-H092-12</a>	35.10NM	1	£91.60
		<a href="#">AV-H105-12</a>	50.20NM	1	£113.00
		<a href="#">AV-H125-12</a>	83NM	1	£164.56
		<a href="#">AV-H140-12</a>	122NM	1	£266.21
	Haitima Double Acting Pneumatic Actuator  Wide Range Available The actuator range consists of 14 sizes, with torques from 9Nm (80in.lbs) to 3,920Nm (34,660in.lbs) at 6 bar (87 psig) air supply. Construction Twin piston rack and pinion actuator design, suitable for indoor and outdoor installation.	CODE	SIZE	BOX QTY	PRICE
		<a href="#">AV-H052</a>	20.8NM	1	£36.13
		<a href="#">AV-H063</a>	36.6NM	1	£42.56
		<a href="#">AV-H075</a>	58.8NM	1	£55.10
		<a href="#">AV-H083</a>	74.20NM	1	£64.46
		<a href="#">AV-H092</a>	113.70NM	1	£71.41
		<a href="#">AV-H105</a>	169.70NM	1	£82.09
		<a href="#">AV-H125</a>	291.50NM	1	£124.41
<a href="#">AV-H140</a>	436.70NM	1	£203.31		

For bigger sizes [CLICK HERE](#)

CALL US TODAY FOR ALL YOUR PNEUMATIC ACTUATOR / ACTUATED ASSEMBLY REQUIREMENTS

Full pricing coming soon to our online 'Actuation Centre'

Loose actuators available to buy online today - [click here](#)

Below are further examples of pneumatic actuated assemblies we can offer:



Stainless steel actuator with switch box and solenoid



Actuated butterfly valve with positioner



Pneumatic with PVC 3 way ball valve



Pneumatic actuator with positioner, gearbox and PVC butterfly valve

Telephone: +44(0)1386 553190

Email: [sales@allvalves.co.uk](mailto:sales@allvalves.co.uk)

Web: [www.allvalves.co.uk](http://www.allvalves.co.uk)

Information subject to change without notice







# ALLVALVES ONLINE Actuators & Accessories



Switch boxes, solenoids and positioners held in stock available for next day delivery or collection!

PRICELIST 2013– 2014

	DESCRIPTION	CODE	SWITCHES	BOX QTY	PRICE																						
	The YT-850 has an aluminium housing with a high visibility visual position indicator, a stainless steel drive shaft and is supplied complete with a mounting bracket conforming to VDI/ VDE 3845 and Namur  	<a href="#">YT-850M</a>	Standard	1	£35.00																						
		<a href="#">YT-870M</a>	Proximity	1	£127.00																						
	<table border="0"> <tr> <td>Main air supply</td> <td>1.4 – 7 bar, 20–100 psi</td> </tr> <tr> <td>Control signal</td> <td>4-20 mA DC</td> </tr> <tr> <td>Impedance</td> <td>Max 460 Ohm/ 20mA</td> </tr> <tr> <td>Protection</td> <td>IP 66</td> </tr> <tr> <td>Linearity</td> <td>± 2% Full Scale</td> </tr> <tr> <td>Hysteresis</td> <td>1% Full Scale</td> </tr> <tr> <td>Sensitivity</td> <td>± 0.5% Full Scale</td> </tr> <tr> <td>Repeatability</td> <td>± 0.5% Full Scale</td> </tr> <tr> <td>Air consumption</td> <td>3 l/min @ 1.4 b supply</td> </tr> <tr> <td>Flow capacity</td> <td>80 l/min @ 1.4 b supply</td> </tr> <tr> <td>Housing</td> <td>Aluminium</td> </tr> </table>	Main air supply	1.4 – 7 bar, 20–100 psi	Control signal	4-20 mA DC	Impedance	Max 460 Ohm/ 20mA	Protection	IP 66	Linearity	± 2% Full Scale	Hysteresis	1% Full Scale	Sensitivity	± 0.5% Full Scale	Repeatability	± 0.5% Full Scale	Air consumption	3 l/min @ 1.4 b supply	Flow capacity	80 l/min @ 1.4 b supply	Housing	Aluminium	<a href="#">YT-1000R</a>	Yes	1	£561.00
		Main air supply	1.4 – 7 bar, 20–100 psi																								
Control signal	4-20 mA DC																										
Impedance	Max 460 Ohm/ 20mA																										
Protection	IP 66																										
Linearity	± 2% Full Scale																										
Hysteresis	1% Full Scale																										
Sensitivity	± 0.5% Full Scale																										
Repeatability	± 0.5% Full Scale																										
Air consumption	3 l/min @ 1.4 b supply																										
Flow capacity	80 l/min @ 1.4 b supply																										
Housing	Aluminium																										
	<table border="0"> <tr> <td>Valve body</td> <td>Aluminium</td> </tr> <tr> <td>Seals</td> <td>NBR</td> </tr> <tr> <td>Nominal bore</td> <td>6mm</td> </tr> <tr> <td>Min/Max Pressure</td> <td>1.5/ 10 bar</td> </tr> <tr> <td>Temperature range</td> <td>+5 to +80C</td> </tr> <tr> <td>Ambient temperature</td> <td>+50C max</td> </tr> <tr> <td>Supply voltages</td> <td>24V DC 24, 110 &amp; 240V AC</td> </tr> <tr> <td>Protection class</td> <td>IP65</td> </tr> <tr> <td>Duty cycle</td> <td>100% (continuous)</td> </tr> </table>	Valve body	Aluminium	Seals	NBR	Nominal bore	6mm	Min/Max Pressure	1.5/ 10 bar	Temperature range	+5 to +80C	Ambient temperature	+50C max	Supply voltages	24V DC 24, 110 & 240V AC	Protection class	IP65	Duty cycle	100% (continuous)	<a href="#">110V</a>	No	1	£31.00				
		Valve body	Aluminium																								
		Seals	NBR																								
		Nominal bore	6mm																								
		Min/Max Pressure	1.5/ 10 bar																								
Temperature range	+5 to +80C																										
Ambient temperature	+50C max																										
Supply voltages	24V DC 24, 110 & 240V AC																										
Protection class	IP65																										
Duty cycle	100% (continuous)																										
<a href="#">240V</a>	No	1	£31.00																								
<a href="#">24VAC</a>	No	1	£31.00																								
<a href="#">24VDC</a>	No	1	£31.00																								

CALL US TODAY FOR ALL YOUR PNEUMATIC ACTUATOR ACCESSORIES INCLUDING:



Smart Positioners



Air Volume Boosters



Stainless Steel ATEX switchboxes



Snap Acting Relays

Telephone: +44(0)1386 553190

Email: [sales@allvalves.co.uk](mailto:sales@allvalves.co.uk)

Web: [www.allvalves.co.uk](http://www.allvalves.co.uk)

Information subject to change without notice