




ALLVALVES
O N L I N E

Industrial Valves

PRICELIST 2013 – 2014



Telephone: +44(0)1386 553190


Email: sales@allvalves.co.uk

Web: www.allvalves.co.uk

Information subject to change without notice



GENEBRE



hidroten





ALLVALVES
O N L I N E

Industrial Valves

We do 25% off for customers who sign up for an online account today!
25% OFF
Click Here

CONTACT US TODAY

PRICELIST 2013– 2014



Allvalves Online Ltd
Automation House
Unit 2, Lyttleton Road
Racecourse Industrial Estate
Pershore, Worcestershire
United Kingdom, WR10 2DF



sales@allvalves.co.uk



Phone: +44 (0)1386 553190

Fax: +44 (0)1386 554227

Allvalves Online Pricing Structure explained:

The prices shown within this document and for the products shown on the website for this range are List prices which are eligible for a discount to be applied based on two things;

- 1 - You must be logged into our site to see the discounts available for the product you are looking at.
- 2 - The more you buy the more you save, the discount is quantity based due to the fittings being sold as box quantities.

To sign up for an account today - [click here](#)


*Please note that if 'No' discount is showing for the product of choice, this item has been priced as special net prices.

Payment Options:

You can securely purchase the required items through the following payment options:

- 1 - **SagePay** secure payment system. Payment taken online using your Visa / MasterCard debit or credit card.
- 2 - **Paypal**. Use your Paypal account to pay for the goods you require.
- 3 - **Proforma Invoice** - If you would prefer us supply you with a proforma invoice this can be done by contacting the sales team on the details below. This can be paid by cheque, BACS or card payment over the phone.
- 4 - **30 Day credit account** - If you would prefer to setup a 30 day credit account this can be done by completing our Account Application form (available on request) we then carry out a Risk Disk credit check on your company. You can then place orders at ease either online or by contacting the sales office. If you choose online, when you log in, the account is setup for 30 days. You checkout as usual but the order will come through to us with no payment being taken at that stage.

DID YOU
KNOW  **Explained**

Around the website you will see the following icon by clicking on this icon,  additional information about the item you are looking at will appear such as stock availability for this item.

Telephone: +44(0)1386 553190

Email: sales@allvalves.co.uk

Web: www.allvalves.co.uk

*If viewing this document as a PDF, simply click on the code to view the product on our website.

Information subject to change without notice



View our Industrial valve range below or simply click on one of the links below to go to the product section on the website.

PRICELIST 2013– 2014



[BALL VALVES](#)



[BUTTERFLY VALVES](#)



[GATE VALVES](#)



[GLOBE VALVES](#)



[CHECK VALVES](#)



[STRAINER VALVES](#)



[SPECIALIST VALVES](#)



[FLOAT VALVES](#)



[PVC VALVES](#)

Telephone: +44(0)1386 553190

Email: sales@allvalves.co.uk









Web: www.allvalves.co.uk

*If viewing this document as a PDF, simply click on the code to view the product on our website.



We stock the products shown in this document here in the UK and also in Spain. Delivery only ever 1 week to your door.

PRICELIST 2013– 2014

	DESCRIPTION	CODE	SIZE	BOX QTY	BOX £																																													
	<p>1 pc reduced bore ball valve Constr.: polished AISI 316 Seats PTFE+GF Gas threaded Ends DIN 2999. PN-63 Temp. -25°C + 180°C. Manually operated by handle.</p> <table border="1"> <thead> <tr> <th>MED.</th> <th>P</th> <th>A</th> <th>L</th> <th>M</th> </tr> </thead> <tbody> <tr> <td>1/4"</td> <td>5</td> <td>30</td> <td>40</td> <td>65</td> </tr> <tr> <td>3/8"</td> <td>7</td> <td>30</td> <td>45</td> <td>82</td> </tr> <tr> <td>1/2"</td> <td>9</td> <td>55</td> <td>57</td> <td>108</td> </tr> </tbody> </table> 	MED.	P	A	L	M	1/4"	5	30	40	65	3/8"	7	30	45	82	1/2"	9	55	57	108	2002_02	1/4"	40	£456.49																									
		MED.	P	A	L	M																																												
		1/4"	5	30	40	65																																												
		3/8"	7	30	45	82																																												
1/2"	9	55	57	108																																														
2002_03	3/8"	20	£239.64																																															
2002_04	1/2"	15	£230.41																																															
	<p>1 pc reduced bore ball valve Art.2002. NPT ANSI b2.1 thread Art.2004. gas DIN 2999 thread Const. stainless steel CF8M (316). Investment. Casting. Seats: PTFE + GF PN-63 temp. -25°C + 180°C Manually operated by handle.</p> <table border="1"> <thead> <tr> <th>MED.</th> <th>P</th> <th>A</th> <th>L</th> <th>M</th> </tr> </thead> <tbody> <tr> <td>1/4"</td> <td>4.6</td> <td>32</td> <td>39</td> <td>60</td> </tr> <tr> <td>3/8"</td> <td>6.8</td> <td>36</td> <td>44</td> <td>80</td> </tr> <tr> <td>1/2"</td> <td>9.2</td> <td>42</td> <td>56</td> <td>87</td> </tr> <tr> <td>3/4"</td> <td>12.5</td> <td>45</td> <td>59</td> <td>87</td> </tr> <tr> <td>1"</td> <td>15</td> <td>50</td> <td>69</td> <td>106</td> </tr> <tr> <td>1 1/4"</td> <td>20</td> <td>54</td> <td>77</td> <td>106</td> </tr> <tr> <td>1 1/2"</td> <td>25</td> <td>70</td> <td>81</td> <td>125</td> </tr> <tr> <td>2"</td> <td>32</td> <td>78</td> <td>97</td> <td>140</td> </tr> </tbody> </table> 	MED.	P	A	L	M	1/4"	4.6	32	39	60	3/8"	6.8	36	44	80	1/2"	9.2	42	56	87	3/4"	12.5	45	59	87	1"	15	50	69	106	1 1/4"	20	54	77	106	1 1/2"	25	70	81	125	2"	32	78	97	140	2002_02	1/4"	40	£327.64
		MED.	P	A	L	M																																												
		1/4"	4.6	32	39	60																																												
		3/8"	6.8	36	44	80																																												
		1/2"	9.2	42	56	87																																												
		3/4"	12.5	45	59	87																																												
		1"	15	50	69	106																																												
		1 1/4"	20	54	77	106																																												
		1 1/2"	25	70	81	125																																												
		2"	32	78	97	140																																												
2002_03	3/8"	20	£170.10																																															
2002_04	1/2"	15	£142.02																																															
2002_05	3/4"	10	£121.98																																															
2002_06	1"	5	£79.75																																															
2002_07	1 1/4"	4	£136.24																																															
2002_08	1 1/2"	4	£113.69																																															
2002_09	2"	1	£84.27																																															
	<p>1pc reduced bore ball valve M-F Const. polished stainless steel AISI 316. M-F gas threaded ends. DIN 2999 PN-63. Seats: PTFE+GF. Temp. -25°C + 180°C manually operated.</p> <table border="1"> <thead> <tr> <th>MED.</th> <th>P</th> <th>A</th> <th>L</th> <th>M</th> </tr> </thead> <tbody> <tr> <td>1/4"</td> <td>8</td> <td>26</td> <td>40</td> <td>22</td> </tr> <tr> <td>3/8"</td> <td>8</td> <td>26</td> <td>40</td> <td>22</td> </tr> <tr> <td>1/2"</td> <td>10</td> <td>28</td> <td>46</td> <td>22</td> </tr> <tr> <td>3/4"</td> <td>12</td> <td>34</td> <td>54</td> <td>22</td> </tr> <tr> <td>1"</td> <td>15</td> <td>34</td> <td>65</td> <td>22</td> </tr> </tbody> </table> 	MED.	P	A	L	M	1/4"	8	26	40	22	3/8"	8	26	40	22	1/2"	10	28	46	22	3/4"	12	34	54	22	1"	15	34	65	22	2005_02	1/4"	20	£168.53															
		MED.	P	A	L	M																																												
		1/4"	8	26	40	22																																												
		3/8"	8	26	40	22																																												
		1/2"	10	28	46	22																																												
		3/4"	12	34	54	22																																												
1"	15	34	65	22																																														
2005_03	3/8"	20	£168.53																																															
2005_04	1/2"	20	£199.57																																															
2005_05	3/4"	15	£198.29																																															
2005_06	1"	6	£105.83																																															
	<p>1pc reduced bore ball valve F-F Const. polished stainless steel AISI 316. Seats: PTFE+GF F-F gas DIN 2999 threaded ends. Temp. -25°C + 180°C. Manually operated.</p> <table border="1"> <thead> <tr> <th>MED.</th> <th>P</th> <th>A</th> <th>L</th> <th>M</th> </tr> </thead> <tbody> <tr> <td>1/4"</td> <td>8</td> <td>26</td> <td>42</td> <td>22</td> </tr> <tr> <td>3/8"</td> <td>8</td> <td>26</td> <td>42</td> <td>22</td> </tr> <tr> <td>1/2"</td> <td>10</td> <td>28</td> <td>46</td> <td>22</td> </tr> <tr> <td>3/4"</td> <td>12</td> <td>34</td> <td>54</td> <td>22</td> </tr> <tr> <td>1"</td> <td>15</td> <td>34</td> <td>65</td> <td>22</td> </tr> </tbody> </table> 	MED.	P	A	L	M	1/4"	8	26	42	22	3/8"	8	26	42	22	1/2"	10	28	46	22	3/4"	12	34	54	22	1"	15	34	65	22	2006_02	1/4"	20	£168.53															
		MED.	P	A	L	M																																												
		1/4"	8	26	42	22																																												
		3/8"	8	26	42	22																																												
		1/2"	10	28	46	22																																												
		3/4"	12	34	54	22																																												
1"	15	34	65	22																																														
2006_03	3/8"	20	£168.53																																															
2006_04	1/2"	20	£199.57																																															
2006_05	3/4"	15	£198.29																																															
2006_06	1"	8	£105.83																																															

*If viewing this document as a PDF, simply click on the code to view the product on our website.

Telephone: +44(0)1386 553190

Email: sales@allvalves.co.uk

Web: www.allvalves.co.uk

Information subject to change without notice



We stock the products shown in this document here in the UK and also in Spain. Delivery only ever 1 week to your door.

PRICELIST 2013– 2014

	DESCRIPTION	CODE	SIZE	BOX QTY	BOX £																																													
	<p>2 pcs standard bore ball valve Const: stainless steel CF8M (316). Investment casting. Seats and seals: PTFE +GF ends: gas threaded ends DIN 2999. PN140. Temp -25°C +180°C. Manually operated by handle with locking system</p> <table border="1"> <thead> <tr> <th>MED.</th> <th>P</th> <th>A</th> <th>L</th> <th>M</th> </tr> </thead> <tbody> <tr> <td>1/4"</td> <td>9.5</td> <td>42</td> <td>54</td> <td>105</td> </tr> <tr> <td>3/8"</td> <td>9.5</td> <td>42</td> <td>54</td> <td>105</td> </tr> <tr> <td>1/2"</td> <td>13</td> <td>46</td> <td>61.5</td> <td>105</td> </tr> <tr> <td>3/4"</td> <td>17.5</td> <td>53</td> <td>72</td> <td>147</td> </tr> <tr> <td>1"</td> <td>22</td> <td>58</td> <td>84.5</td> <td>147</td> </tr> <tr> <td>1 1/4"</td> <td>25.4</td> <td>68</td> <td>92</td> <td>193</td> </tr> <tr> <td>1 1/2"</td> <td>31.7</td> <td>72</td> <td>103</td> <td>193</td> </tr> <tr> <td>2"</td> <td>38.1</td> <td>78</td> <td>118</td> <td>193</td> </tr> </tbody> </table> 	MED.	P	A	L	M	1/4"	9.5	42	54	105	3/8"	9.5	42	54	105	1/2"	13	46	61.5	105	3/4"	17.5	53	72	147	1"	22	58	84.5	147	1 1/4"	25.4	68	92	193	1 1/2"	31.7	72	103	193	2"	38.1	78	118	193	GE2014_02	1/4"	12	£111.96
		MED.	P	A	L	M																																												
		1/4"	9.5	42	54	105																																												
		3/8"	9.5	42	54	105																																												
		1/2"	13	46	61.5	105																																												
		3/4"	17.5	53	72	147																																												
		1"	22	58	84.5	147																																												
		1 1/4"	25.4	68	92	193																																												
		1 1/2"	31.7	72	103	193																																												
		2"	38.1	78	118	193																																												
GE2014_03	3/8"	12	£111.96																																															
GE2014_04	1/2"	10	£98.80																																															
GE2014_05	3/4"	6	£81.32																																															
GE2014_06	1"	4	£73.23																																															
GE2014_07	1 1/4"	8	£228.17																																															
GE2014_08	1 1/2"	6	£244.78																																															
GE2014_09	2"	3	£196.11																																															
	<p>2pcs full bore ball valve Const: stainless steel CF8M (316). Investment casting. Gas threaded F-F DIN 2999. Seats: PTFE + 15% GF. O'ring stem: viton. PN 63. temp. -25°C. +180°C. Butterfly handle.</p> <table border="1"> <thead> <tr> <th>MED.</th> <th>A</th> <th>L</th> <th>M</th> </tr> </thead> <tbody> <tr> <td>1/4"</td> <td>32</td> <td>45</td> <td>50</td> </tr> <tr> <td>3/8"</td> <td>32</td> <td>45</td> <td>50</td> </tr> <tr> <td>1/2"</td> <td>41</td> <td>55</td> <td>50</td> </tr> </tbody> </table> 	MED.	A	L	M	1/4"	32	45	50	3/8"	32	45	50	1/2"	41	55	50	CODE	SIZE	BOX QTY	PRICE																													
		MED.	A	L	M																																													
		1/4"	32	45	50																																													
3/8"	32	45	50																																															
1/2"	41	55	50																																															
GE2009_02	1/4"	15	£155.57																																															
GE2009_03	3/8"	15	£155.57																																															
GE2009_04	1/2"	10	£113.73																																															
	<p>2 pcs full bore ball valve Const: stainless steel CF8M (316). Investment casting. Gas threaded M-F DIN 2999. Seats: PTFE + 15% GF. O'ring stem: viton. PN 63. Temp. -25°C. +180°C. Butterfly handle.</p> <table border="1"> <thead> <tr> <th>MED.</th> <th>A</th> <th>L</th> <th>M</th> </tr> </thead> <tbody> <tr> <td>1/4"</td> <td>32</td> <td>56</td> <td>50</td> </tr> <tr> <td>3/8"</td> <td>32</td> <td>56</td> <td>50</td> </tr> <tr> <td>1/2"</td> <td>41</td> <td>63</td> <td>50</td> </tr> </tbody> </table> 	MED.	A	L	M	1/4"	32	56	50	3/8"	32	56	50	1/2"	41	63	50	CODE	SIZE	BOX QTY	PRICE																													
		MED.	A	L	M																																													
		1/4"	32	56	50																																													
3/8"	32	56	50																																															
1/2"	41	63	50																																															
GE2010_02	1/4"	10	£108.82																																															
GE2010_03	3/8"	10	£108.82																																															
GE2010_04	1/2"	8	£95.54																																															
	<p>2 pcs full bore ball valve (2014NPT thread) BSP thread, also available with NPT thread (2014N) Const. stainless steel. CF8M (316) investment casting. Gas threaded ends DIN 2999. Seats and seals: PTFE + 15% GF. O'ring stem: viton. PN 63. Temp. -25°C. +180°C. Manually operated by handle with locking system.</p> <table border="1"> <thead> <tr> <th>MED.</th> <th>A</th> <th>M</th> <th>L</th> </tr> </thead> <tbody> <tr> <td>1/4"</td> <td>50</td> <td>104</td> <td>50</td> </tr> <tr> <td>3/8"</td> <td>50</td> <td>104</td> <td>50</td> </tr> <tr> <td>1/2"</td> <td>51.5</td> <td>104</td> <td>55</td> </tr> <tr> <td>3/4"</td> <td>62</td> <td>122</td> <td>70</td> </tr> <tr> <td>1"</td> <td>65</td> <td>122</td> <td>83</td> </tr> <tr> <td>1 1/4"</td> <td>82</td> <td>180</td> <td>91</td> </tr> <tr> <td>1 1/2"</td> <td>88</td> <td>205</td> <td>103</td> </tr> <tr> <td>2"</td> <td>106</td> <td>219</td> <td>120</td> </tr> <tr> <td>2 1/2"</td> <td>119</td> <td>240</td> <td>152</td> </tr> <tr> <td>3"</td> <td>135</td> <td>275</td> <td>172</td> </tr> </tbody> </table> 	MED.	A	M	L	1/4"	50	104	50	3/8"	50	104	50	1/2"	51.5	104	55	3/4"	62	122	70	1"	65	122	83	1 1/4"	82	180	91	1 1/2"	88	205	103	2"	106	219	120	2 1/2"	119	240	152	3"	135	275	172	CODE	SIZE	BOX QTY	PRICE	
		MED.	A	M	L																																													
		1/4"	50	104	50																																													
		3/8"	50	104	50																																													
		1/2"	51.5	104	55																																													
		3/4"	62	122	70																																													
		1"	65	122	83																																													
		1 1/4"	82	180	91																																													
		1 1/2"	88	205	103																																													
		2"	106	219	120																																													
2 1/2"	119	240	152																																															
3"	135	275	172																																															
GE2014_02	1/4"	12	£117.62																																															
GE2014_03	3/8"	12	£117.62																																															
GE2014_04	1/2"	10	£103.71																																															
GE2014_05	3/4"	6	£85.44																																															
GE2014_06	1"	4	£76.92																																															
GE2014_07	1 1/4"	8	£239.64																																															
GE2014_08	1 1/2"	6	£257.04																																															
GE2014_09	2"	3	£205.89																																															

Information subject to change without notice



We stock the products shown in this document here in the UK and also in Spain. Delivery only ever 1 week to your door.

PRICELIST 2013– 2014

	DESCRIPTION	CODE	SIZE	BOX QTY	BOX £																																																																														
	<p>2 pcs full bore ball valve Const. AISI 316 seats and seals PTFE + GF gas threaded ends DIN 2999. O'ring stem: viton. PN-63. Temp. -25°C+180°C. Manually operated by handle. Direct assembling ISO 5211 with locking system.</p> <table border="1"> <thead> <tr> <th>MED.</th> <th>A</th> <th>M</th> <th>L</th> <th>ISO 5211</th> </tr> </thead> <tbody> <tr><td>1/4"</td><td>62</td><td>112</td><td>50</td><td>F-03</td></tr> <tr><td>3/8"</td><td>62</td><td>112</td><td>50</td><td>F-03</td></tr> <tr><td>1/2"</td><td>63</td><td>112</td><td>55</td><td>F-04</td></tr> <tr><td>3/4"</td><td>70</td><td>138</td><td>70</td><td>F-04F-05</td></tr> <tr><td>1"</td><td>70</td><td>160</td><td>83</td><td>F-04F-05</td></tr> <tr><td>1 1/4"</td><td>88</td><td>160</td><td>91</td><td>F-05F-07</td></tr> <tr><td>1 1/2"</td><td>94</td><td>205</td><td>103</td><td>F-05F-07</td></tr> <tr><td>2"</td><td>100</td><td>205</td><td>120</td><td>F-05F-07</td></tr> </tbody> </table> 	MED.	A	M	L	ISO 5211	1/4"	62	112	50	F-03	3/8"	62	112	50	F-03	1/2"	63	112	55	F-04	3/4"	70	138	70	F-04F-05	1"	70	160	83	F-04F-05	1 1/4"	88	160	91	F-05F-07	1 1/2"	94	205	103	F-05F-07	2"	100	205	120	F-05F-07	GE2015_02	1/4"	8	£123.35																																	
		MED.	A	M	L	ISO 5211																																																																													
		1/4"	62	112	50	F-03																																																																													
		3/8"	62	112	50	F-03																																																																													
		1/2"	63	112	55	F-04																																																																													
		3/4"	70	138	70	F-04F-05																																																																													
		1"	70	160	83	F-04F-05																																																																													
		1 1/4"	88	160	91	F-05F-07																																																																													
		1 1/2"	94	205	103	F-05F-07																																																																													
		2"	100	205	120	F-05F-07																																																																													
GE2015_03	3/8"	8	£123.35																																																																																
GE2015_04	1/2"	6	£99.00																																																																																
GE2015_05	3/4"	3	£75.25																																																																																
GE2015_06	1"	2	£62.35																																																																																
GE2015_07	1 1/4"	2	£91.89																																																																																
GE2015_08	1 1/2"	2	£118.25																																																																																
GE2015_09	2"	1	£85.41																																																																																
	<p>3 pcs full bore ball valve (2025n npt thread) BSP thread, also available with NPT thread (2025N) Const.: stainless steel CF8M (316) investment casting gas thread DIN 2999. Seats and seals: PTFE +15% GF o'ring stem: viton PN-63. Temp. -25°C + 180°C. Direct assembling ISO 5211 with locking system.</p> <table border="1"> <thead> <tr> <th>MED.</th> <th>P</th> <th>L</th> <th>A</th> <th>M</th> <th>ISO 5211</th> </tr> </thead> <tbody> <tr><td>1/4"</td><td>11</td><td>47.6</td><td>60</td><td>112</td><td>F-03</td></tr> <tr><td>3/8"</td><td>12.7</td><td>47.6</td><td>60</td><td>112</td><td>F-03</td></tr> <tr><td>1/2"</td><td>15</td><td>56</td><td>60</td><td>112</td><td>F-03F-04</td></tr> <tr><td>3/4"</td><td>20</td><td>73</td><td>70</td><td>138</td><td>F-04F-05</td></tr> <tr><td>1"</td><td>25</td><td>82</td><td>70</td><td>138</td><td>F-04F-05</td></tr> <tr><td>1 1/4"</td><td>32</td><td>91</td><td>88</td><td>160</td><td>F-05F-07</td></tr> <tr><td>1 1/2"</td><td>40</td><td>104</td><td>94</td><td>205</td><td>F-05F-07</td></tr> <tr><td>2"</td><td>50</td><td>120</td><td>100</td><td>205</td><td>F-05F-07</td></tr> <tr><td>2 1/2"</td><td>65</td><td>155</td><td>150</td><td>330</td><td>F-07F-10</td></tr> <tr><td>3"</td><td>80</td><td>182</td><td>165</td><td>330</td><td>F-07F-10</td></tr> <tr><td>4"</td><td>100</td><td>220</td><td>175</td><td>340</td><td>F-07F-10</td></tr> </tbody> </table> 	MED.	P	L	A	M	ISO 5211	1/4"	11	47.6	60	112	F-03	3/8"	12.7	47.6	60	112	F-03	1/2"	15	56	60	112	F-03F-04	3/4"	20	73	70	138	F-04F-05	1"	25	82	70	138	F-04F-05	1 1/4"	32	91	88	160	F-05F-07	1 1/2"	40	104	94	205	F-05F-07	2"	50	120	100	205	F-05F-07	2 1/2"	65	155	150	330	F-07F-10	3"	80	182	165	330	F-07F-10	4"	100	220	175	340	F-07F-10	CODE	SIZE	BOX QTY	PRICE						
		MED.	P	L	A	M	ISO 5211																																																																												
		1/4"	11	47.6	60	112	F-03																																																																												
		3/8"	12.7	47.6	60	112	F-03																																																																												
		1/2"	15	56	60	112	F-03F-04																																																																												
		3/4"	20	73	70	138	F-04F-05																																																																												
		1"	25	82	70	138	F-04F-05																																																																												
		1 1/4"	32	91	88	160	F-05F-07																																																																												
		1 1/2"	40	104	94	205	F-05F-07																																																																												
		2"	50	120	100	205	F-05F-07																																																																												
2 1/2"	65	155	150	330	F-07F-10																																																																														
3"	80	182	165	330	F-07F-10																																																																														
4"	100	220	175	340	F-07F-10																																																																														
GE2025_02	1/4"	8	£119.47																																																																																
GE2025_03	3/8"	8	£119.47																																																																																
GE2025_04	1/2"	6	£95.72																																																																																
GE2025_05	3/4"	3	£74.80																																																																																
GE2025_06	1"	2	£60.14																																																																																
GE2025_07	1 1/4"	8	£389.13																																																																																
GE2025_08	1 1/2"	4	£254.67																																																																																
GE2025_09	2"	2	£183.29																																																																																
	<p>3 Ways ball valve reduced bore Art. 2040: "L" bore / Art. 2041: "T" bore Const.: AISI 316; Four seats PTFE + GF body and stem seats: PTFE o'ring stem: Viton. Gas threaded ends DIN 2999. PN 63. Temp. -25°C + 180°C. Direct assembling S/ISO 5211. Manually operated by handle with locking system.</p> <table border="1"> <thead> <tr> <th>ART.</th> <th>PASS</th> <th>1</th> <th>2</th> <th>3</th> <th>4</th> </tr> </thead> <tbody> <tr> <td>2040</td> <td>L</td> <td>⊕</td> <td>⊕</td> <td>⊕</td> <td>⊕</td> </tr> <tr> <td>2041</td> <td>T</td> <td>⊕</td> <td>⊕</td> <td>⊕</td> <td>⊕</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>MED.</th> <th>P</th> <th>A</th> <th>B</th> <th>L</th> <th>M</th> </tr> </thead> <tbody> <tr><td>1/4"</td><td>9.5</td><td>66</td><td>57.5</td><td>75</td><td>130</td></tr> <tr><td>3/8"</td><td>11</td><td>66</td><td>57.5</td><td>75</td><td>130</td></tr> <tr><td>1/2"</td><td>12</td><td>66</td><td>57.5</td><td>75</td><td>130</td></tr> <tr><td>3/4"</td><td>15</td><td>72</td><td>65.5</td><td>85</td><td>161</td></tr> <tr><td>1"</td><td>20</td><td>77</td><td>79</td><td>100</td><td>161</td></tr> <tr><td>1 1/4"</td><td>25</td><td>92</td><td>97</td><td>122</td><td>203</td></tr> <tr><td>1 1/2"</td><td>32</td><td>96</td><td>106.5</td><td>131</td><td>203</td></tr> <tr><td>2"</td><td>40</td><td>107</td><td>129</td><td>158</td><td>203</td></tr> <tr><td>2 1/2"</td><td>49</td><td>135</td><td>145</td><td>178</td><td>254</td></tr> </tbody> </table> 	ART.	PASS	1	2	3	4	2040	L	⊕	⊕	⊕	⊕	2041	T	⊕	⊕	⊕	⊕	MED.	P	A	B	L	M	1/4"	9.5	66	57.5	75	130	3/8"	11	66	57.5	75	130	1/2"	12	66	57.5	75	130	3/4"	15	72	65.5	85	161	1"	20	77	79	100	161	1 1/4"	25	92	97	122	203	1 1/2"	32	96	106.5	131	203	2"	40	107	129	158	203	2 1/2"	49	135	145	178	254	CODE	SIZE	BOX QTY	PRICE
		ART.	PASS	1	2	3	4																																																																												
		2040	L	⊕	⊕	⊕	⊕																																																																												
		2041	T	⊕	⊕	⊕	⊕																																																																												
		MED.	P	A	B	L	M																																																																												
		1/4"	9.5	66	57.5	75	130																																																																												
		3/8"	11	66	57.5	75	130																																																																												
		1/2"	12	66	57.5	75	130																																																																												
		3/4"	15	72	65.5	85	161																																																																												
		1"	20	77	79	100	161																																																																												
1 1/4"	25	92	97	122	203																																																																														
1 1/2"	32	96	106.5	131	203																																																																														
2"	40	107	129	158	203																																																																														
2 1/2"	49	135	145	178	254																																																																														
GE2040_02	1/4"	6	£293.93																																																																																
GE2040_03	3/8"	6	£293.93																																																																																
GE2040_04	1/2"	6	£293.93																																																																																
GE2040_05	3/4"	3	£190.04																																																																																
GE2040_06	1"	2	£174.82																																																																																
GE2040_07	1 1/4"	2	£279.87																																																																																
GE2040_08	1 1/2"	1	£188.57																																																																																
GE2040_09	2"	1	£312.37																																																																																
	<p>Needle valve – 6000 Lbs Also available with NPT thread (2225N) Construction: Stainless steel A182 F316 / Needle stainless steel A182 F316+ Heat treatment. Stem packing PTFE. Max. working pressure 410 bar. Working temperature -54 °C to 250 °C</p> <table border="1"> <thead> <tr> <th>MED.</th> <th>E</th> <th>H</th> <th>L</th> <th>M</th> <th>K</th> </tr> </thead> <tbody> <tr><td>1/4"</td><td>25.5</td><td>90</td><td>61</td><td>55</td><td>4</td></tr> <tr><td>3/8"</td><td>25.5</td><td>90</td><td>61</td><td>55</td><td>4</td></tr> <tr><td>1/2"</td><td>28.5</td><td>92</td><td>68</td><td>55</td><td>5</td></tr> <tr><td>3/4"</td><td>38</td><td>98</td><td>76</td><td>55</td><td>6</td></tr> <tr><td>1"</td><td>44.5</td><td>108</td><td>85</td><td>55</td><td>8</td></tr> </tbody> </table> 	MED.	E	H	L	M	K	1/4"	25.5	90	61	55	4	3/8"	25.5	90	61	55	4	1/2"	28.5	92	68	55	5	3/4"	38	98	76	55	6	1"	44.5	108	85	55	8	CODE	SIZE	BOX QTY	PRICE																																										
		MED.	E	H	L	M	K																																																																												
		1/4"	25.5	90	61	55	4																																																																												
		3/8"	25.5	90	61	55	4																																																																												
		1/2"	28.5	92	68	55	5																																																																												
		3/4"	38	98	76	55	6																																																																												
1"	44.5	108	85	55	8																																																																														
GE2225_02	1/4"	20	£765.27																																																																																
GE2225_03	3/8"	20	£871.88																																																																																
GE2225_04	1/2"	15	£659.99																																																																																
GE2225_05	3/4"	8	£513.22																																																																																
GE2225_06	1"	6	£529.40																																																																																

*If viewing this document as a PDF, simply click on the code to view the product on our website.

Information subject to change without notice











DID YOU
KNOW



We stock the products shown in this document here in the UK and also in Spain. Delivery only ever 1 week to your door.

PRICELIST 2013– 2014

	DESCRIPTION	CODE	SIZE	BOX QTY	PRICE																																																																																
	<p>Tank bottom full bore ball valve. Const. stainless steel CF8M (316) and 316I (tank bottom). Ends: gas thread DIN 2999 and tank bottom. Seats: PTFE + 15% PV O'ring stem: viton. PN 63. Temp. -25 °C + 180 °C. Direct assembling ISO 5211. Manually operated by handle with locking system.</p> <table border="1"> <thead> <tr> <th>MED.</th> <th>A</th> <th>L</th> <th>M</th> <th>T</th> </tr> </thead> <tbody> <tr><td>1/2"</td><td>60</td><td>65.5</td><td>112</td><td>24</td></tr> <tr><td>3/4"</td><td>70</td><td>76.2</td><td>138</td><td>30</td></tr> <tr><td>1"</td><td>70</td><td>83.3</td><td>138</td><td>33.5</td></tr> <tr><td>1 1/4"</td><td>88</td><td>91.3</td><td>160</td><td>41.5</td></tr> <tr><td>1 1/2"</td><td>94</td><td>103.3</td><td>205</td><td>51.5</td></tr> <tr><td>2"</td><td>100</td><td>116.5</td><td>205</td><td>63</td></tr> <tr><td>2 1/2"</td><td>150</td><td>147.3</td><td>330</td><td>83.5</td></tr> <tr><td>3"</td><td>165</td><td>169</td><td>330</td><td>100</td></tr> <tr><td>4"</td><td>175</td><td>198</td><td>340</td><td>118.5</td></tr> </tbody> </table> 	MED.	A	L	M	T	1/2"	60	65.5	112	24	3/4"	70	76.2	138	30	1"	70	83.3	138	33.5	1 1/4"	88	91.3	160	41.5	1 1/2"	94	103.3	205	51.5	2"	100	116.5	205	63	2 1/2"	150	147.3	330	83.5	3"	165	169	330	100	4"	175	198	340	118.5	GE2052_04	1/2"	1	£139.43																														
		MED.	A	L	M	T																																																																															
		1/2"	60	65.5	112	24																																																																															
		3/4"	70	76.2	138	30																																																																															
		1"	70	83.3	138	33.5																																																																															
		1 1/4"	88	91.3	160	41.5																																																																															
		1 1/2"	94	103.3	205	51.5																																																																															
		2"	100	116.5	205	63																																																																															
		2 1/2"	150	147.3	330	83.5																																																																															
		3"	165	169	330	100																																																																															
		4"	175	198	340	118.5																																																																															
GE2052_05	3/4"	1	£163.58																																																																																		
GE2052_06	1"	1	£183.19																																																																																		
GE2052_07	1 1/4"	1	£312.59																																																																																		
GE2052_08	1 1/2"	1	£327.86																																																																																		
GE2052_09	2"	1	£430.07																																																																																		
GE2052_10	2 1/2"	1	£679.53																																																																																		
GE2052_11	3"	1	£860.18																																																																																		
	<p>Wafer type butterfly valve Mounting between flanges PN 10/16 - ANSI 150 lbs. Body, stem and disc: stainless steel 316 (CF8M). Seat: PTFE with EPDM backup ring. Temp. -25 °C +180 °C. Manually operated by stainless steel handle until 5", from 5" with gear operator. Face to face according to DIN 3202 k1. Art. 5104 from 2" to 5" with gear operator.</p> <table border="1"> <thead> <tr> <th>MED.</th> <th>L</th> <th>A1</th> <th>A2</th> <th>D</th> <th>P</th> </tr> </thead> <tbody> <tr><td>2"</td><td>43</td><td>168</td><td>74</td><td>65</td><td>270</td></tr> <tr><td>2 1/2"</td><td>46</td><td>170</td><td>82</td><td>65</td><td>270</td></tr> <tr><td>3"</td><td>46</td><td>170</td><td>90</td><td>65</td><td>270</td></tr> <tr><td>4"</td><td>52</td><td>190</td><td>116</td><td>90</td><td>270</td></tr> <tr><td>5"</td><td>56</td><td>206</td><td>132</td><td>90</td><td>270</td></tr> <tr><td>6"</td><td>56</td><td>222</td><td>145</td><td>90</td><td>***</td></tr> <tr><td>8"</td><td>60</td><td>274</td><td>180</td><td>125</td><td>***</td></tr> </tbody> </table> 	MED.	L	A1	A2	D	P	2"	43	168	74	65	270	2 1/2"	46	170	82	65	270	3"	46	170	90	65	270	4"	52	190	116	90	270	5"	56	206	132	90	270	6"	56	222	145	90	***	8"	60	274	180	125	***	GE2104_09	2"	1	£305.60																																
		MED.	L	A1	A2	D	P																																																																														
		2"	43	168	74	65	270																																																																														
		2 1/2"	46	170	82	65	270																																																																														
		3"	46	170	90	65	270																																																																														
		4"	52	190	116	90	270																																																																														
		5"	56	206	132	90	270																																																																														
6"	56	222	145	90	***																																																																																
8"	60	274	180	125	***																																																																																
GE2104_10	2 1/2"	1	£369.95																																																																																		
GE2104_11	3"	1	£450.38																																																																																		
GE2104_12	4"	1	£579.06																																																																																		
GE2104_13	5"	1	£707.74																																																																																		
GE2104_14	6"	1	£884.66																																																																																		
GE2104_16	8"	1	£1544.14																																																																																		
	<p>Wafer type. 1 pc full bore ball valve mounting between flanges PN-16 Body ball and stem: stainless steel AISI 316. Seats and seals: PTFE Temp. -20°C +180°C. Manually operated by handle.</p> <table border="1"> <thead> <tr> <th>MED.</th> <th>D</th> <th>D1</th> <th>C</th> <th>H</th> <th>L</th> <th>M</th> <th>rM</th> </tr> </thead> <tbody> <tr><td>1/2"</td><td>90</td><td>98</td><td>65</td><td>90</td><td>32</td><td>130</td><td>4xM12</td></tr> <tr><td>3/4"</td><td>100</td><td>98</td><td>75</td><td>90</td><td>42</td><td>180</td><td>4xM12</td></tr> <tr><td>1"</td><td>110</td><td>108</td><td>85</td><td>90</td><td>45</td><td>180</td><td>4xM12</td></tr> <tr><td>1 1/4"</td><td>130</td><td>128</td><td>100</td><td>110</td><td>54</td><td>270</td><td>4xM16</td></tr> <tr><td>1 1/2"</td><td>140</td><td>138</td><td>110</td><td>110</td><td>65</td><td>280</td><td>4xM16</td></tr> <tr><td>2"</td><td>150</td><td>148</td><td>125</td><td>125</td><td>72</td><td>280</td><td>4xM16</td></tr> <tr><td>2 1/2"</td><td>170</td><td>175</td><td>145</td><td>150</td><td>98</td><td>360</td><td>4xM16</td></tr> <tr><td>3"</td><td>190</td><td>188</td><td>160</td><td>160</td><td>118</td><td>360</td><td>4xM16</td></tr> <tr><td>4"</td><td>220</td><td>210</td><td>180</td><td>180</td><td>140</td><td>470</td><td>4xM16</td></tr> </tbody> </table> 	MED.	D	D1	C	H	L	M	rM	1/2"	90	98	65	90	32	130	4xM12	3/4"	100	98	75	90	42	180	4xM12	1"	110	108	85	90	45	180	4xM12	1 1/4"	130	128	100	110	54	270	4xM16	1 1/2"	140	138	110	110	65	280	4xM16	2"	150	148	125	125	72	280	4xM16	2 1/2"	170	175	145	150	98	360	4xM16	3"	190	188	160	160	118	360	4xM16	4"	220	210	180	180	140	470	4xM16	GE2110_04	1/2"	1	£127.06
		MED.	D	D1	C	H	L	M	rM																																																																												
		1/2"	90	98	65	90	32	130	4xM12																																																																												
		3/4"	100	98	75	90	42	180	4xM12																																																																												
		1"	110	108	85	90	45	180	4xM12																																																																												
		1 1/4"	130	128	100	110	54	270	4xM16																																																																												
		1 1/2"	140	138	110	110	65	280	4xM16																																																																												
		2"	150	148	125	125	72	280	4xM16																																																																												
		2 1/2"	170	175	145	150	98	360	4xM16																																																																												
		3"	190	188	160	160	118	360	4xM16																																																																												
		4"	220	210	180	180	140	470	4xM16																																																																												
GE2110_05	3/4"	1	£158.82																																																																																		
GE2110_06	1"	1	£190.59																																																																																		
GE2110_07	1 1/4"	1	£270.00																																																																																		
GE2110_08	1 1/2"	1	£301.76																																																																																		
GE2110_09	2"	1	£378.00																																																																																		
GE2110_10	2 1/2"	1	£644.82																																																																																		
GE2110_11	3"	1	£841.76																																																																																		
	<p>Wafer type. 1 pc full bore ball valve with heating chamber mounting between flanges PN-16 Body ball and stem: stainless steel AISI 316. Seats and seals: PTFE Temp. -20°C +180°C. Manually operated by handle</p> <table border="1"> <thead> <tr> <th>DN</th> <th>L</th> <th>d</th> </tr> </thead> <tbody> <tr><td>15</td><td>150</td><td>1/2"</td></tr> <tr><td>20</td><td>160</td><td>1/2"</td></tr> <tr><td>25</td><td>170</td><td>1/2"</td></tr> <tr><td>32</td><td>190</td><td>1/2"</td></tr> <tr><td>40</td><td>200</td><td>1/2"</td></tr> <tr><td>50</td><td>210</td><td>1/2"</td></tr> <tr><td>65</td><td>235</td><td>1/2"</td></tr> <tr><td>80</td><td>250</td><td>1/2"</td></tr> <tr><td>100</td><td>270</td><td>1/2"</td></tr> </tbody> </table> 	DN	L	d	15	150	1/2"	20	160	1/2"	25	170	1/2"	32	190	1/2"	40	200	1/2"	50	210	1/2"	65	235	1/2"	80	250	1/2"	100	270	1/2"	GE2116_04	1/2"	1	£283.50																																																		
		DN	L	d																																																																																	
		15	150	1/2"																																																																																	
		20	160	1/2"																																																																																	
		25	170	1/2"																																																																																	
		32	190	1/2"																																																																																	
		40	200	1/2"																																																																																	
		50	210	1/2"																																																																																	
		65	235	1/2"																																																																																	
		80	250	1/2"																																																																																	
		100	270	1/2"																																																																																	
GE2116_05	3/4"	1	£309.04																																																																																		
GE2116_06	1"	1	£362.21																																																																																		
GE2116_07	1 1/4"	1	£444.70																																																																																		
GE2116_08	1 1/2"	1	£492.35																																																																																		
GE2116_09	2"	1	£571.76																																																																																		
GE2116_10	2 1/2"	1	£870.35																																																																																		
GE2116_11	3"	1	£1095.89																																																																																		

*If viewing this document as a PDF, simply click on the code to view the product on our website.

Information subject to change without notice











DID YOU
KNOW



We stock the products shown in this document here in the UK and also in Spain. Delivery only ever 1 week to your door.

PRICELIST 2013– 2014

	DESCRIPTION	CODE	SIZE	BOX QTY	PRICE																																																																						
	<p>Wafer type. 1 pc full bore ball valve mounting between flanges PN-16 Const. stainless steel CF8M (316) investment casting. Ball and stem: stainless steel 316. Seats: PTFE + 15% GF. PN – 16. Temp. -25 °c + 180 °c. Direct assembling ISO 5211. Manually operated by handle with locking system.</p> <table border="1"> <thead> <tr> <th>MED.</th> <th>DN</th> <th>L</th> <th>M</th> <th>D</th> <th>H</th> <th>nxd</th> </tr> </thead> <tbody> <tr><td>1/2"</td><td>15</td><td>36</td><td>120</td><td>95</td><td>89</td><td>4 x M12</td></tr> <tr><td>3/4"</td><td>20</td><td>38</td><td>120</td><td>105</td><td>94</td><td>4 x M12</td></tr> <tr><td>1"</td><td>25</td><td>50</td><td>160</td><td>115</td><td>90</td><td>4 x M12</td></tr> <tr><td>1 1/4"</td><td>32</td><td>53</td><td>160</td><td>140</td><td>100</td><td>4 x M16</td></tr> <tr><td>1 1/2"</td><td>40</td><td>65</td><td>200</td><td>150</td><td>105</td><td>4 x M16</td></tr> <tr><td>2"</td><td>50</td><td>78</td><td>200</td><td>165</td><td>125</td><td>4 x M16</td></tr> <tr><td>2 1/2"</td><td>65</td><td>98</td><td>255</td><td>185</td><td>140</td><td>4 x M16</td></tr> <tr><td>3"</td><td>80</td><td>118</td><td>255</td><td>200</td><td>145</td><td>8 x M16</td></tr> <tr><td>4"</td><td>100</td><td>140</td><td>300</td><td>220</td><td>175</td><td>8 x M16</td></tr> </tbody> </table> 	MED.	DN	L	M	D	H	nxd	1/2"	15	36	120	95	89	4 x M12	3/4"	20	38	120	105	94	4 x M12	1"	25	50	160	115	90	4 x M12	1 1/4"	32	53	160	140	100	4 x M16	1 1/2"	40	65	200	150	105	4 x M16	2"	50	78	200	165	125	4 x M16	2 1/2"	65	98	255	185	140	4 x M16	3"	80	118	255	200	145	8 x M16	4"	100	140	300	220	175	8 x M16	GE2118_04	1/2"	9	£519.56
		MED.	DN	L	M	D	H	nxd																																																																			
		1/2"	15	36	120	95	89	4 x M12																																																																			
		3/4"	20	38	120	105	94	4 x M12																																																																			
		1"	25	50	160	115	90	4 x M12																																																																			
		1 1/4"	32	53	160	140	100	4 x M16																																																																			
		1 1/2"	40	65	200	150	105	4 x M16																																																																			
		2"	50	78	200	165	125	4 x M16																																																																			
		2 1/2"	65	98	255	185	140	4 x M16																																																																			
		3"	80	118	255	200	145	8 x M16																																																																			
		4"	100	140	300	220	175	8 x M16																																																																			
		GE2118_05	3/4"	8	£561.78																																																																						
GE2118_06	1"	6	£512.32																																																																								
GE2118_07	1 1/4"	1	£125.26																																																																								
GE2118_08	1 1/2"	1	£159.18																																																																								
GE2118_09	2"	1	£207.39																																																																								
GE2118_10	2 1/2"	1	£324.30																																																																								
GE2118_11	3"	1	£439.74																																																																								
	<p>Globe valve PN-16 Gas thread, also available NPT thread (2230N) Constr. Stainless steel CF8M (316) investment casting Seals: PTFE: gas threaded ends DIN 259 Max. pressure: 16 kg/cm² at 120°C 10 kg/cm² at 180°C</p> <table border="1"> <thead> <tr> <th>R</th> <th>DN</th> <th>A</th> <th>L</th> <th>V</th> </tr> </thead> <tbody> <tr><td>1/2"</td><td>15</td><td>97</td><td>65</td><td>70</td></tr> <tr><td>3/4"</td><td>20</td><td>103</td><td>75</td><td>70</td></tr> <tr><td>1"</td><td>25</td><td>116</td><td>90</td><td>70</td></tr> <tr><td>1 1/4"</td><td>32</td><td>135</td><td>105</td><td>80</td></tr> <tr><td>1 1/2"</td><td>40</td><td>152</td><td>120</td><td>100</td></tr> <tr><td>2"</td><td>50</td><td>164</td><td>140</td><td>100</td></tr> </tbody> </table> 	R	DN	A	L	V	1/2"	15	97	65	70	3/4"	20	103	75	70	1"	25	116	90	70	1 1/4"	32	135	105	80	1 1/2"	40	152	120	100	2"	50	164	140	100	GE2230_04	1/2"	6	£190.22																																			
		R	DN	A	L	V																																																																					
		1/2"	15	97	65	70																																																																					
		3/4"	20	103	75	70																																																																					
		1"	25	116	90	70																																																																					
		1 1/4"	32	135	105	80																																																																					
1 1/2"	40	152	120	100																																																																							
2"	50	164	140	100																																																																							
GE2230_05	3/4"	4	£159.58																																																																								
GE2230_06	1"	2	£103.04																																																																								
GE2230_07	1 1/4"	2	£133.69																																																																								
GE2230_08	1 1/2"	1	£91.75																																																																								
GE2230_09	2"	1	£120.47																																																																								
	<p>Gate valve PN-16 Gas thread, also available NPT thread (2220N) Constr. stainless steel CF8M (316) investment casting. Seats: PTFE: gas threaded ends din 2999. Max. pressure: 16 kg/cm² at 120°C 10 kg/cm² at 180°C minimum temp.: -30°C.</p> <table border="1"> <thead> <tr> <th>R</th> <th>DN</th> <th>A</th> <th>L</th> <th>V</th> </tr> </thead> <tbody> <tr><td>1/2"</td><td>15</td><td>100</td><td>54</td><td>80</td></tr> <tr><td>3/4"</td><td>20</td><td>110</td><td>58</td><td>70</td></tr> <tr><td>1"</td><td>25</td><td>115</td><td>65</td><td>70</td></tr> <tr><td>1 1/4"</td><td>32</td><td>130</td><td>75</td><td>80</td></tr> <tr><td>1 1/2"</td><td>40</td><td>150</td><td>78</td><td>90</td></tr> <tr><td>2"</td><td>50</td><td>167</td><td>87</td><td>100</td></tr> </tbody> </table> 	R	DN	A	L	V	1/2"	15	100	54	80	3/4"	20	110	58	70	1"	25	115	65	70	1 1/4"	32	130	75	80	1 1/2"	40	150	78	90	2"	50	167	87	100	GE2220_04	1/2"	6	£228.87																																			
		R	DN	A	L	V																																																																					
		1/2"	15	100	54	80																																																																					
		3/4"	20	110	58	70																																																																					
		1"	25	115	65	70																																																																					
		1 1/4"	32	130	75	80																																																																					
1 1/2"	40	150	78	90																																																																							
2"	50	167	87	100																																																																							
GE2220_05	3/4"	4	£182.99																																																																								
GE2220_06	1"	2	£107.80																																																																								
GE2220_07	1 1/4"	2	£138.09																																																																								
GE2220_08	1 1/2"	1	£95.62																																																																								
GE2220_09	2"	1	£114.99																																																																								
	<p>Wafer type. Double disk check valve PN-25 Const: AISI 316. Bearings: PTFE. Mounting between flanges PN-25- ANSI 150 lbs. Seat: viton vulcanised in the slot.</p> <table border="1"> <thead> <tr> <th>DN</th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr><td>50</td><td>101</td><td>54</td><td>60</td><td>27</td></tr> <tr><td>65</td><td>120</td><td>54</td><td>73</td><td>27</td></tr> <tr><td>80</td><td>133</td><td>57</td><td>89</td><td>28</td></tr> <tr><td>100</td><td>170</td><td>64</td><td>114</td><td>30</td></tr> <tr><td>125</td><td>196</td><td>70</td><td>141</td><td>31</td></tr> <tr><td>150</td><td>226</td><td>76</td><td>168</td><td>31</td></tr> <tr><td>200</td><td>288</td><td>95</td><td>219</td><td>41</td></tr> <tr><td>250</td><td>343</td><td>108</td><td>273</td><td>41</td></tr> <tr><td>300</td><td>403</td><td>143</td><td>324</td><td>46</td></tr> </tbody> </table> 	DN	A	B	C	D	50	101	54	60	27	65	120	54	73	27	80	133	57	89	28	100	170	64	114	30	125	196	70	141	31	150	226	76	168	31	200	288	95	219	41	250	343	108	273	41	300	403	143	324	46	GE2402_09	2"	1	£100.02																				
		DN	A	B	C	D																																																																					
		50	101	54	60	27																																																																					
		65	120	54	73	27																																																																					
		80	133	57	89	28																																																																					
		100	170	64	114	30																																																																					
		125	196	70	141	31																																																																					
		150	226	76	168	31																																																																					
		200	288	95	219	41																																																																					
250	343	108	273	41																																																																							
300	403	143	324	46																																																																							
GE2402_10	2 1/2"	1	£117.70																																																																								
GE2402_11	3"	1	£144.25																																																																								
GE2402_12	4"	1	£187.21																																																																								
GE2402_13	5"	1	£244.20																																																																								
GE2402_14	6"	1	£325.59																																																																								
GE2402_16	8"	1	£608.84																																																																								
GE2402_18	10"	1	£950.89																																																																								

*If viewing this document as a PDF, simply click on the code to view the product on our website.

Information subject to change without notice











DID YOU
KNOW



We stock the products shown in this document here in the UK and also in Spain. Delivery only ever 1 week to your door.

PRICELIST 2013– 2014

	DESCRIPTION	CODE	SIZE	BOX QTY	PRICE																																																																	
	<p>"Cromax" check valve "Idrja" Constr.: AISI 304 – viton seat. Gas threaded ends DIN 2999. Working temp. min. -25°C + 150°C. Working pressure: 16 bar. Opening pressure: 0.03 bar.</p> <table border="1"> <thead> <tr> <th>DN</th> <th>R</th> <th>B</th> <th>C</th> </tr> </thead> <tbody> <tr><td>8</td><td>1/4"</td><td>32</td><td>54</td></tr> <tr><td>12</td><td>3/8"</td><td>32</td><td>54</td></tr> <tr><td>15</td><td>1/2"</td><td>32</td><td>54</td></tr> <tr><td>20</td><td>3/4"</td><td>44</td><td>68</td></tr> <tr><td>25</td><td>1"</td><td>53</td><td>83</td></tr> <tr><td>32</td><td>1 1/4"</td><td>62</td><td>102</td></tr> <tr><td>40</td><td>1 1/2"</td><td>78</td><td>115</td></tr> <tr><td>50</td><td>2"</td><td>86</td><td>120</td></tr> <tr><td>65</td><td>2 1/2"</td><td>108</td><td>145</td></tr> <tr><td>80</td><td>3"</td><td>128</td><td>160</td></tr> <tr><td>100</td><td>4"</td><td>163</td><td>190</td></tr> </tbody> </table> 	DN	R	B	C	8	1/4"	32	54	12	3/8"	32	54	15	1/2"	32	54	20	3/4"	44	68	25	1"	53	83	32	1 1/4"	62	102	40	1 1/2"	78	115	50	2"	86	120	65	2 1/2"	108	145	80	3"	128	160	100	4"	163	190	GE2440_02	1/4"	12	£227.19																	
		DN	R	B	C																																																																	
		8	1/4"	32	54																																																																	
		12	3/8"	32	54																																																																	
		15	1/2"	32	54																																																																	
		20	3/4"	44	68																																																																	
		25	1"	53	83																																																																	
		32	1 1/4"	62	102																																																																	
		40	1 1/2"	78	115																																																																	
		50	2"	86	120																																																																	
65	2 1/2"	108	145																																																																			
80	3"	128	160																																																																			
100	4"	163	190																																																																			
GE2440_03	3/8"	12	£227.19																																																																			
GE2440_04	1/2"	12	£227.19																																																																			
GE2440_05	3/4"	8	£181.87																																																																			
GE2440_06	1"	6	£213.75																																																																			
GE2440_07	1 1/4"	6	£212.16																																																																			
GE2440_08	1 1/2"	6	£245.27																																																																			
GE2440_09	2"	4	£368.76																																																																			
		GE2442_04	1/2"	24	£142.04																																																																	
		GE2442_05	3/4"	16	£111.46																																																																	
		GE2442_06	1"	16	£131.33																																																																	
		GE2442_07	1 1/4"	12	£110.16																																																																	
		GE2442_08	1 1/2"	12	£132.45																																																																	
		GE2442_09	2"	6	£82.94																																																																	
		GE2442_10	2 1/2"	1	£37.49																																																																	
		GE2442_11	3"	1	£39.45																																																																	
			<p>"Y" strainer PN 40 (2460N - NPT thread) Constr. stainless steel CF8M (316) investment casting. Seat: PTFE gas threaded end DIN 2999. Working pressure: 40 kg/cm². Temperature: -30°C + 240°C. Sieve: AISI 316 perforated plate (see d1).</p> <table border="1"> <thead> <tr> <th>DN</th> <th>A</th> <th>L</th> <th>d1</th> </tr> </thead> <tbody> <tr><td>1/4"</td><td>30</td><td>65</td><td>1</td></tr> <tr><td>3/8"</td><td>30</td><td>65</td><td>1</td></tr> <tr><td>1/2"</td><td>40</td><td>65</td><td>1</td></tr> <tr><td>3/4"</td><td>45</td><td>80</td><td>1</td></tr> <tr><td>1"</td><td>55</td><td>90</td><td>1</td></tr> <tr><td>1 1/4"</td><td>65</td><td>105</td><td>1</td></tr> <tr><td>1 1/2"</td><td>70</td><td>120</td><td>1</td></tr> <tr><td>2"</td><td>85</td><td>140</td><td>1</td></tr> </tbody> </table> 	DN	A	L	d1	1/4"	30	65	1	3/8"	30	65	1	1/2"	40	65	1	3/4"	45	80	1	1"	55	90	1	1 1/4"	65	105	1	1 1/2"	70	120	1	2"	85	140	1	GE2460_02	1/4"	15	£144.67																											
				DN	A	L	d1																																																															
1/4"	30			65	1																																																																	
3/8"	30			65	1																																																																	
1/2"	40			65	1																																																																	
3/4"	45			80	1																																																																	
1"	55			90	1																																																																	
1 1/4"	65			105	1																																																																	
1 1/2"	70			120	1																																																																	
2"	85			140	1																																																																	
GE2460_03	3/8"	15	£144.67																																																																			
GE2460_04	1/2"	15	£115.73																																																																			
GE2460_05	3/4"	8	£113.93																																																																			
GE2460_06	1"	4	£90.67																																																																			
GE2460_07	1 1/4"	3	£87.68																																																																			
GE2460_08	1 1/2"	2	£75.23																																																																			
GE2460_09	2"	1	£53.21																																																																			
	<p>Flanged "Y" strainer PN-16 Constr. AISI 316. Seats: PTFE ends: flanges DIN PN-16. Working pressure: 16 kg/cm². Temperature: -30°C + 240°C. Sieve: AISI 316 perforated plate (see d1).</p> <table border="1"> <thead> <tr> <th>DN</th> <th>A</th> <th>D</th> <th>L</th> <th>d1</th> </tr> </thead> <tbody> <tr><td>15</td><td>75</td><td>95</td><td>130</td><td>1</td></tr> <tr><td>20</td><td>90</td><td>105</td><td>150</td><td>1</td></tr> <tr><td>25</td><td>100</td><td>115</td><td>160</td><td>1</td></tr> <tr><td>32</td><td>115</td><td>140</td><td>180</td><td>1</td></tr> <tr><td>40</td><td>130</td><td>150</td><td>200</td><td>1</td></tr> <tr><td>50</td><td>150</td><td>165</td><td>230</td><td>1</td></tr> <tr><td>65</td><td>190</td><td>185</td><td>290</td><td>2</td></tr> <tr><td>80</td><td>200</td><td>200</td><td>310</td><td>2</td></tr> <tr><td>100</td><td>230</td><td>220</td><td>350</td><td>2</td></tr> <tr><td>125</td><td>280</td><td>250</td><td>400</td><td>2</td></tr> <tr><td>150</td><td>300</td><td>285</td><td>480</td><td>2</td></tr> <tr><td>200</td><td>400</td><td>340</td><td>605</td><td>2</td></tr> </tbody> </table> 	DN	A	D	L	d1	15	75	95	130	1	20	90	105	150	1	25	100	115	160	1	32	115	140	180	1	40	130	150	200	1	50	150	165	230	1	65	190	185	290	2	80	200	200	310	2	100	230	220	350	2	125	280	250	400	2	150	300	285	480	2	200	400	340	605	2	GE2416_04	1/2"	1	£99.00
		DN	A	D	L	d1																																																																
		15	75	95	130	1																																																																
		20	90	105	150	1																																																																
		25	100	115	160	1																																																																
		32	115	140	180	1																																																																
		40	130	150	200	1																																																																
		50	150	165	230	1																																																																
		65	190	185	290	2																																																																
		80	200	200	310	2																																																																
100	230	220	350	2																																																																		
125	280	250	400	2																																																																		
150	300	285	480	2																																																																		
200	400	340	605	2																																																																		
GE2416_05	3/4"	1	£118.86																																																																			
GE2416_06	1"	1	£148.99																																																																			
GE2416_07	1 1/4"	1	£237.71																																																																			
GE2416_08	1 1/2"	1	£249.58																																																																			
GE2416_09	2"	1	£324.87																																																																			
GE2416_10	2 1/2"	1	£467.55																																																																			
GE2416_11	3"	1	£578.43																																																																			

*If viewing this document as a PDF, simply click on the code to view the product on our website.

Information subject to change without notice



DID YOU
KNOW



We stock the products shown in this document here in the UK and also in Spain. Delivery only ever 1 week to your door.

PRICELIST 2013– 2014

	DESCRIPTION	CODE	SIZE	BOX QTY	PRICE																																																										
	<p>Flanges DIN PN -40 <DN -50 Flanges DIN PN -16 >DN -50 2 pcs. Full bore ball valve fire-safe design direct mounting for actuators ISO 5211 Body: Stainless steel. CF8M (316) investment casting. Seats: PTFE + 15% GF stem o'ring: viton. Antistatic device. Max. pressure: 40/16 kg/cm² depending on size. Temp.: -30°C + 180°C. manually operated by handle. L: DIN 3202 F-4 DN 15 DN 100 F-5 DN 125 DN 200</p>	GE2528 04	1/2"	1	£75.11																																																										
		GE2528 05	3/4"	1	£88.74																																																										
		GE2528 06	1"	1	£109.86																																																										
		GE2528 07	1 1/4"	1	£160.60																																																										
		GE2528 08	1 1/2"	1	£181.06																																																										
		GE2528 09	2"	1	£237.01																																																										
		GE2528 10	2 1/2"	1	£379.89																																																										
		GE2528 11	3"	1	£491.08																																																										
			<p>Flanges DIN PN40 < DN50. Flanges DIN PN16 > DN50 3 ways full bore ball valve. 2540 "L" bore / 2541 "T" bore Direct mounting for actuators ISO 5211. Body: stainless steel CF8M (316). 4 seats: PTFE + 15% GF. Max. pressure: 16/40 kgs/cm² depending on size. Temp.: -30°C +180°C. Manually operated by handle.</p> <table border="1"> <thead> <tr> <th>MED.</th> <th>DN</th> <th>PN</th> <th>P</th> <th>D</th> <th>L</th> <th>M</th> </tr> </thead> <tbody> <tr> <td>1"</td> <td>25</td> <td>40</td> <td>25</td> <td>115</td> <td>180</td> <td>175</td> </tr> <tr> <td>1 1/4"</td> <td>32</td> <td>40</td> <td>32</td> <td>140</td> <td>190</td> <td>175</td> </tr> <tr> <td>1 1/2"</td> <td>40</td> <td>40</td> <td>38</td> <td>150</td> <td>210</td> <td>200</td> </tr> <tr> <td>2"</td> <td>50</td> <td>40</td> <td>49</td> <td>165</td> <td>230</td> <td>200</td> </tr> <tr> <td>2 1/2"</td> <td>65</td> <td>16</td> <td>63</td> <td>185</td> <td>290</td> <td>265</td> </tr> <tr> <td>3"</td> <td>80</td> <td>16</td> <td>75</td> <td>200</td> <td>310</td> <td>265</td> </tr> <tr> <td>4"</td> <td>100</td> <td>16</td> <td>99</td> <td>220</td> <td>350</td> <td>400</td> </tr> </tbody> </table>	MED.	DN	PN	P	D	L	M	1"	25	40	25	115	180	175	1 1/4"	32	40	32	140	190	175	1 1/2"	40	40	38	150	210	200	2"	50	40	49	165	230	200	2 1/2"	65	16	63	185	290	265	3"	80	16	75	200	310	265	4"	100	16	99	220	350	400	GE2540 06	1"	1	£463.60
				MED.	DN	PN	P	D	L	M																																																					
1"	25			40	25	115	180	175																																																							
1 1/4"	32			40	32	140	190	175																																																							
1 1/2"	40			40	38	150	210	200																																																							
2"	50			40	49	165	230	200																																																							
2 1/2"	65			16	63	185	290	265																																																							
3"	80	16	75	200	310	265																																																									
4"	100	16	99	220	350	400																																																									
GE2540 07	1 1/4"	1	£563.05																																																												
GE2540 08	1 1/2"	1	£720.09																																																												
GE2540 09	2"	1	£1019.52																																																												
GE2540 10	2 1/2"	1	£1871.50																																																												
GE2540 11	3"	1	£2535.51																																																												
GE2540 12	4"	1	£3449.85																																																												
	<p>Buoy for floating valves Made of Stainless Steel AISI 304.</p> <table border="1"> <thead> <tr> <th>REF.</th> <th>Medida/ Size (R)</th> <th>DN</th> <th>PN</th> <th colspan="4">Dimensiones/ Dimensions (mm)</th> <th>Peso/Weight (Kg) (R)</th> </tr> <tr> <th></th> <th></th> <th></th> <th></th> <th>A</th> <th>L</th> <th>H1</th> <th>H2</th> <th>Ø Buoy/ Buoy</th> </tr> </thead> <tbody> <tr> <td>3886 04 + 3887 110</td> <td>1 1/2"</td> <td>15</td> <td>10</td> <td>35</td> <td>405</td> <td>70</td> <td>330</td> <td>110</td> <td>0.300</td> </tr> <tr> <td>3886 05 + 3887 160</td> <td>3/4"</td> <td>20</td> <td>10</td> <td>42</td> <td>495</td> <td>110</td> <td>460</td> <td>160</td> <td>0.600</td> </tr> <tr> <td>3886 06 + 3887 160</td> <td>1"</td> <td>25</td> <td>10</td> <td>45</td> <td>580</td> <td>125</td> <td>530</td> <td>160</td> <td>0.650</td> </tr> <tr> <td>3886 07 + 3887 160</td> <td>1 1/4"</td> <td>32</td> <td>10</td> <td>53</td> <td>600</td> <td>170</td> <td>550</td> <td>160</td> <td>0.750</td> </tr> </tbody> </table> <p>H1= Válvula en posición cerrada / Close position valve. H2= Válvula en posición abierta / Open position valve.</p> 	REF.	Medida/ Size (R)	DN	PN	Dimensiones/ Dimensions (mm)				Peso/Weight (Kg) (R)					A	L	H1	H2	Ø Buoy/ Buoy	3886 04 + 3887 110	1 1/2"	15	10	35	405	70	330	110	0.300	3886 05 + 3887 160	3/4"	20	10	42	495	110	460	160	0.600	3886 06 + 3887 160	1"	25	10	45	580	125	530	160	0.650	3886 07 + 3887 160	1 1/4"	32	10	53	600	170	550	160	0.750	GE3887 110	110MM	1	£11.12
		REF.	Medida/ Size (R)	DN	PN	Dimensiones/ Dimensions (mm)				Peso/Weight (Kg) (R)																																																					
						A	L	H1	H2	Ø Buoy/ Buoy																																																					
		3886 04 + 3887 110	1 1/2"	15	10	35	405	70	330	110	0.300																																																				
3886 05 + 3887 160	3/4"	20	10	42	495	110	460	160	0.600																																																						
3886 06 + 3887 160	1"	25	10	45	580	125	530	160	0.650																																																						
3886 07 + 3887 160	1 1/4"	32	10	53	600	170	550	160	0.750																																																						
GE3887 160	160MM	1	£24.20																																																												
GE3887 200	200MM	1	CALL																																																												
	<p>Floating valve without buoy. Made of Stainless Steel AISI 304. Conexión Gas Threaded. Full Port. Silicone Lock. Max. Working pressure 10 Kg/cm².</p> 	GE2856 04	1/2"	1	£43.31																																																										
		GE2856 05	3/4"	1	£48.03																																																										
		GE2856 06	1"	1	£50.62																																																										
		GE2856 07	1 1/4"	1	£54.33																																																										
		GE2856 08	1 1/2"	1	£132.84																																																										
		GE2856 09	2"	1	£139.28																																																										
		GE2856 10	2 1/2"	1	£157.02																																																										





*If viewing this document as a PDF, simply click on the code to view the product on our website.

Information subject to change without notice



We stock the products shown in this document here in the UK and also in Spain. Delivery only ever 1 week to your door.

PRICELIST 2013– 2014

	DESCRIPTION	CODE	SIZE	BOX QTY	PRICE																																																																																																		
	<p>Lug type butterfly valve. Mounting between DIN PN 10/16 flanges PN 16 ≤ DN 150 - PN 10 ≥ DN 200 Body: ductile iron GGG-40. Disc: CF8M (316) Seat: EPDM. Stem O ring NBR. Working temperature -20°C +120 °C. Mounting actuator according to ISO 5211 std. Handle up to 10" with gear operator from 12". Art. 5108: from 2" to 10" with gear operator.</p> <table border="1"> <thead> <tr> <th>MED.</th> <th>L</th> <th>A1</th> <th>A2</th> <th>D</th> <th>P</th> </tr> </thead> <tbody> <tr> <td>2"</td> <td>43</td> <td>240</td> <td>79</td> <td>90</td> <td>216</td> </tr> <tr> <td>2 1/2"</td> <td>46</td> <td>240</td> <td>83</td> <td>90</td> <td>216</td> </tr> <tr> <td>3"</td> <td>46</td> <td>245</td> <td>103</td> <td>90</td> <td>216</td> </tr> <tr> <td>4"</td> <td>52</td> <td>265</td> <td>120</td> <td>90</td> <td>216</td> </tr> <tr> <td>5"</td> <td>56</td> <td>290</td> <td>133</td> <td>90</td> <td>216</td> </tr> <tr> <td>6"</td> <td>56</td> <td>240</td> <td>158</td> <td>125</td> <td>300</td> </tr> <tr> <td>8"</td> <td>60</td> <td>280</td> <td>180</td> <td>125</td> <td>300</td> </tr> <tr> <td>10"</td> <td>68</td> <td>325</td> <td>216</td> <td>125</td> <td>300</td> </tr> <tr> <td>12"</td> <td>78</td> <td>351</td> <td>251</td> <td>150</td> <td>***</td> </tr> </tbody> </table>	MED.	L	A1	A2	D	P	2"	43	240	79	90	216	2 1/2"	46	240	83	90	216	3"	46	245	103	90	216	4"	52	265	120	90	216	5"	56	290	133	90	216	6"	56	240	158	125	300	8"	60	280	180	125	300	10"	68	325	216	125	300	12"	78	351	251	150	***	GE2108 09	2"	1	£40.58																																						
		MED.	L	A1	A2	D	P																																																																																																
		2"	43	240	79	90	216																																																																																																
		2 1/2"	46	240	83	90	216																																																																																																
		3"	46	245	103	90	216																																																																																																
		4"	52	265	120	90	216																																																																																																
		5"	56	290	133	90	216																																																																																																
		6"	56	240	158	125	300																																																																																																
		8"	60	280	180	125	300																																																																																																
		10"	68	325	216	125	300																																																																																																
		12"	78	351	251	150	***																																																																																																
		GE2108 10	2 1/2"	1	£49.15																																																																																																		
		GE2108 11	3"	1	£55.06																																																																																																		
GE2108 12	4"	1	£74.33																																																																																																				
GE2108 13	5"	1	£103.46																																																																																																				
GE2108 14	6"	1	£123.22																																																																																																				
GE2108 16	8"	1	£196.31																																																																																																				
GE2108 18	10"	1	£318.46																																																																																																				
	<p>Wafer type butterfly valve PN 10/16 ANSI 150 lbs. Body: cast iron + epoxy disk- zinc plated elastomer: EPDM. O ring stem: NBR Max. Temp. 120°C. Flanges mounted actuators ISO 5211 handle up to 10" with gear operator from 12". Art. 5103 - from 2" to 10" with gear operator.</p> <table border="1"> <thead> <tr> <th>MED.</th> <th>L</th> <th>A1</th> <th>A2</th> <th>D</th> <th>P</th> <th>PN</th> </tr> </thead> <tbody> <tr> <td>2"</td> <td>43</td> <td>238</td> <td>70</td> <td>65</td> <td>180</td> <td>16</td> </tr> <tr> <td>2 1/2"</td> <td>46</td> <td>238</td> <td>80</td> <td>65</td> <td>180</td> <td>16</td> </tr> <tr> <td>3"</td> <td>46</td> <td>238</td> <td>100</td> <td>65</td> <td>180</td> <td>16</td> </tr> <tr> <td>4"</td> <td>52</td> <td>270</td> <td>115</td> <td>90</td> <td>215</td> <td>16</td> </tr> <tr> <td>5"</td> <td>56</td> <td>300</td> <td>125</td> <td>90</td> <td>215</td> <td>16</td> </tr> <tr> <td>6"</td> <td>56</td> <td>300</td> <td>145</td> <td>90</td> <td>215</td> <td>16</td> </tr> <tr> <td>8"</td> <td>60</td> <td>300</td> <td>150</td> <td>125</td> <td>300</td> <td>16</td> </tr> <tr> <td>10"</td> <td>68</td> <td>330</td> <td>200</td> <td>125</td> <td>300</td> <td>16</td> </tr> <tr> <td>12"</td> <td>78</td> <td>360</td> <td>250</td> <td>150</td> <td>***</td> <td>16</td> </tr> <tr> <td>14"</td> <td>78</td> <td>360</td> <td>260</td> <td>150</td> <td>***</td> <td>10</td> </tr> <tr> <td>16"</td> <td>102</td> <td>420</td> <td>300</td> <td>175</td> <td>***</td> <td>10</td> </tr> <tr> <td>18"</td> <td>114</td> <td>445</td> <td>330</td> <td>175</td> <td>***</td> <td>10</td> </tr> <tr> <td>20"</td> <td>127</td> <td>480</td> <td>370</td> <td>175</td> <td>***</td> <td>10</td> </tr> </tbody> </table>	MED.	L	A1	A2	D	P	PN	2"	43	238	70	65	180	16	2 1/2"	46	238	80	65	180	16	3"	46	238	100	65	180	16	4"	52	270	115	90	215	16	5"	56	300	125	90	215	16	6"	56	300	145	90	215	16	8"	60	300	150	125	300	16	10"	68	330	200	125	300	16	12"	78	360	250	150	***	16	14"	78	360	260	150	***	10	16"	102	420	300	175	***	10	18"	114	445	330	175	***	10	20"	127	480	370	175	***	10	CODE	SIZE	BOX QTY	PRICE
		MED.	L	A1	A2	D	P	PN																																																																																															
		2"	43	238	70	65	180	16																																																																																															
		2 1/2"	46	238	80	65	180	16																																																																																															
		3"	46	238	100	65	180	16																																																																																															
		4"	52	270	115	90	215	16																																																																																															
		5"	56	300	125	90	215	16																																																																																															
		6"	56	300	145	90	215	16																																																																																															
		8"	60	300	150	125	300	16																																																																																															
		10"	68	330	200	125	300	16																																																																																															
		12"	78	360	250	150	***	16																																																																																															
		14"	78	360	260	150	***	10																																																																																															
		16"	102	420	300	175	***	10																																																																																															
18"	114	445	330	175	***	10																																																																																																	
20"	127	480	370	175	***	10																																																																																																	
GE2103 09	2"	1	£30.19																																																																																																				
GE2103 10	2 1/2"	1	£37.09																																																																																																				
GE2103 11	3"	1	£41.01																																																																																																				
GE2103 12	4"	1	£43.45																																																																																																				
GE2103 13	5"	1	£52.47																																																																																																				
GE2103 14	6"	1	£62.27																																																																																																				
GE2103 16	8"	1	£91.02																																																																																																				
GE2103 18	10"	1	£173.23																																																																																																				
	<p>Gate valve with EPDM seal and ductile iron body PN 16 Fixed stem. Design according to DIN 3352, DIN 2501, DIN 3202-F4. Suitable for water conduction. Max. working Temp. 80°C.</p> <table border="1"> <thead> <tr> <th>DN</th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> </tr> </thead> <tbody> <tr> <td>50</td> <td>150</td> <td>240</td> <td>180</td> <td>165</td> </tr> <tr> <td>65</td> <td>170</td> <td>270</td> <td>180</td> <td>185</td> </tr> <tr> <td>80</td> <td>180</td> <td>300</td> <td>200</td> <td>200</td> </tr> <tr> <td>100</td> <td>190</td> <td>330</td> <td>250</td> <td>220</td> </tr> <tr> <td>125</td> <td>200</td> <td>375</td> <td>280</td> <td>250</td> </tr> <tr> <td>150</td> <td>210</td> <td>425</td> <td>280</td> <td>285</td> </tr> <tr> <td>200</td> <td>230</td> <td>515</td> <td>320</td> <td>340</td> </tr> <tr> <td>250</td> <td>250</td> <td>600</td> <td>350</td> <td>405</td> </tr> <tr> <td>300</td> <td>270</td> <td>685</td> <td>400</td> <td>480</td> </tr> </tbody> </table>	DN	A	B	C	D	50	150	240	180	165	65	170	270	180	185	80	180	300	200	200	100	190	330	250	220	125	200	375	280	250	150	210	425	280	285	200	230	515	320	340	250	250	600	350	405	300	270	685	400	480	CODE	SIZE	BOX QTY	PRICE																																																
		DN	A	B	C	D																																																																																																	
		50	150	240	180	165																																																																																																	
		65	170	270	180	185																																																																																																	
		80	180	300	200	200																																																																																																	
		100	190	330	250	220																																																																																																	
		125	200	375	280	250																																																																																																	
		150	210	425	280	285																																																																																																	
		200	230	515	320	340																																																																																																	
		250	250	600	350	405																																																																																																	
		300	270	685	400	480																																																																																																	
		GE2102 09	2"	1	£79.87																																																																																																		
		GE2102 10	2 1/2"	1	£96.01																																																																																																		
GE2102 11	3"	1	£119.05																																																																																																				
GE2102 12	4"	1	£155.78																																																																																																				
GE2102 13	5"	1	£212.20																																																																																																				
GE2102 14	6"	1	£284.99																																																																																																				
GE2102 16	8"	1	£406.36																																																																																																				
GE2102 18	10"	1	£629.60																																																																																																				
	<p>Check valve with ball - flanges DIN PN-16 Body and disk: cast iron GGG - 40. ball: with NBR coated. Max. pressure: 16 kg/cm2. Temp.: -10°C +80°C. Dimensions between sides DIN 3202 F6.</p> <table border="1"> <thead> <tr> <th>MED.</th> <th>DN</th> <th>PN</th> <th>H</th> <th>L</th> </tr> </thead> <tbody> <tr> <td>2"</td> <td>50</td> <td>16</td> <td>106</td> <td>200</td> </tr> <tr> <td>2 1/2"</td> <td>65</td> <td>16</td> <td>129</td> <td>240</td> </tr> <tr> <td>3"</td> <td>80</td> <td>16</td> <td>146</td> <td>260</td> </tr> <tr> <td>4"</td> <td>100</td> <td>16</td> <td>194</td> <td>300</td> </tr> <tr> <td>5"</td> <td>125</td> <td>16</td> <td>207</td> <td>350</td> </tr> <tr> <td>6"</td> <td>150</td> <td>16</td> <td>240</td> <td>400</td> </tr> <tr> <td>8"</td> <td>200</td> <td>16</td> <td>322</td> <td>500</td> </tr> <tr> <td>10"</td> <td>250</td> <td>16</td> <td>388</td> <td>600</td> </tr> </tbody> </table>	MED.	DN	PN	H	L	2"	50	16	106	200	2 1/2"	65	16	129	240	3"	80	16	146	260	4"	100	16	194	300	5"	125	16	207	350	6"	150	16	240	400	8"	200	16	322	500	10"	250	16	388	600	CODE	SIZE	BOX QTY	PRICE																																																					
		MED.	DN	PN	H	L																																																																																																	
		2"	50	16	106	200																																																																																																	
		2 1/2"	65	16	129	240																																																																																																	
		3"	80	16	146	260																																																																																																	
		4"	100	16	194	300																																																																																																	
		5"	125	16	207	350																																																																																																	
		6"	150	16	240	400																																																																																																	
		8"	200	16	322	500																																																																																																	
		10"	250	16	388	600																																																																																																	
		GE2453 09	2"	1	£85.90																																																																																																		
		GE2453 10	2 1/2"	1	£98.15																																																																																																		
		GE2453 11	3"	1	£123.53																																																																																																		
GE2453 12	4"	1	£153.60																																																																																																				
GE2453 13	5"	1	£238.11																																																																																																				
GE2453 14	6"	1	£306.54																																																																																																				
GE2453 16	8"	1	£695.34																																																																																																				
GE2453 18	10"	1	£1187.19																																																																																																				


*If viewing this document as a PDF, simply click on the code to view the product on our website.

Information subject to change without notice




We stock the products shown in this document here in the UK and also in Spain. Delivery only ever 1 week to your door.

PRICELIST 2013– 2014




Wafer type. Double disk check valve PN-16
Body: cast iron GG 25. Disks stainless steel 316. Stem and spring: AISI 316. Bearings: PTFE. Mounting between flanges PN-10/16 - ANSI 150 lbs. Seat: nitrile vulcanised in the slot.

DN	A	B	C	D
50	101	54	66	27
65	120	54	78	27
80	133	57	89	28
100	164	64	117	30
125	194	70	141	31
150	220	76	168	31
200	275	95	210	41
250	330	108	265	41
300	380	143	311	46




CODE	SIZE	BOX QTY	PRICE
GE2401_09	2"	1	£27.85
GE2401_10	2 1/2"	1	£32.67
GE2401_11	3"	1	£43.55
GE2401_12	4"	1	£54.00
GE2401_13	5"	1	£73.13
GE2401_14	6"	1	£107.58
GE2401_16	8"	1	£179.91
GE2401_18	10"	1	£261.62




Disk check valve with flanges Din PN-16
Body and disk: cast iron GG-25. Guide: DN 50-80 brass DIN 17660. Guide: DN 100-250 cast iron GG-25. Bracket: brass DIN 17660. Locking device: NBR 80 SH.

MED.	Ø	B	C
2"	51	165	100
2 1/2"	63	185	120
3"	80	200	140
4"	100	220	170
5"	125	250	200
6"	150	285	230
8"	200	340	300
10"	250	405	370




CODE	SIZE	BOX QTY	PRICE
GE2450_09	2"	1	£45.28
GE2450_10	2 1/2"	1	£58.61
GE2450_11	3"	1	£69.75
GE2450_12	4"	1	£89.14
GE2450_13	5"	1	£139.78
GE2450_14	6"	1	£192.87
GE2450_16	8"	1	£315.03
GE2450_18	10"	1	£449.58




Check valve art. 2450 with strainer art. 2451


MED.	A
2"	180
2 1/2"	220
3"	265
4"	320
5"	380
6"	435
8"	555
10"	670



CODE	SIZE	BOX QTY	PRICE
GE2452_09	2"	1	CALL
GE2452_10	2 1/2"	1	CALL
GE2452_11	3"	1	CALL
GE2452_12	4"	1	CALL
GE2452_13	5"	1	CALL
GE2452_14	6"	1	CALL
GE2452_16	8"	1	CALL
GE2452_18	10"	1	CALL



Hidroten PVC ball valve plain ends
EPDM lever op. Viton also available. Metric and screwed ends also available.



DIMENSIONS								
AVOL REF	SIZE DN	Imp °	A mm	B Mm	C Mm	D Mm	F Mm	
110150	15	1/2"	86	55	16	74	88	44
110151	20	3/4"	94	62	19	80	94	49
110152	25	1"	122	72	23	103	138	66
110153	32	1 1/4"	131	88	25	125	160	71
110154	40	1 1/2"	150	103	31	138	170	75
110155	50	2"	177	120	38	172	170	89

CODE	SIZE	BOX QTY	PRICE
110150	1/2"	1	£5.49
110151	3/4"	1	£6.52
110152	1"	1	£8.77
110153	1 1/4"	1	£9.14
110154	1 1/2"	1	£12.78
110155	2"	1	£17.91

*If viewing this document as a PDF, simply click on the code to view the product on our website.

Information subject to change without notice



ALLVALVES ONLINE Industrial Valves

25% OFF
Click Here



We stock the products shown in this document here in the UK and also in Spain. Delivery only ever 1 week to your door.

PRICELIST 2013– 2014

	DESCRIPTION	CODE	SIZE	BOX QTY	PRICE																																																																																																												
	PVC ball valve with 'Pre Motor' actuation bracket and drive adapter  <table border="1" data-bbox="622 638 925 728"> <thead> <tr> <th>Part No</th> <th>Weight (kg)</th> <th>ø</th> <th>DN</th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> </tr> </thead> <tbody> <tr> <td>111D771</td> <td>165</td> <td>1 1/2"</td> <td>15</td> <td>86</td> <td>55</td> <td>16</td> <td>103</td> <td>14</td> <td>44</td> </tr> <tr> <td>111D772</td> <td>205</td> <td>1 3/4"</td> <td>20</td> <td>94</td> <td>62</td> <td>19</td> <td>108</td> <td>14</td> <td>49</td> </tr> <tr> <td>111D773</td> <td>360</td> <td>1"</td> <td>25</td> <td>122</td> <td>72</td> <td>23</td> <td>120</td> <td>14</td> <td>66</td> </tr> <tr> <td>111D774</td> <td>595</td> <td>1 1/2"</td> <td>32</td> <td>131</td> <td>88</td> <td>25</td> <td>143</td> <td>14</td> <td>71</td> </tr> <tr> <td>111D775</td> <td>850</td> <td>1 3/4"</td> <td>40</td> <td>150</td> <td>103</td> <td>31</td> <td>158</td> <td>14</td> <td>75</td> </tr> <tr> <td>111D776</td> <td>1285</td> <td>2"</td> <td>50</td> <td>177</td> <td>120</td> <td>38</td> <td>204</td> <td>14</td> <td>89</td> </tr> <tr> <td>111D777</td> <td>1390</td> <td>2 1/2"</td> <td>65</td> <td>216</td> <td>150</td> <td>45</td> <td>230</td> <td>14</td> <td>119</td> </tr> </tbody> </table>	Part No	Weight (kg)	ø	DN	A	B	C	D	E	F	111D771	165	1 1/2"	15	86	55	16	103	14	44	111D772	205	1 3/4"	20	94	62	19	108	14	49	111D773	360	1"	25	122	72	23	120	14	66	111D774	595	1 1/2"	32	131	88	25	143	14	71	111D775	850	1 3/4"	40	150	103	31	158	14	75	111D776	1285	2"	50	177	120	38	204	14	89	111D777	1390	2 1/2"	65	216	150	45	230	14	119	HD-ACT-1/2"	1/2"	1	£30.00																												
		Part No	Weight (kg)	ø	DN	A	B	C	D	E	F																																																																																																						
		111D771	165	1 1/2"	15	86	55	16	103	14	44																																																																																																						
		111D772	205	1 3/4"	20	94	62	19	108	14	49																																																																																																						
		111D773	360	1"	25	122	72	23	120	14	66																																																																																																						
		111D774	595	1 1/2"	32	131	88	25	143	14	71																																																																																																						
		111D775	850	1 3/4"	40	150	103	31	158	14	75																																																																																																						
111D776	1285	2"	50	177	120	38	204	14	89																																																																																																								
111D777	1390	2 1/2"	65	216	150	45	230	14	119																																																																																																								
HD-ACT-3/4"	3/4"	1	£40.00																																																																																																														
HD-ACT-1"	1"	1	£45.00																																																																																																														
HD-ACT-1 1/4"	1 1/4"	1	£50.00																																																																																																														
HD-ACT-1 1/2"	1 1/2"	1	£55.00																																																																																																														
HD-ACT-2"	2"	1	£75.00																																																																																																														
	PVC butterfly valve with 'Pre Motor' actuation bracket and drive adapter  <table border="1" data-bbox="454 1008 893 1153"> <thead> <tr> <th>PESO</th> <th>CÓDIGO</th> <th>ø</th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> </tr> <tr> <th>WEIGHT</th> <th>PART NO</th> <th>ø</th> <th>A</th> <th>B</th> <th>C</th> <th>D</th> <th>E</th> <th>F</th> </tr> </thead> <tbody> <tr> <td>1395</td> <td>09626</td> <td>63</td> <td>245</td> <td>136</td> <td>50</td> <td>18x4</td> <td>14</td> <td>F05F07</td> </tr> <tr> <td>1395</td> <td>09627</td> <td>75</td> <td>245</td> <td>136</td> <td>50</td> <td>18x4</td> <td>14</td> <td>F05F07</td> </tr> <tr> <td>2060</td> <td>09628</td> <td>90</td> <td>280</td> <td>130</td> <td>57</td> <td>18x8</td> <td>17</td> <td>F05F07</td> </tr> <tr> <td>2320</td> <td>09629</td> <td>110</td> <td>297</td> <td>152</td> <td>60</td> <td>18x8</td> <td>17</td> <td>F05F07</td> </tr> <tr> <td>2625</td> <td>09630</td> <td>125</td> <td>315</td> <td>170</td> <td>62</td> <td>18x8</td> <td>17</td> <td>F05F07</td> </tr> <tr> <td>2950</td> <td>09631</td> <td>140</td> <td>335</td> <td>187</td> <td>65</td> <td>18x8</td> <td>22</td> <td>F05F07</td> </tr> <tr> <td>3780</td> <td>09632</td> <td>160</td> <td>350</td> <td>214</td> <td>68</td> <td>22x8</td> <td>22</td> <td>F05F07</td> </tr> <tr> <td>5620</td> <td>09633</td> <td>200/225</td> <td>415</td> <td>270</td> <td>71</td> <td>22x8</td> <td>22</td> <td>F05F07</td> </tr> <tr> <td>9982</td> <td>09634</td> <td>250</td> <td>495</td> <td>321</td> <td>83</td> <td>22x12</td> <td>22</td> <td>F07F10</td> </tr> <tr> <td>22000</td> <td>09635</td> <td>315</td> <td>555</td> <td>370</td> <td>131</td> <td>22x12</td> <td>22</td> <td>F07F10</td> </tr> </tbody> </table>	PESO	CÓDIGO	ø	A	B	C	D	E	F	WEIGHT	PART NO	ø	A	B	C	D	E	F	1395	09626	63	245	136	50	18x4	14	F05F07	1395	09627	75	245	136	50	18x4	14	F05F07	2060	09628	90	280	130	57	18x8	17	F05F07	2320	09629	110	297	152	60	18x8	17	F05F07	2625	09630	125	315	170	62	18x8	17	F05F07	2950	09631	140	335	187	65	18x8	22	F05F07	3780	09632	160	350	214	68	22x8	22	F05F07	5620	09633	200/225	415	270	71	22x8	22	F05F07	9982	09634	250	495	321	83	22x12	22	F07F10	22000	09635	315	555	370	131	22x12	22	F07F10	HD-09626	63MM	1	CALL
		PESO	CÓDIGO	ø	A	B	C	D	E	F																																																																																																							
		WEIGHT	PART NO	ø	A	B	C	D	E	F																																																																																																							
		1395	09626	63	245	136	50	18x4	14	F05F07																																																																																																							
		1395	09627	75	245	136	50	18x4	14	F05F07																																																																																																							
		2060	09628	90	280	130	57	18x8	17	F05F07																																																																																																							
		2320	09629	110	297	152	60	18x8	17	F05F07																																																																																																							
		2625	09630	125	315	170	62	18x8	17	F05F07																																																																																																							
		2950	09631	140	335	187	65	18x8	22	F05F07																																																																																																							
		3780	09632	160	350	214	68	22x8	22	F05F07																																																																																																							
5620	09633	200/225	415	270	71	22x8	22	F05F07																																																																																																									
9982	09634	250	495	321	83	22x12	22	F07F10																																																																																																									
22000	09635	315	555	370	131	22x12	22	F07F10																																																																																																									
HD-09627	75MM	1	CALL																																																																																																														
HD-09628	90MM	1	CALL																																																																																																														
HD-09629	110MM	1	CALL																																																																																																														
HD-09630	125MM	1	CALL																																																																																																														
HD-09631	140MM	1	CALL																																																																																																														
HD-09632	160MM	1	CALL																																																																																																														
HD-09633	200/225 MM	1	CALL																																																																																																														
	Hidroten PVC butterfly valve wafer pattern type lever operated. EPDM as standard available with Viton liner. 	CALL	63MM	1	CALL																																																																																																												
		CALL	75MM	1	CALL																																																																																																												
		CALL	90MM	1	CALL																																																																																																												
		CALL	110MM	1	CALL																																																																																																												
		CALL	125MM	1	CALL																																																																																																												
		CALL	140MM	1	CALL																																																																																																												
		CALL	160MM	1	CALL																																																																																																												
		CALL	200/225 MM	1	CALL																																																																																																												
	Hidroten PVC butterfly valve lugged pattern type lever operated. EPDM as standard available with Viton liner. 	CALL	63MM	1	CALL																																																																																																												
		CALL	75MM	1	CALL																																																																																																												
		CALL	90MM	1	CALL																																																																																																												
		CALL	110MM	1	CALL																																																																																																												
		CALL	125MM	1	CALL																																																																																																												
		CALL	140MM	1	CALL																																																																																																												
		CALL	160MM	1	CALL																																																																																																												
		CALL	200/225 MM	1	CALL																																																																																																												

*If viewing this document as a PDF, simply click on the code to view the product on our website.

Information subject to change without notice







DID YOU KNOW



We stock the products shown in this document here in the UK and also in Spain. Delivery only ever 1 week to your door.

PRICELIST 2013– 2014

	DESCRIPTION	CODE	SIZE	BOX QTY	PRICE																																																																																											
	<p>Wafer type. 1 pc full bore ball valve mounting between flanges PN16 Body: carbon steel A-105. Ball, stem and cover: stainless steel AISI 304. Seats and seals: PTFE Temp. -20°C +180°C. Manually operated by handle.</p> <table border="1"> <thead> <tr> <th>MED.</th> <th>D</th> <th>D1</th> <th>C</th> <th>H</th> <th>L</th> <th>M</th> <th>rM</th> </tr> </thead> <tbody> <tr><td>1"</td><td>110</td><td>108</td><td>85</td><td>95</td><td>46</td><td>185</td><td>4xM12</td></tr> <tr><td>1 1/4"</td><td>130</td><td>128</td><td>100</td><td>110</td><td>55</td><td>280</td><td>4xM16</td></tr> <tr><td>1 1/2"</td><td>140</td><td>138</td><td>110</td><td>110</td><td>66</td><td>280</td><td>4xM16</td></tr> <tr><td>2"</td><td>150</td><td>148</td><td>125</td><td>120</td><td>72</td><td>280</td><td>4xM16</td></tr> <tr><td>2 1/2"</td><td>170</td><td>168</td><td>145</td><td>150</td><td>98</td><td>360</td><td>4xM16</td></tr> <tr><td>3"</td><td>190</td><td>188</td><td>160</td><td>160</td><td>120</td><td>360</td><td>8xM16</td></tr> <tr><td>4"</td><td>220</td><td>220</td><td>180</td><td>180</td><td>140</td><td>480</td><td>8xM16</td></tr> </tbody> </table> 	MED.	D	D1	C	H	L	M	rM	1"	110	108	85	95	46	185	4xM12	1 1/4"	130	128	100	110	55	280	4xM16	1 1/2"	140	138	110	110	66	280	4xM16	2"	150	148	125	120	72	280	4xM16	2 1/2"	170	168	145	150	98	360	4xM16	3"	190	188	160	160	120	360	8xM16	4"	220	220	180	180	140	480	8xM16	GE2105_06	1"	1	£89.73																											
		MED.	D	D1	C	H	L	M	rM																																																																																							
		1"	110	108	85	95	46	185	4xM12																																																																																							
		1 1/4"	130	128	100	110	55	280	4xM16																																																																																							
		1 1/2"	140	138	110	110	66	280	4xM16																																																																																							
		2"	150	148	125	120	72	280	4xM16																																																																																							
		2 1/2"	170	168	145	150	98	360	4xM16																																																																																							
3"	190	188	160	160	120	360	8xM16																																																																																									
4"	220	220	180	180	140	480	8xM16																																																																																									
GE2105_07	1 1/4"	1	£122.96																																																																																													
GE2105_08	1 1/2"	1	£149.54																																																																																													
GE2105_09	2"	1	£184.43																																																																																													
GE2105_10	2 1/2"	1	£298.75																																																																																													
GE2105_11	3"	1	£382.16																																																																																													
GE2105_12	4"	1	£588.19																																																																																													
	<p>Wafer type. 1 pc full bore ball valve with heating chamber mounting between flanges PN-16 Body: forged carbon steel A-105. Ball stem and cover: stainless steel AISI 304. Seats and seals: PTFE Temp. -20°C +180°C. Manually operated by handle.</p> <table border="1"> <thead> <tr> <th>DN</th> <th>L</th> <th>d</th> </tr> </thead> <tbody> <tr><td>25</td><td>170</td><td>3/4"</td></tr> <tr><td>32</td><td>190</td><td>3/4"</td></tr> <tr><td>40</td><td>200</td><td>3/4"</td></tr> <tr><td>50</td><td>210</td><td>3/4"</td></tr> <tr><td>65</td><td>235</td><td>3/4"</td></tr> <tr><td>80</td><td>250</td><td>3/4"</td></tr> <tr><td>100</td><td>270</td><td>3/4"</td></tr> </tbody> </table> 	DN	L	d	25	170	3/4"	32	190	3/4"	40	200	3/4"	50	210	3/4"	65	235	3/4"	80	250	3/4"	100	270	3/4"	GE2115_06	1"	1	£195.43																																																																			
		DN	L	d																																																																																												
		25	170	3/4"																																																																																												
		32	190	3/4"																																																																																												
		40	200	3/4"																																																																																												
		50	210	3/4"																																																																																												
		65	235	3/4"																																																																																												
80	250	3/4"																																																																																														
100	270	3/4"																																																																																														
GE2115_07	1 1/4"	1	£248.40																																																																																													
GE2115_08	1 1/2"	1	£297.00																																																																																													
GE2115_09	2"	1	£349.20																																																																																													
GE2115_10	2 1/2"	1	£518.40																																																																																													
GE2115_11	3"	1	£626.40																																																																																													
GE2115_12	4"	1	£892.80																																																																																													
	<p>2 pcs. Full bore ball valve flanges DIN PN - 16 direct mounting for actuators s/ISO 5211. Body: ductile iron GGG-40. Ball and stem: AISI 304. Seats: PTFE + 15% GF. Stem o'ring: viton. Max. pressure: 16 kg/cm². Temp. -30°C + 180°C. Manually operated by handle with locking system. L: S/DIN 3202 F-4.</p> <table border="1"> <thead> <tr> <th>MED.</th> <th>DN</th> <th>D</th> <th>L</th> <th>M</th> <th>A</th> <th>ISO 5211</th> </tr> </thead> <tbody> <tr><td>1/2"</td><td>15</td><td>95</td><td>115</td><td>130</td><td>80</td><td>F03F04</td></tr> <tr><td>3/4"</td><td>20</td><td>105</td><td>120</td><td>130</td><td>80</td><td>F03F04</td></tr> <tr><td>1"</td><td>25</td><td>115</td><td>125</td><td>170</td><td>90</td><td>F04F05</td></tr> <tr><td>1 1/4"</td><td>32</td><td>140</td><td>130</td><td>170</td><td>102</td><td>F04F05</td></tr> <tr><td>1 1/2"</td><td>40</td><td>150</td><td>140</td><td>220</td><td>110</td><td>F05F07</td></tr> <tr><td>2"</td><td>50</td><td>165</td><td>150</td><td>220</td><td>120</td><td>F05F07</td></tr> <tr><td>2 1/2"</td><td>65</td><td>185</td><td>170</td><td>284</td><td>140</td><td>F07F10</td></tr> <tr><td>3"</td><td>80</td><td>200</td><td>180</td><td>284</td><td>150</td><td>F07F10</td></tr> <tr><td>4"</td><td>100</td><td>220</td><td>190</td><td>350</td><td>180</td><td>F07F10</td></tr> <tr><td>5"</td><td>125</td><td>250</td><td>225</td><td>447</td><td>215</td><td>F07F10</td></tr> <tr><td>6"</td><td>150</td><td>285</td><td>260</td><td>560</td><td>240</td><td>F10F12</td></tr> <tr><td>8"</td><td>200</td><td>340</td><td>400</td><td>1000</td><td>320</td><td>F12F14</td></tr> </tbody> </table> 	MED.	DN	D	L	M	A	ISO 5211	1/2"	15	95	115	130	80	F03F04	3/4"	20	105	120	130	80	F03F04	1"	25	115	125	170	90	F04F05	1 1/4"	32	140	130	170	102	F04F05	1 1/2"	40	150	140	220	110	F05F07	2"	50	165	150	220	120	F05F07	2 1/2"	65	185	170	284	140	F07F10	3"	80	200	180	284	150	F07F10	4"	100	220	190	350	180	F07F10	5"	125	250	225	447	215	F07F10	6"	150	285	260	560	240	F10F12	8"	200	340	400	1000	320	F12F14	GE2525_04	1/2"	1	£46.73
		MED.	DN	D	L	M	A	ISO 5211																																																																																								
		1/2"	15	95	115	130	80	F03F04																																																																																								
		3/4"	20	105	120	130	80	F03F04																																																																																								
		1"	25	115	125	170	90	F04F05																																																																																								
		1 1/4"	32	140	130	170	102	F04F05																																																																																								
		1 1/2"	40	150	140	220	110	F05F07																																																																																								
		2"	50	165	150	220	120	F05F07																																																																																								
		2 1/2"	65	185	170	284	140	F07F10																																																																																								
		3"	80	200	180	284	150	F07F10																																																																																								
		4"	100	220	190	350	180	F07F10																																																																																								
		5"	125	250	225	447	215	F07F10																																																																																								
6"	150	285	260	560	240	F10F12																																																																																										
8"	200	340	400	1000	320	F12F14																																																																																										
GE2525_05	3/4"	1	£53.11																																																																																													
GE2525_06	1"	1	£67.43																																																																																													
GE2525_07	1 1/4"	1	£76.63																																																																																													
GE2525_08	1 1/2"	1	£99.94																																																																																													
GE2525_09	2"	1	£116.91																																																																																													
GE2525_10	2 1/2"	1	£185.84																																																																																													
GE2525_11	3"	1	£242.15																																																																																													
	<p>2 pcs. Full bore ball valve flanges ANSI B 16.5 S-150 Direct mounting for actuators s/ISO 5211. Fire safe design. Antistatic device Body: carbon steel WCB (investment casting). Ball and stem: AISI 316. Seats: PTFE + 15% Graphite. Stem o'ring: viton. Max. pressure: 19 kg/cm². Temp. -30 °C + 180 °C. Manually operated by handle with locking system.</p> <table border="1"> <thead> <tr> <th>MED.</th> <th>ISO 5211</th> <th>DN</th> <th>D</th> <th>L</th> <th>M</th> <th>A</th> </tr> </thead> <tbody> <tr><td>1/2"</td><td>F-04</td><td>15</td><td>89</td><td>108</td><td>165</td><td>90</td></tr> <tr><td>3/4"</td><td>F-04F-05</td><td>20</td><td>98,6</td><td>117</td><td>165</td><td>95</td></tr> <tr><td>1"</td><td>F-04F-05</td><td>25</td><td>108</td><td>127</td><td>165</td><td>95</td></tr> <tr><td>1 1/4"</td><td>F-05F-07</td><td>32</td><td>117</td><td>140</td><td>165</td><td>106</td></tr> <tr><td>1 1/2"</td><td>F-05F-07</td><td>40</td><td>127</td><td>165</td><td>200</td><td>110</td></tr> <tr><td>2"</td><td>F-05F-07</td><td>50</td><td>152,5</td><td>178</td><td>200</td><td>118</td></tr> <tr><td>2 1/2"</td><td>F-07F-10</td><td>65</td><td>177,8</td><td>190</td><td>400</td><td>160</td></tr> <tr><td>3"</td><td>F-07F-10</td><td>80</td><td>190,5</td><td>203</td><td>400</td><td>170</td></tr> <tr><td>4"</td><td>F-07F-10</td><td>100</td><td>228,6</td><td>229</td><td>400</td><td>196</td></tr> <tr><td>6"</td><td>F-10F-12</td><td>150</td><td>279,4</td><td>394</td><td>800</td><td>280</td></tr> </tbody> </table> 	MED.	ISO 5211	DN	D	L	M	A	1/2"	F-04	15	89	108	165	90	3/4"	F-04F-05	20	98,6	117	165	95	1"	F-04F-05	25	108	127	165	95	1 1/4"	F-05F-07	32	117	140	165	106	1 1/2"	F-05F-07	40	127	165	200	110	2"	F-05F-07	50	152,5	178	200	118	2 1/2"	F-07F-10	65	177,8	190	400	160	3"	F-07F-10	80	190,5	203	400	170	4"	F-07F-10	100	228,6	229	400	196	6"	F-10F-12	150	279,4	394	800	280	GE2526A_04	1/2"	1	£31.07														
		MED.	ISO 5211	DN	D	L	M	A																																																																																								
		1/2"	F-04	15	89	108	165	90																																																																																								
		3/4"	F-04F-05	20	98,6	117	165	95																																																																																								
		1"	F-04F-05	25	108	127	165	95																																																																																								
		1 1/4"	F-05F-07	32	117	140	165	106																																																																																								
		1 1/2"	F-05F-07	40	127	165	200	110																																																																																								
		2"	F-05F-07	50	152,5	178	200	118																																																																																								
		2 1/2"	F-07F-10	65	177,8	190	400	160																																																																																								
		3"	F-07F-10	80	190,5	203	400	170																																																																																								
		4"	F-07F-10	100	228,6	229	400	196																																																																																								
6"	F-10F-12	150	279,4	394	800	280																																																																																										
GE2526A_05	3/4"	1	£41.19																																																																																													
GE2526A_06	1"	1	£56.92																																																																																													
GE2526A_07	1 1/4"	1	£79.00																																																																																													
GE2526A_08	1 1/2"	1	£109.66																																																																																													
GE2526A_09	2"	1	£161.78																																																																																													
GE2526A_10	2 1/2"	1	£269.04																																																																																													
GE2526A_11	3"	1	£354.47																																																																																													

*If viewing this document as a PDF, simply click on the code to view the product on our website.

Information subject to change without notice