

# Make sure it's the right approach

Uniclass L4412:P51	EPIC D52:X5
CI/SfB (90.3)	XI



**Glyngary**<sup>®</sup>

Gates of Distinction

[www.glyngary.co.uk](http://www.glyngary.co.uk) • [www.glyngaryhardware.co.uk](http://www.glyngaryhardware.co.uk)

Welcome to our second brochure dedicated to Glyngary's gates and fencing. In 'External Joinery Products' we gave a glimpse of the range which was met with such an enthusiastic response that we decided to extend the product line and give gates and fences their own brochure.

We believe that our range is different from other commercial products you may have come across. Whilst accepting that they may cost a little more, as the famous beer commercial, we would argue 'reassuringly expensive' because it is common knowledge that when it comes to timber products, you get what you pay for. There are no short cuts and if a product is cheap more often than not you can add the word 'nasty' to it.

Being a joinery manufacturer rather than a fencing contractor we are in the enviable position that we can, in addition to supplying the gates, supply the matching garage doors, entrance doors, windows and porches, bringing the whole scheme together and giving any property kerb appeal.

Our extensive range is illustrated within, however if your customer has any bespoke requirements we have the facilities and skills to meet most needs.

We use a range of different timbers the most common being Redwood, Sapele, Iroko, Oak and beam grade Oak.

Whether you are a window company looking for another revenue stream, a driveway company or landscape gardener offering a complete package we have the products you need. Alternatively you may be a company already selling and fitting gates but looking for a more reliable supplier with a better quality range. In that case, we are confident that after looking through our brochure you will have found the products you need.

Should you require any further information, do not hesitate to contact us.

*Glyn*

Glyn Yates  
Director



Glyn Yates  
Sales & Marketing Director



Gary Yates  
Production & Technical Director

oak

iroko

redwood

sapele

# contents

garden gates	1
side entrance gates	2
entrance gates	3
estate gates	4
railings	5
posts, rails and privacy panels	6
hardware	7

## Timber specification

**Redwood** – is imported from Europe, predominantly Scandinavia and Russia (when grown in the UK it is known as Scots Pine). When purchasing Redwood we specify Upper Gulf ‘unsorted’, this being the best grade available. Upper Gulf means the Northern part of Sweden (it is much colder therefore the timber grows much slower giving the timber a tighter, closer grain).

**Sapele**- is imported from West Africa, the timber named after the port of Sapele, which is on the Benin River in Nigeria where the timber is shipped from.

**Iroko**- is again imported from West Africa, ranging from the Ivory Coast to Angola; it is sometimes likened to Teak, albeit coarser in texture and a little lighter in colour.

**European Oak** – can be found anywhere in Europe but our main supply is imported from France and Italy. We purchase only the Prime Grade Qf1a for all our joinery products.

*All the above timbers are purchased Kiln Dried.*

**Beam Grade Oak** - Used for all our Oak fence posts rails and railings, this material is purchased weekly and brought in from France, Italy and Germany. It is cut to our required sizes on the continent and is still ‘green’ containing approximately 90% moisture content. The weight is approximately 62lbs per cubic foot. Durability classification is durable.

*Note: this timber is subject to shrinkage and shaking (splitting) but does not detract from its strength (take note of all the Oak beams you see in the pub), the shaking is mainly in the bigger sections i.e. the posts.*

	<b>Redwood</b>	<b>Sapele</b>	<b>Iroko</b>	<b>Oak</b>
<b>Weight (Cu.ft)</b>	32lb	39lb	40lb	45lb
<b>Durability</b>	Non-durable	Moderately durable	Very durable	Durable
	5-10 years	10-15 years	more than 25 years	15-25 years

*Note: Durability is the amount of time **untreated** timber will last outside and in direct contact with the ground*

25 years  
in the making

# garden gates



ennerdale 3



ennerdale 2



ennerdale 2a



1



thirlmere 1



thirlmere 2



thirlmere 3



# side entrance gates



ullswater 3



derwent 3



ullswater 2



derwent 2



distinctive

elegant

improves

refined

enhances

kerb appeal

transforms



# entrance gates



windermere 1



windermere 2



coniston



***All our products are bespoke.  
So, remember, you can have  
any design or size to fit even  
if they are not shown in our  
current range.***

***Ask for further details.***

# estate gates



haweswater

One piece laminated style



4



bassenthwaite



bassenthwaite fence panel



# railings

All items can be purchased separately, however, we have also, for simplicity and ease of ordering, created packs to cover a run of 8 ft (2440mm), centre of post to centre of post:

**CONCEALED PACK** – where the posts effectively stand behind the picket run and become ‘lost’ on the one viewing side.

**INTEGRAL PACK** – where the posts are on view and become part of the picket run


Both of these construction options are available in a selection of our own picket profile designs, however we do carry out bespoke work so if you do have a particular requirement, please do talk to us – if anyone can do it, we certainly can!

Concealed post packs consist of 1 or 2 posts, 2 horizontal rails & 23 vertical railings (giving spacing’s of approximately 37mm).

For continuation of a fence, 1 post packs are available. ie: if a fence is 40 ft long, you would need 1 x 2 post pack & 4 x 1 post packs.

*Please note: Integral post packs calculate as above but with the exception of the vertical railings where only 22 of are supplied (they still give the same run length of 2440mm).*

15



concealed posts



integral posts



# posts, rails & privacy panels



half  
round



gothic



pyramid



pyramid  
/ collar



A type 2440mm square ends



B type 2400mm tenoned ends

6



keswick




grasmere




ambleside

# hardware




1



2



3



5




6



7

7



16

17

18

19

20

21

Purpose Made Ironmongery



8



9




10

11

12




13



14



15



# Glyngary®

## quality window & door hardware direct from glyngary's own online e-tailing site

[www.glyngaryhardware.co.uk](http://www.glyngaryhardware.co.uk)

# Glyngary Energy Efficient Windows

**Window Energy Rating**  
**GLYNGARY**  
 KM 566095  
**Flush Sash-Shootbolt (Softwood)**

Energy rating scale: A (Green), B (Light Green), C (Yellow-Green), D (Yellow), E (Orange), F (Red-Orange), G (Red). Rating: **A**.

Efficiency rating (kWh/m<sup>2</sup>/year): **+2 UK**

Country: **UK**

Thermal Transmittance: 1.4 W/m<sup>2</sup>.K  
 Solar Factor: 0.45  
 Air Leakage: 0

[www.Kitemark.com](http://www.Kitemark.com)  
 Kitemark and the Kitemark logo are registered trademarks of BS.

Approved Document L1B 4.2.2

**Window Energy Rating**  
**GLYNGARY**  
 KM 566095  
**Straight Slider (Softwood)**

Energy rating scale: A (Green), B (Light Green), C (Yellow-Green), D (Yellow), E (Orange), F (Red-Orange), G (Red). Rating: **B**.

Efficiency rating (kWh/m<sup>2</sup>/year): **-3 UK**

Country: **UK**

Thermal Transmittance: 1.6 W/m<sup>2</sup>.K  
 Solar Factor: 0.45  
 Air Leakage: 0

[www.Kitemark.com](http://www.Kitemark.com)  
 Kitemark and the Kitemark logo are registered trademarks of BS.

Approved Document L1B 4.2.2

**Window Energy Rating**  
**GLYNGARY**  
 KM 566095  
**Straight Slider (Hardwood)**

Energy rating scale: A (Green), B (Light Green), C (Yellow-Green), D (Yellow), E (Orange), F (Red-Orange), G (Red). Rating: **B**.

Efficiency rating (kWh/m<sup>2</sup>/year): **-10 UK**

Country: **UK**

Thermal Transmittance: 1.6 W/m<sup>2</sup>.K  
 Solar Factor: 0.45  
 Air Leakage: 0

[www.Kitemark.com](http://www.Kitemark.com)  
 Kitemark and the Kitemark logo are registered trademarks of BS.

Approved Document L1B 4.2.2

**Window Energy Rating**  
**GLYNGARY**  
 KM 566095  
**Straight Slider (Accoya)**

Energy rating scale: A (Green), B (Light Green), C (Yellow-Green), D (Yellow), E (Orange), F (Red-Orange), G (Red). Rating: **A**.

Efficiency rating (kWh/m<sup>2</sup>/year): **0 UK**

Country: **UK**

Thermal Transmittance: 1.5 W/m<sup>2</sup>.K  
 Solar Factor: 0.48  
 Air Leakage: 0

[www.Kitemark.com](http://www.Kitemark.com)  
 Kitemark and the Kitemark logo are registered trademarks of BS.

Approved Document L1B 4.2.2

**Window Energy Rating**  
**GLYNGARY**  
 KM 566095  
**Classic 300 (Softwood)**

Energy rating scale: A (Green), B (Light Green), C (Yellow-Green), D (Yellow), E (Orange), F (Red-Orange), G (Red). Rating: **B**.

Efficiency rating (kWh/m<sup>2</sup>/year): **-4 UK**

Country: **UK**

Thermal Transmittance: 1.4 W/m<sup>2</sup>.K  
 Solar Factor: 0.47  
 Air Leakage: 0

[www.Kitemark.com](http://www.Kitemark.com)  
 Kitemark and the Kitemark logo are registered trademarks of BS.

Approved Document L1B 4.2.2

**Window Energy Rating**  
**GLYNGARY**  
 KM 566095  
**Flush Sash-Shootbolt (Hardwood)**

Energy rating scale: A (Green), B (Light Green), C (Yellow-Green), D (Yellow), E (Orange), F (Red-Orange), G (Red). Rating: **B**.

Efficiency rating (kWh/m<sup>2</sup>/year): **-5 UK**

Country: **UK**

Thermal Transmittance: 1.5 W/m<sup>2</sup>.K  
 Solar Factor: 0.45  
 Air Leakage: 0

[www.Kitemark.com](http://www.Kitemark.com)  
 Kitemark and the Kitemark logo are registered trademarks of BS.

Approved Document L1B 4.2.2

**Window Energy Rating**  
**GLYNGARY**  
 KM 566095  
**Stormproof-Shootbolt (Softwood)**

Energy rating scale: A (Green), B (Light Green), C (Yellow-Green), D (Yellow), E (Orange), F (Red-Orange), G (Red). Rating: **A**.

Efficiency rating (kWh/m<sup>2</sup>/year): **0 UK**

Country: **UK**

Thermal Transmittance: 1.4 W/m<sup>2</sup>.K  
 Solar Factor: 0.45  
 Air Leakage: 0

[www.Kitemark.com](http://www.Kitemark.com)  
 Kitemark and the Kitemark logo are registered trademarks of BS.

Approved Document L1B 4.2.2

**Window Energy Rating**  
**GLYNGARY**  
 KM 566095  
**Rehau S719 Heritage PVCu**

Energy rating scale: A (Green), B (Light Green), C (Yellow-Green), D (Yellow), E (Orange), F (Red-Orange), G (Red). Rating: **B**.

Efficiency rating (kWh/m<sup>2</sup>/year): **-8 UK**

Country: **UK**

Thermal Transmittance: 1.5 W/m<sup>2</sup>.K  
 Solar Factor: 0.45  
 Air Leakage: 0.01 W/m<sup>2</sup>.K

[www.Kitemark.com](http://www.Kitemark.com)  
 Kitemark and the Kitemark logo are registered trademarks of BS.

Approved Document L1B 4.2.2

**Window Energy Rating**  
**GLYNGARY**  
 KM 566095  
**Stormproof-Pegstay (Hardwood)**

Energy rating scale: A (Green), B (Light Green), C (Yellow-Green), D (Yellow), E (Orange), F (Red-Orange), G (Red). Rating: **A**.

Efficiency rating (kWh/m<sup>2</sup>/year): **+1 UK**

Country: **UK**

Thermal Transmittance: 1.5 W/m<sup>2</sup>.K  
 Solar Factor: 0.48  
 Air Leakage: 0

[www.Kitemark.com](http://www.Kitemark.com)  
 Kitemark and the Kitemark logo are registered trademarks of BS.

Approved Document L1B 4.2.2

**Window Energy Rating**  
**GLYNGARY**  
 KM 566095  
**Stormproof-Pegstay (Softwood)**

Energy rating scale: A (Green), B (Light Green), C (Yellow-Green), D (Yellow), E (Orange), F (Red-Orange), G (Red). Rating: **A**.

Efficiency rating (kWh/m<sup>2</sup>/year): **+5 UK**

Country: **UK**

Thermal Transmittance: 1.4 W/m<sup>2</sup>.K  
 Solar Factor: 0.47  
 Air Leakage: 0

[www.Kitemark.com](http://www.Kitemark.com)  
 Kitemark and the Kitemark logo are registered trademarks of BS.

Approved Document L1B 4.2.2

**Window Energy Rating**  
**GLYNGARY**  
 KM 566095  
**Flush Sash-Pegstay (Softwood)**

Energy rating scale: A (Green), B (Light Green), C (Yellow-Green), D (Yellow), E (Orange), F (Red-Orange), G (Red). Rating: **A**.

Efficiency rating (kWh/m<sup>2</sup>/year): **+6 UK**

Country: **UK**

Thermal Transmittance: 1.4 W/m<sup>2</sup>.K  
 Solar Factor: 0.46  
 Air Leakage: 0

[www.Kitemark.com](http://www.Kitemark.com)  
 Kitemark and the Kitemark logo are registered trademarks of BS.

Approved Document L1B 4.2.2

**Window Energy Rating**  
**GLYNGARY**  
 KM 566095  
**Stormproof-Shootbolt (Hardwood)**

Energy rating scale: A (Green), B (Light Green), C (Yellow-Green), D (Yellow), E (Orange), F (Red-Orange), G (Red). Rating: **B**.

Efficiency rating (kWh/m<sup>2</sup>/year): **-6 UK**

Country: **UK**

Thermal Transmittance: 1.5 W/m<sup>2</sup>.K  
 Solar Factor: 0.45  
 Air Leakage: 0

[www.Kitemark.com](http://www.Kitemark.com)  
 Kitemark and the Kitemark logo are registered trademarks of BS.

Approved Document L1B 4.2.2

**Window Energy Rating**  
**GLYNGARY**  
 KM 566095  
**Classic 300 (Hardwood)**

Energy rating scale: A (Green), B (Light Green), C (Yellow-Green), D (Yellow), E (Orange), F (Red-Orange), G (Red). Rating: **B**.

Efficiency rating (kWh/m<sup>2</sup>/year): **-10 UK**

Country: **UK**

Thermal Transmittance: 1.6 W/m<sup>2</sup>.K  
 Solar Factor: 0.47  
 Air Leakage: 0.05 W/m<sup>2</sup>.K

[www.Kitemark.com](http://www.Kitemark.com)  
 Kitemark and the Kitemark logo are registered trademarks of BS.

Approved Document L1B 4.2.2

**Window Energy Rating**  
**GLYNGARY**  
 KM 566095  
**Flush Sash-Pegstay (Hardwood)**

Energy rating scale: A (Green), B (Light Green), C (Yellow-Green), D (Yellow), E (Orange), F (Red-Orange), G (Red). Rating: **A**.

Efficiency rating (kWh/m<sup>2</sup>/year): **0 UK**

Country: **UK**

Thermal Transmittance: 1.5 W/m<sup>2</sup>.K  
 Solar Factor: 0.48  
 Air Leakage: 0

[www.Kitemark.com](http://www.Kitemark.com)  
 Kitemark and the Kitemark logo are registered trademarks of BS.

Approved Document L1B 4.2.2

**Window Energy Rating**  
**GLYNGARY**  
 KM 566095  
**Classic 300 (Accoya)**

Energy rating scale: A (Green), B (Light Green), C (Yellow-Green), D (Yellow), E (Orange), F (Red-Orange), G (Red). Rating: **A**.

Efficiency rating (kWh/m<sup>2</sup>/year): **0 UK**

Country: **UK**

Thermal Transmittance: 1.4 W/m<sup>2</sup>.K  
 Solar Factor: 0.46  
 Air Leakage: 0.05 W/m<sup>2</sup>.K

[www.Kitemark.com](http://www.Kitemark.com)  
 Kitemark and the Kitemark logo are registered trademarks of BS.

Approved Document L1B 4.2.2