

**watco**<sup>®</sup>

SPECIAL  
EDITION



# REPAIRS FORMULATED TO LAST

Showcasing our industry-leading repair products.





# A repair range built on strength, reliability and superior performance.

When repairing concrete or asphalt surfaces the number one expectation is longevity, which is why our formulations are engineered for ultimate performance. Our repair range includes products for fixing minor imperfections in floors to repairing joints, cracks, holes and full surface screeding. With Watco on the tin, you can be assured your repair will outlast any other product on the market.

## A guide to selecting the right repair product

### Small holes/cracks

<b>Products for concrete</b>	
Concrex® Fine Filler .....	10
Floor Joint Sealant .....	10
Flexible Joint Repair .....	10
Fine Crack Filler .....	10

<b>Products for asphalt</b>	
Asphalt Crack Filler .....	17
Asphalt Easy Fill .....	17
Concrex® Asphalt Repair .....	17
Road Patch Rapid .....	17

### Holes between 5-50mm deep

<b>Products for concrete</b>	
Concrex® Acid Strength (5-50mm) .....	07
Concrex® Carbon Fibre (5-50mm) .....	04
Concrex® Colours (5-50mm) .....	07
Concrex® Flex (5-50mm) .....	07
Flowpatch® (5-50mm) .....	09
Concrex® Vertical (5-50mm) .....	07

<b>Products for asphalt</b>	
Bitu-Mend® Pour & Restore (6-20mm) ...	15
Road Patch Rapid (5-10mm) .....	17

### Holes deeper than 50mm

<b>Products for concrete</b>	
Concrex® Deep Fill (15-100mm) .....	07
Flowpatch® Deep Fill (10-200mm) .....	08

<b>Products for asphalt</b>	
Bitu-Mend® (25-75mm) .....	14
Bitu-Mend® Advanced (10-100mm) .....	15
Bitu-Mend® Deep Fill (15-200mm) .....	15
Flowpatch® Asphalt Repair (5-100mm) ...	16

### Cold curing products

<b>Products for concrete</b>	
Concrex® Cold Set .....	07
Concrex® Deep Fill Cold Set .....	07
Concrex® Sub Zero .....	07
Concrex® Vertical Cold Set .....	07
Flowpatch® Sub Zero .....	08
Fine Crack Filler Cold Cure .....	10

### Full surface repair

<b>Products for concrete</b>	
Flowtop .....	13

## Easy ordering



01483 418 418



sales@watco.co.uk



watco.co.uk



watco app

Available to download on the App Store or Google Play.



**Still unsure which product is best for you?**

Give our technical team a call on 01483 418 418. They'll be more than happy to help.



# LOOK NO FURTHER CONCREX<sup>®</sup> CARBON FIBRE



## Features

- ✓ Tough, quick and permanent floor repairs
- ✓ So versatile it can be used almost anywhere
- ✓ Faster drying, ready for traffic in 1 hour
- ✓ Embedded with Carbon Fibre for superior strength
- ✓ 20 year guarantee against impact and abrasion failure
- ✓ Resin rich for thin section and feather edge repairs

10kg £115.75 (excl. VAT) + 25kg £232.70 (excl. VAT)

[SHOP NOW](#)

## WHAT WE'VE ACHIEVED

Why change a winning formula? Well, the new Concrex Carbon Fibre manages to retain all of the benefits associated with the original Concrex, whilst also outperforming it in several key areas.

### ✓ DURABILITY

Because of the new carbon fibre and ceramic based formulation, it is incredibly durable and better suited for high-traffic floors. In fact, any Concrex Carbon Fibre repair should be considered permanent, and will outlast the surrounding concrete floor. As such, we are proud to say that the new product offers the hardest, long-lasting epoxy repair mortar on the market. We're so confident of that, we're offering a 20-year guarantee.

### ✓ SPEED OF APPLICATION

New Concrex Carbon Fibre solution is not only more durable than Concrex original, it is also faster drying and can be set and ready for traffic in just one hour – keeping site downtime to a minimum. Simple to use, it is already part mixed with the resin and aggregate combined, further reducing preparation time. Users simply add the grey activator to the mix – coloured to help users ensure it is sufficiently combined - and the product is ready to go. Whether required for a heavily trafficked floor, hole, ramp, loading bay, step nosing or guide rail, the mortar provides fast performance and a time efficient repair.

### ✓ ENHANCED FORMULA

As well as being reinforced with carbon fibre and ceramic, the new formula is resin rich, having been loaded with epoxy to give you an even stronger, more permanent repair than the original Concrex – already the strongest on the market. The product can also be feather edged, making repairs quicker and easier, while interlocking sand particles further help it to achieve a stronger and smoother finish.

In addition, a 15% increase in the novolac resin content of the product ensures repair jobs are unaffected by chemical spillages. This is a huge advantage over cement-based repair mortars, which can react to multiple acidic chemicals.

### ✓ WHERE CAN IT BE USED?

Thanks to its stronger and faster curing time, Concrex Carbon Fibre is versatile enough for use across a wide range of environments. In fact, it can be used virtually anywhere an ordinary mortar might fail, including holes, guide rails, ramps, steps and spalled joints. The revamped mortar can also be 'moulded' into shape to form a kerb and even repair step nosing. Most repairs using Concrex<sup>®</sup> Carbon Fibre require no primer, but it can be used with Watco's Tack Coat for intricate repairs, or thin screeding jobs. Once again, this added versatility is largely due to the increase in novolac resin within the product, which also gives it improved high temperature resistance and makes it much easier to mix and apply.

At Watco, we are proud to be recognised as a genuine industry-leader in the world of epoxy resin repair mortars. Over the years, we have worked hard to develop an extensive 'family' of solutions, which are helping individuals across a wide range of trades to complete difficult tasks in a more straightforward manner. Now, with Concrex Carbon Fibre we are taking things to the next level. Benefitting from recent advances in resin technology and access to new raw materials, our chemists have devised a powerful mortar that delivers stronger, faster and longer-lasting performance than anything that has come before.




For more information scan the QR code or view the full Concrex range at [watco.co.uk/concrex-carbon-fibre](http://watco.co.uk/concrex-carbon-fibre)



# PERMANENT REPAIRS TO CONCRETE SURFACES

## Where to use Concrex®



## Recommended Extras

### Large Application Kit

- 4 plastic bags for transporting
  - 750ml white spirit
  - 10" steel float
  - 4" trowel
  - 2" paint brush
  - Wire brush/scrapper
  - 5 cloths and nitrile gloves
  - Ideal for 25kg of Concrex
- + £32.50** (excl. VAT)

### Small Application Kit

- 2 plastic bags for transporting
  - 250ml white spirit
  - 4" trowel
  - 2" paint brush
  - Wire brush/scrapper
  - Cloth and disposable gloves
  - Ideal for 10kg of Concrex
- + £18.70** (excl. VAT)

### Watco Tack Coat

High strength 100% solids epoxy resin adhesive primer

- + Original 1m<sup>2</sup> £29.00** (excl. VAT)
- + Original 6m<sup>2</sup> £82.95** (excl. VAT)
- + Sub Zero 3m<sup>2</sup> £36.85** (excl. VAT)

[SHOP NOW](#)



### Concrex® Coving Mortar

Specially formulated to make cove skirting easy.

- + 5kg £82.30** (excl. VAT)

[SHOP NOW](#)



### Concrex® Acid Strength

Permanent floor repairs with excellent chemical resistance.

- + 10kg £146.20** (excl. VAT)

[SHOP NOW](#)



### Concrex® Vertical

Permanent repairs to vertical or overhead surfaces.

- + 10kg £117.90** (excl. VAT)
- + Cold £130.20** (excl. VAT)

[SHOP NOW](#)



### Concrex® Deep Fill

Economic and strong repair formula for deep holes.

- + 10kg £244.40** (excl. VAT)
- + Cold £244.40** (excl. VAT)
- + Rapid £244.40** (excl. VAT)

[SHOP NOW](#)



### Concrex® Flex

Impact and crack resistant floor repair.

- + 10kg £121.65** (excl. VAT)

[SHOP NOW](#)



### Concrex® Cold Set

Long lasting formula for repairs in cold conditions. Cures down to 0°C.

- + 10kg £121.65** (excl. VAT)
- + 25kg £244.40** (excl. VAT)

[SHOP NOW](#)



### Concrex® Colours

Coloured epoxy resin mortar for holes in heavy traffic areas.

- + 10kg £115.75** (excl. VAT)
- + 25kg £232.70** (excl. VAT)

[SHOP NOW](#)



### Concrex® Sub Zero

For essential repairs down to -20°C during the winter months.

- + 10kg £146.20** (excl. VAT)

[SHOP NOW](#)



Download our **FREE** guide to **Concrete Floors Repairs**


Scan the QR code





# MAKE FAST WORK OF HEAVY DUTY REPAIRS

Flowpatch® is one of our bestselling repair mortars for fixing holes in concrete floors as it is easy to apply and takes heavy industrial traffic in just 2 hours. There is no fuss with any of the Flowpatch products and you do not have to be a professional to use it – just add water, mix and pour directly into the hole. The incredibly strong formula will level off to the existing concrete and can be used inside or out.



## Flowpatch

Fast pourable and strong repairs for heavy wear areas.

- + 10kg £62.00 (excl. VAT)
- + 25kg £151.70 (excl. VAT)

**SHOP NOW**

- + Easy to use rapid dry formula
- + Takes forklifts in just 2 hours
- + Just add water, mix and pour
- + Fibre reinforced for added strength



## Flowpatch Coloured

Fast and strong repairs for coloured concrete.

- + 25kg £175.75 (excl. VAT)

**SHOP NOW**



## Flowpatch Deep Fill

Fast, pourable and strong repairs for holes up to 200mm.

- + 25kg £121.30 (excl. VAT)

**SHOP NOW**



## Flowpatch Sub Zero

Fast and strong repairs for heavy wear areas in -20°C.

- + 10kg £89.85 (excl. VAT)
- + 25kg £223.75 (excl. VAT)

**SHOP NOW**



For more information scan the QR code or view the full Flowpatch range at [watco.co.uk/products/watco-flowpatch](https://www.watco.co.uk/products/watco-flowpatch)





### Watco Floor Joint Sealant

Two part flexible filler for expansion and movement joints.

+ 2l **£82.65** (excl. VAT)

[SHOP NOW](#)



### Watco Concrex Fine Filler

Fills imperfections in concrete floors prior to painting.

+ 1.5kg **£56.75** (excl. VAT)

[SHOP NOW](#)



### Watco Fine Crack Filler

Tough and easy repairs for fine cracks in concrete floors.

+ 500ml **£37.40** (excl. VAT)

+ Cold Cure **£40.80** (excl. VAT)

[SHOP NOW](#)

**NEW AND IMPROVED FORMULA**



### Watco Flexible Joint Repair

A heavy duty flexible repair for expansion joints.

+ 2.5L **£104.45** (excl. VAT)

[SHOP NOW](#)

- + Takes heavy traffic for a longer lasting repair
- + Reduced curing time and no need for a primer
- + New formula: easier to mix and apply
- + Sticks so well it could be used as glue
- + Concrete grey colour blends in with the existing surface
- + Includes a recycled glass aggregate
- + Can be coated in any Watco coating

# FLEXIBLE JOINT REPAIR

Most traditional joint fillers require two steps. Watco Flexible Joint Repair eliminates the need to reform joint edges, making the process one simple step rather than two - saving you time and money.

## How to mix and apply Watco Flexible Joint Repair



1. The joint should be clean, dry and free from loose material. Mix all three components thoroughly.
2. Empty the mixed components into the outer plastic bucket and gradually add the sand, mixing continually.
3. Trowel the mixture into the joint.
4. Smooth over the surface with a trowel.
5. Remove the masking tape after 1 hour.
6. Ready for use in 8-12 hours.

**EXPERT TIP**

Make sure to apply masking tape to both sides of the joint for a clean, professional finish.



For more information about Flexible Joint Repair, scan the QR code or visit [watco.co.uk/products/watco-flexible-joint-repair](https://www.watco.co.uk/products/watco-flexible-joint-repair)



# FLOWTOP®

Simply pour a new heavy duty floor.

Watco Flowtop is the ultimate concrete resurfacer for internal floors. It is a pourable self-smoothing leveller containing polyamide fibres which reinforce the micro-structure to make it even stronger and improve its shock and abrasion resistance. The finished surface is extremely durable and is suitable for forklift traffic and general industrial use.

What's more, its really easy to apply meaning you don't need to be a professional to achieve a professional finish.

Flowtop can be overcoated to give you even more durability. To achieve the best Watco floor we recommend using a virtually solvent free two-part 100% solids epoxy resin coating, such as Watco Epoxicote High Build.



For more information about Flowtop scan the QR code or visit [www.watco.co.uk/products/watco-flowtop](http://www.watco.co.uk/products/watco-flowtop)



Watco Flowtop + 25kg FROM £102.20 (excl. VAT)

SHOP NOW



# BITU-MEND®

Watco Bitu-Mend is a durable bitumen-based repair material for use on exterior potholed asphalt and concrete.

The Watco Bitu-Mend formula has a high concentrate of bitumen meaning repairs are ready for instant trafficking. The material is soft and flexible when applied, which is tampered into place in minutes. The material then hardens over time giving you a long lasting repair.

## Watco Bitu-Mend

Easy and instant repairs to potholes in concrete and asphalt.

**Covergae:** Approx 0.5m<sup>2</sup> per kg at 25mm thick

**Curing time:** Instant

+ 20kg **£68.85** (excl. VAT)

[SHOP NOW](#)



For more information about Bitu-Mend, scan the QR code or visit [www.watco.co.uk/products/watco-bitumend-pothole-repair](http://www.watco.co.uk/products/watco-bitumend-pothole-repair)

# INSTANT AND EASY POTHOLE REPAIRS

## Watco Bitu-Mend Advanced

Designed for stronger, longer-lasting pothole repairs.

+ 25kg **£133.55** (excl. VAT)

[SHOP NOW](#)

## Watco Bitu-Mend Deep Fill

Repair holes between 15 and 200mm deep in one application.

+ 25kg **£118.10** (excl. VAT)


[SHOP NOW](#)

## Watco Bitu-Mend Pour & Restore

A pourable repair for shallow holes in bitumen and asphalt.

+ 15kg **£99.40** (excl. VAT)

[SHOP NOW](#)



1

Remove all loose surface material debris.



2

Pour primer onto prepared surface and spread with a brush.



3

Tip or shovel out sufficient material into the hole.



4

Compact the material into the hole using a tamper.



5

Repairs can be driven over immediately.



# ASPHALT REPAIRS

Asphalt and tarmac surfaces erode over time due to general wear and tear. This damage causes trip hazards, which left un-repaired can be extremely dangerous. Traditionally, repairs would involve cutting out around the damaged asphalt and refilling with a similar material. With Watco Flowpatch Asphalt Repair, just pour the mixture straight over the top of the surface erosion and used to fill holes up to 100mm deep in just one layer.

**Watco Flowpatch Asphalt Repair**  
 + 25kg £151.70 (excl. VAT)

**SHOP NOW**

## Features

- ✓ Tough reinforced repairs for heavy wear areas
- ✓ Can be applied to damp (not wet) asphalt and tarmac
- ✓ Use at any depth from 5mm to 100mm in one layer
- ✓ Will not dust or deteriorate with freeze/thaw conditions
- ✓ Mix as much as you need and reseal the pack for future use

Accepts heavy traffic after just 2 hours

Sets at temperatures as low as -5°C

Just add water, mix and pour

Resists oil and greese

### Watco Concrex Asphalt Repair

High strength resin epoxy formulation for ultra strong repairs to damaged concrete and asphalt. Concrex Asphalt Repair will withstand the heaviest use.

+ 25kg £244.40 (excl. VAT)

**SHOP NOW**



### Watco Road Patch Rapid

Easy to use, fast curing road repair product, made from a pre-mixed magnesium phosphate cement blended with a specially selected aggregate. Ideal for repairs in heavy trafficked areas.

+ 25kg Enquire Now

**SHOP NOW**



### Watco Asphalt Crack Filler

Rubberised Bitu-Mend formula, ideal for repairing and filling cracks in old asphalt. Simply decant the liquid into a watering can or any spouted can and pour into the crack.

+ 5L £50.40 (excl. VAT)

**SHOP NOW**



### Watco Asphalt Easy Fill

Suitable for filling in cracks in asphalt, concrete and tarmac repair. Ideal for flexible repairs to asphalt surfaces and can also be used to fill cracks and seal the joints of concrete surfaces.

+ 310ml Cartridge £13.80 (excl. VAT)

**SHOP NOW**





# TOOLS FOR A PROFESSIONAL APPLICATION



## 10" Steel Float

Ideal for smoothing out repairs for a professional finish.

+ £8.83 (excl. VAT)



## 4" Mix & Apply Trowel

Ideal for mixing and applying intricate repairs.

+ £8.10 (excl. VAT)



## Concrex Mixing Tub

For easy mixing of all Concrex products.

+ £13.10 (excl. VAT)



## Tack Coat

High strength 100% solids epoxy resin adhesive primer.

+ 1m<sup>2</sup> £29.00 (excl. VAT)

+ 6m<sup>2</sup> £73.40 (excl. VAT)



## Masking Tape

A low tack masking tape for neat edges on smooth surfaces.

+ £4.25 (excl. VAT)



## Mixing Blade

Easily mixes Watco Flowtop or Flowpatch mortars.

+ £14.65 (excl. VAT)



## Paint Brush

Professional paint brushes for easy application of paints and primers.

+ 1.5" £2.80 + 2" £4.70 + 5" £9.70

(all prices excl. VAT)



## Skeleton Gun

Sealant gun suitable for using with Asphalt Easy Fill.

+ £6.55 (excl. VAT)



## 2 Spouted Jug

For easy application of Asphalt Crack Filler.

+ £7.65 (excl. VAT)



## Tamper

Use for compacting Watco Bitu-Mend into potholes.

+ £43.05 (excl. VAT)



## Hand Shovel

A small hand shovel for use with Watco Bitu-Mend.

+ £5.60 (excl. VAT)



## Concrex Application Kit

Everything you need to apply Watco Concrex.

+ Small £18.70

+ Large £32.50

(all prices excl. VAT)



## Bitu-Mend Application Kit

Everything you need for easy application of Watco Bitu-Mend.

+ £39.30 (excl. VAT)



## Spiked Shoes

Makes the application of Watco Flowtop even easier.

+ £36.16 (excl. VAT)



## Spiked Roller

Releases air bubbles from Watco Flowtop.

+ £23.50 (excl. VAT)





# CLICK, CLICK COMPARE...

Now it's even easier to find the right maintenance solution for you with our product comparison tool.

Benefit from quick and easy product comparisons with our handy online feature. Compare up to 4 products and their key features, so you can find the best maintenance solution for your project and environment.

It's easy to use – simply select the products you'd like to compare or review the comparisons we've chosen for you. Our quick-to-view table means you have all the information you need to help you make the right decision. No need for time-consuming research or scrolling through information to find what you need. So, go ahead and save yourself some time – try it out for your next project.



At-a-glance comparison table to help you make the right decision, fast.

# YOUR BACK-POCKET MAINTENANCE TEAM

Introducing the Watco App – a faster, easier way to manage your industrial floor maintenance



## GET WHAT YOU NEED WITH JUST ONE TAP

Just like our products, we've made the app easy to use so you can get what you are looking for in just a few steps.



## SEARCH, BROWSE AND BUY

Browse through thousands of market leading products, add to your favourites and checkout faster.




## INSTANT HELP AND SUPPORT ON THE GO

Chat or video call with one of our expert technical advisors as if they are right there with you.



## ACCESS ALL THE CONTENT YOU EVER NEED

Make use of relevant product information, data sheets and, videos and application guides all in one place.



Available to download on the App Store or Google Play.







If it's got **watco**® on the tin, you can be sure it's like no other product you can buy. Easy to use, consistently reliable and backed-up by unrivalled knowledge and service.



#### VISIT OUR WEBSITE

When it comes to protecting people from slips and trips in your premises, or even outside, prevention is the best approach. If you would like further information on how maintain a safe environment, please visit the "Help & Advice" section on our website.

[GO TO WEBSITE](#)



#### SPEAK TO AN EXPERT

Contact our expert advisors using the details below:

Email: [sales@watco.co.uk](mailto:sales@watco.co.uk)

Telephone: 01483 418 418

Live Chat: [watco.co.uk](https://www.watco.co.uk)

Watco UK Ltd,  
Eastgate Court,  
195-105 High Street,  
Guildford, Surrey  
GU1 3AW

[CALL AN EXPERT](#)



#### DOWNLOAD THE APP

You can also download the Watco App for instant help and support on the go, including live chats and video calls with our technical advisors, easy and instant quote management, and even virtual site visits.

[DOWNLOAD APP](#)