

# CONTI+ RANGE

Hygiene & Disinfection 2020

AVAILABLE  
NOW



# CONTI+ hygiene

## CONTI+ hygiene concept

With the comprehensive CONTI+ hygiene concept, we offer you a complete range for your building. Protect your customers, employees, colleagues and yourself, safe in the knowledge that you are in compliance with hygiene requirements.

Keep safe!



# CONTI+ oXan®

For hand hygiene and for disinfecting surfaces, appliances and tools.



## CONTI+ oXan® clean disinfectant

- Residue-free elimination of germs and bacteria
- Prevention of germ multiplication
- No toxicity to mucous membranes or eyes
- No hazardous substance label
- pH neutral
- Suitable for human hygiene

**CONB92100100** – 100 ml spray bottle  
Ready-to-use solution

**CONB92100500** – 500 ml spray bottle  
Ready-to-use solution

**CONB92205010** – 10 l bag-in-box  
Ready-to-use solution

**CONB92200010** – 10 l bag-in-box  
Concentrate

# CONTI+ soap & disinfection

WHILE STOCKS LAST



## SteelTec DESIGN

- Soap and disinfectant dispenser
- Touch-free
- Battery operation, optional mains connection
- Wall mounted or on a stand
- LED light to indicate operation
- Matt stainless steel and vandal-proof
- 950 ml capacity

**CONT17200810282**



## SteelTec DESIGN MEDIC

- Soap and disinfectant dispenser
- Touch-free
- Battery operation, optional mains connection
- Wall mounted or on a stand
- Meets EN 71-3 standard
- Matt stainless steel and vandal-proof
- 950 ml capacity

**CONT17200811282**



## SteelTec DESIGN manual

- Soap and disinfectant dispenser
- Manually operated dispenser
- Wall mounted or on a stand
- Matt stainless steel and vandal-proof
- 1200 ml capacity

**CONT17200710296** – Liquid soap

**CONT17200710297** – Disinfectant



## BJÖRK electronic

- Soap and disinfectant dispenser
- Touch-free IR sensor
- Battery operation, optional mains connection
- Wall mounted or on a stand
- LED light to indicate operation
- Matt black stainless steel housing
- Choice of 6 cover plates
- 950 ml capacity

**CONT17600813056**



## BJÖRK manual

- Soap and disinfectant dispenser
- Manual operation
- Lock and universal key
- Wall mounted or on a stand
- Matt black stainless steel housing
- Choice of 6 cover plates
- 1200 ml capacity

**CONT17670013125** – Liquid soap

**CONT17670013145** – Disinfectant



## Washbasin and floor stands

- For attaching SteelTec and BJÖRK disinfectant dispensers
- With and without drip tray
- Portable, for use in highly frequented areas or at entrances
- Made of steel and aluminium in matt black and other colours

**CONT43600073181** – Floor stand 155 cm

**CONT43600083176** – Washbasin stand 65 cm

**CONT43600073135** – Floor stand 140 cm



## CLEANLINE

- Soap dispenser
- Touch-free
- Battery operation, optional mains connection
- Wall mounted
- Stainless steel with plastic top/bottom
- 800 ml capacity

**CONT17200810847** – Liquid soap

**CONT17200810846** – Disinfectant



## HK IRSR

- Disinfectant dispenser
- Touch-free
- Battery operation, optional mains connection
- Wall mounted
- Stainless steel with plastic top/bottom
- 800 ml capacity

**CONT17500810031**



## ELEGANCE

- Soap and disinfectant dispenser
- Touch-free, battery operated
- Wall mounted or on a stand
- With fill level indicator
- Housing made of impact-resistant plastic
- 1100 ml capacity

**CONT17500810717** – Liquid soap

**CONT17500810718** – Disinfectant

Further colours, designs and models available – just ask us for more information.

# CONTI+ soap & disinfection

WHILE STOCKS LAST



- SC 7501 – the small disinfectant dispenser**
- Disinfectant dispenser
  - Touch-free
  - Battery operation
  - Wall mounted
  - Plastic
  - 500 ml capacity

**CONT17500817501**



- SC-268L**
- Disinfectant dispenser
  - Manual operation
  - Wall mounted
  - Aluminium housing
  - Stainless steel pump handle
  - 1000 ml capacity

**CONT17700710268**



- Soap and disinfectant dispenser, white**
- Soap and disinfectant dispenser
  - Manual operation
  - With removable refill container
  - Wall mounted
  - Housing: powder coated stainless steel, white
  - 600 ml capacity

**CONT17500710833** – Liquid soap  
**CONT17500710838** – Disinfectant



- Soap and disinfectant dispenser, white**
- Soap and disinfectant dispenser
  - Manual operation
  - With removable refill container
  - Wall mounted
  - Housing: powder coated stainless steel, white
  - 1200 ml capacity

**CONT17500710830** – Liquid soap  
**CONT17500710840** – Disinfectant



- Manual soap dispenser, stainless steel**
- Soap dispenser
  - Manual operation
  - With removable refill container
  - Wall mounted
  - Housing: stainless steel
  - 600 ml capacity

**CONT17200710834**



- Manual soap dispenser, stainless steel**
- Soap and disinfectant dispenser
  - Manual operation
  - With removable refill container
  - Wall mounted
  - Housing: stainless steel
  - 1200 ml capacity

**CONT17200710831** – Liquid soap  
**CONT17200710841** – Disinfectant



- Wall soap dispenser**
- Soap dispenser
  - Manual operation
  - Wall mounted
  - Theft-proof fixing, lockable from above
  - Satin stainless steel
  - 1000 ml capacity

**CONT17200710305**



- Wall soap dispenser**
- Soap dispenser
  - Wall mounted with 2 drilling holes
  - Stainless steel matt or chrome plated
  - 150 ml capacity

**CONT17300710150** – Chrome  
**CONT17200710150** – Stainless steel



- Washbasin soap dispenser, short**
- Soap dispenser for washbasin mounting
  - Manual operation
  - Tamper-proof dosing pump
  - Liquid soap refilled from above
  - Plastic refill container
  - Chrome
  - 500 ml capacity

**CONT17300730062**



- Washbasin soap dispenser, long**
- Soap dispenser for washbasin mounting for a panel thickness of up to 50 mm
  - Manual operation
  - With reservoir, refillable from above and below
  - Pumping height: approx. 1500 mm
  - 1000 ml capacity

**CONT17300731149** – Chrome  
**CONT17200731149** – Stainless steel



- Refill container**
- Refill container for liquid soap dispenser
  - Plastic
  - 500 ml capacity

**CONO750500**



- Soap refill container**
- Liquid soap
  - pH neutral
  - Chloride and halogen free

**CONO750001** – 1000 ml  
**CONO750010** – 10000 ml

# CONTI+ hand dryers

WHILE STOCKS LAST



## SteelTec AE DESIGN

- Hand dryer
- Touch-free IR sensor
- With induction motor
- Adjustable activation distance
- Adjustable air speed
- Wall mounted
- Stainless steel

**CONT21200810280** – Matt stainless steel  
**CONT21100810290** – Polished stainless steel



## SteelTec MINI DESIGN

- Hand dryer
- Touch-free IR sensor
- With induction motor
- Adjustable activation distance
- Adjustable air speed
- Wall mounted
- Matt stainless steel

**CONT21200810281**



## SteelTec TURBO DESIGN

- Hand dryer
- Touch-free IR sensor
- Powerful commutator motor
- Adjustable activation distance
- Adjustable air speed
- Wall mounted
- Matt stainless steel

**CONT21200810288**



## BJÖRK

- Hand dryer
- Touch-free IR sensor
- Powerful commutator motor
- LED light to indicate operation
- Adjustable activation distance
- Adjustable air speed
- Matt black stainless steel housing

**CONT21600813006**



## AE hand dryer

- Touch-free IR sensor
- Wall mounted
- With induction motor
- White

**CONT21500810261**



## Hand and hair dryer

- Touch-free operation
- Wall mounted
- With pushbutton activation
- With induction motor
- White

**CONT26500710100**



## TURBO hand dryer

- Touch-free IR sensor
- Wall mounted
- Extremely hygienic
- Electronic time switch
- Steel housing

**CONT21500810246** – White  
**CONT21200810247** – Polished stainless steel



## TURBO hand dryer

- For installation behind a mirror or cabinet
- Housing and nozzle made of brushed stainless steel
- Powerful commutator motor
- Electronic time switch
- Matt stainless steel

**CONT21200850244**



## Hand dryer

- Touch-free operation
- Wall mounted
- Noise-damped induction motor
- Robust metal housing
- Overheating protection and safety switch-off after 2 minutes of continuous operation
- Microprocessor electronics, waterproof
- Matt stainless steel

**CONT21200810000**



## MINI hand dryer

- IR sensor and electronic time switch
- Stops 2 seconds after hands removed or after 60 seconds of continuous operation
- Induction motor without carbon brushes
- Wall mounted
- Housing: die-cast aluminium
- White

**CONT21500810270**



## MAXI hand dryer

- Touch-free IR sensor and electronic time switch
- Robust, impact-resistant steel housing
- With a fixed outlet nozzle made of zinc with polished chrome plating
- Powerful commutator motor

**CONT21500810272** – White  
**CONT21300810274** – Chrome plated

# CONTI+ hand hygiene

WHILE STOCKS LAST



## SteelTec DESIGN

- Paper towel dispenser
- Wall mounted
- Vandal-proof lock
- Matt stainless steel
- Capacity: 400 sheets of 2-layer Z/C fold paper towels (max. 95x250 mm)

**CONT16200710286**



## BJÖRK

- Paper towel dispenser for centre pull paper rolls
- One-handed operation
- Wall mounted
- Lock and universal key
- Matt black stainless steel housing
- Choice of 6 cover plates


**CONT16670013275**



## Paper towel dispenser, surface mounted

- For wall mounting, with 3 drilling holes
- Lockable from above
- Matt stainless steel


**CONT16200010000**



## Paper towel dispenser, washbasin

- For vertical or horizontal washbasin installation
- Paper issued from the front or above
- Capacity: approx. 500 folded towels
- Matt stainless steel

**CONT16200030000**



## Paper towel dispenser, behind mirror

- For installation behind a mirror
- Paper issue below
- Filling from top
- Capacity: approx. 400 mm

**CONT16200050000**



## Sanitary bag dispenser

- For wall mounting, with 2 drilling holes
- Matt stainless steel
- Capacity: 1 pack containing 30 bags

**CONT16200040130**



## Paper towels

- Super soft
- 2-layer
- Interfold
- Z interfold
- White
- 5000 sheets

**CONO740000**



## Sanitary bags

- LDPE
- White
- 750 bags (25 refill boxes with 50 bags in each)

**CONO741000**



## Mesh basket

- For paper waste
- For use with or without waste bags
- Wire mesh
- With wall bracket
- Wall mounted or freestanding
- Stainless steel mesh, plastic coated
- 25 litre volume

**CONT18500000640** – White

**CONT18400000640** – Silver coloured (Rilsan coated)

# CONTI+ waste and sanitary bins

WHILE STOCKS LAST



## SteelTec DESIGN

- Waste and sanitary bin
- With hinged lid
- Wall mounted
- Fully welded, rustproof inner bin
- Vandal-proof lock
- Matt stainless steel, capacity: 11 litres

**CONT18270710279**



## SteelTec DESIGN

- Waste and sanitary bin
- Self-closing swing lid
- Wall mounted
- Fully welded, rustproof inner bin
- Vandal-proof lock
- Matt stainless steel

**CONT18270710294** – 12 litres  
**CONT18270710284** – 30 litres



## BJÖRK

- Waste bin
- Wall mounted
- Lock and universal key
- Door that opens at the side
- Capacity: 18 litres

**CONT18670013325**



## Flush mounted combination

- Sanitary and waste bin
- Wall installation
- Sanitary bag dispenser and waste bin, mounting frame
- Cover and lock mechanism
- Lockable from the front
- Matt stainless steel

**CONT16200040461**



## Paper waste bin, wall

- Wall mounted
- With 3 drilling holes
- Lockable from above
- Matt stainless steel

**CONT18200010602**



## Wastepaper bin, floor standing

- Floor standing
- With 4 rubber pads as feet
- Matt stainless steel

**CONT18200060640**



## Paper waste bin, wall

- For wall installation
- With mounting frame
- Lockable from the front
- Matt stainless steel

**CONT18200040644**



## Flush mounted combination

- For wall installation
- Consists of a paper towel dispenser and paper waste bin
- With mounting frame
- Lockable from the front
- Matt stainless steel

**CONT19200041060**



## SteelTec DESIGN

- Sanitary bin
- Wall mounted
- With hygienic tip-up lid
- Fully welded, rustproof inner bin
- Vandal-proof lock
- Matt stainless steel
- Capacity: 7 litres

**CONT18270710283**



## BJÖRK

- Sanitary bin
- Wall mounted
- With hinged lid
- Inner, spring-loaded bag holder
- Matt black stainless steel housing
- Capacity: 12 litres

**CONT18670013305**



## Sanitary bin

- Wall mounted with 3 drilling holes
- With integrated compartment for sanitary bags
- With hinged lid
- Matt stainless steel

**CONT18200010305**

# CONTI+ WC equipment

WHILE STOCKS LAST



## SteelTec DESIGN, 1 roll

- Toilet paper holder
- 1 standard paper roll
- Wall mounted
- Easy access when replacing paper rolls
- Matt stainless steel

**CONT13200710277**



## SteelTec DESIGN, 2 rolls

- Toilet paper holder
- 2 standard paper rolls
- Wall mounted
- Easy access when replacing paper rolls
- Matt stainless steel

**CONT13200710278**



## SteelTec DESIGN

- Toilet paper holder
- Various roll configurations
- Wall mounted
- Vandal-proof lock
- Easy access when replacing paper rolls
- Matt stainless steel

**CONT13200710285** – 4 standard paper rolls

**CONT13200710287** – 1 maxi paper roll

**CONT13200710289** – 1 standard + 1 maxi paper roll



## BJÖRK, 2 standard rolls

- Toilet paper holder
- 2 standard paper rolls
- Wall mounted
- Powder coated stainless steel housing, matt black

**CONT13600713375**



## BJÖRK, jumbo & 1 standard roll

- Toilet paper holder
- 1 jumbo and 1 standard paper roll
- Wall mounted
- Powder coated stainless steel housing, matt black

**CONT13600713355**



## Toilet paper holder

- Toilet paper holder
- Free fillable with 1 large roll
- Wall mounted
- Roll stop function and fill level indicator
- Lockable
- Satin stainless steel

**CONT13200010300**







# CONTI+ faucets

WHILE STOCKS LAST



### Washbasin faucets (ultra)

- Touch-free, electronically controlled
- With/without temperature control
- Stop valve included
- Battery, other models
- 3 heights, chrome plated, other colours

**162.040.11** – Without temperature control/drain assembly

**162.001.11** – With temperature control/drain assembly



### Washbasin faucets (lino/tipolino)

- Touch-free, electronically controlled or with electronic start/stop button
- With/without temperature control, non-pressurised
- With/without anti-scalding protection
- Battery, other models
- Chrome plated

**120.040.11** – Without temperature control/drain assembly

**120.001.11** – With temperature control/drain assembly



### Washbasin faucets (iQ)

- Touch-free, electronically controlled
- With/without temperature control, non-pressurised
- Dual infrared sensors
- Battery, other models
- Chrome plated

**100.040.11** – Without temperature control/drain assembly

**100.001.11** – With temperature control/drain assembly



### Washbasin faucets (maxx/umaxx)

- Touch-free, electronically controlled
- With/without temperature control
- IR sensor
- Without drain assembly
- Battery, other models
- Chrome plated

**131.040.11** – Without temperature control

**131.000.11** – With temperature control



### Washbasin faucets (loopino)

- Touch-free, electronically controlled
- With/without temperature control, non-pressurised
- Dual infrared sensors
- Battery, other models
- Chrome plated

**150.040.11** – Without temperature control/drain assembly

**150.101.11** – With temperature control/drain assembly




### Automatic shut-off faucet (lino SofTouch)

- Mechanical, hydraulically controlled
- Smooth actuation, independent of water pressure
- With/without temperature control
- CONTI+ automatic shut-off cartridge technology
- Stainless steel

**CONM8110104000** – Without temperature control

**CONM8110204000** – With temperature control



### Flush mounted wall faucet (lino)

- Touch-free, electronically controlled
- With/without temperature control
- "Temporary off" and "continuous on" functions
- Hot water lock
- Battery, other models
- Spout: 120/170/220 mm
- Chrome plated

**120.331.11** – Without temperature control/120 mm

**120.371.11** – With temperature control/120 mm



### Surface mounted wall faucet (CONBASE)

- Touch-free, electronically controlled
- Connection from above/behind
- Without temperature control, with IR sensor
- Cold or premixed water
- Battery, other models
- Spout: 165/290 mm
- Matt stainless steel

**CONE3518178100** – Connection from above/165

**CONE3519178120** – Connection from behind/290



### Flush mounted wall faucet (CONGENIAL FIT)

- Touch-free, electronically controlled
- IR sensor
- With temperature control/thermostat
- Battery, other models
- Angular/oval
- Spout: 170/220 mm
- Stainless steel/chrome plated



**CONE7116218100** – Angular stainless steel

**CONE7156218100** – Angular chrome plated

**CONE7117218100** – Oval stainless steel

**CONE7157218100** – Oval chrome plated



# CONTI+ stainless steel washbasins

WHILE STOCKS LAST



**SteelTec (Kiel 300/430)**

- The designer washbasin
- Installation in the countertop/without overflow
- With/without faucet hole
- Drain valve/cover
- Matt stainless steel/bright stainless steel

**CONT01222230334** – Matt stainless steel/300

**CONT01122130400** – Matt stainless steel/430



**SteelTec (Fjell)**

- The small washbasin
- Wall mounted
- With faucet hole
- Can be mounted to the right or left
- Matt stainless steel

**CONT01212110230**



**SteelTec (Lund)**

- The round washbasin
- Installation in the countertop; glued into place
- With overflow
- With overflow assembly
- Stainless steel on the inside
- High gloss polish/satin on the outside

**CONT02121130305** – High gloss polish

**CONT02221130305** – Satin



**SteelTec (Malmoe)**

- The oval washbasin
- Wall mounted
- Without faucet hole
- With overflow
- Matt stainless steel

**CONT01211210415**



**SteelTec (Emden)**

- The sculpted washbasin
- Wall mounted
- With integral soap tray
- With overflow assembly
- With faucet hole
- With plug and chain
- Matt stainless steel

**CONT01212200420**



**SteelTec (Bergen)**

- The deep & hygienic washbasin
- Wall mounted
- With washboard stamping at the front
- With integral hygienic edge
- Without faucet hole
- Bergen 480
- Matt stainless steel

**CONT01221210480**



**SteelTec (Riga)**

- The gleaming washbasin
- Wall or rear panel mounted
- Vandal-proof design
- Without faucet hole/overflow
- Riga 340/400
- Matt stainless steel (outside), bright stainless steel (bowl)

**CONT01211210338** – 340

**CONT01211210400** – 400



**SteelTec (Riga drinking fountain)**

- The SteelTec drinking fountain
- Incl. drinking fountain faucet
- Vandal-proof design
- Without overflow
- Riga 400 T
- Matt stainless steel (outside), bright stainless steel (bowl)

**CONT04210210338**



**SteelTec (Visby)**

- The laboratory washbasin
- Wall mounted
- With rear panel
- With/without grille
- Without faucet hole
- Matt stainless steel

**CONT05221210390** – 390

**CONT05211210330** – 330

**CONT05211210450** – 450



**SteelTec (Fjord)**

- The wash trough
- Wall mounted
- Seamlessly pressed
- Without overflow
- Without faucet hole
- Matt stainless steel

**CONT07211211201** – 1200

**CONT07211211801** – 1800

# CONTI+ urinals

WHILE  
STOCKS LAST



## SteelTec (Malme)

- Sit-down WC
- Installed in combination with flush mounted cisterns
- Connection from behind
- Noise-reducing foaming
- For common toilet wall mounted flush valves and cisterns
- Choice of seat colours

**CONT08230011000**



## SteelTec (Malme)

- Squat WC
- Profiled foot surface
- Connection from behind
- Without overflow
- For common DN20 toilet wall mounted flush valves and cisterns
- Matt stainless steel

**CONT08210200700**



## SteelTec urinal (Oslo)

- Standing WC
- Wall or rear panel mounted
- Vandal-proof design
- With mesh drain
- With flexible water connection
- With spray nozzle
- Matt stainless steel; bright stainless steel on the inside

**CONT08200010500** – Wall mounted

**CONT08200020500** – Rear panel mounted



## SteelTec (partition)

- Urinal partition
- Wall mounted with concealed wall bracket
- Accessory for the SteelTec urinal (Oslo)
- Matt stainless steel

**CONT09200010383**



# CONTI+ urinal flush valves

WHILE  
STOCKS LAST



## Concealed urinal flush valves U10 (lino)

- Touch-free, electronically controlled
- Robust concealed urinal flush valve
- IR sensor
- Fully fitted kit
- Battery, other models
- Matt chrome panel/white windows
- White panel/white windows

**220.000.43** – Matt chrome/white  
**220.000.33** – White/white



## Concealed urinal flush valves U18 (lino)

- Touch-free, electronically controlled
- Dual infrared sensors
- Fully fitted kit
- Battery, other models
- Front panel: toughened glass, white
- Front panel: toughened glass, black
- Mounting frame, chrome

**260.000.31** – White  
**260.000.71** – Blak



## Concealed urinal flush valve U28 (iQ)

- Touch-free, electronically controlled
- Flush mounted without electrical wiring
- Dual infrared sensors
- Fully fitted kit
- Battery, other models
- Stable front panel: brushed stainless steel
- Mounting frame: chrome plated brass

**201.000.01**



## Exposed urinal flush valve U60 (lino)

- Touch-free, electronically controlled
- Wall mounted without electrical wiring
- Robust brass housing, polished
- Dynamic IR sensor
- Stop valve with dirt filter and collar
- Chrome plated

**220.100.11**



## Reliable & innovative

For over 45 years, the CONTI+ brand has been recognised for flexible and holistic shower room and washroom solutions for public, semi-public and commercial environments as well as the health sector.

Known for its innovative technology and high grade materials, the brand has gained a reputation for unfailing quality. With a wide-ranging product portfolio and many years of experience creating custom designs, CONTI+ is now widely recognised among design engineers and architects for its valuable contribution to their projects. Every last detail is contemplated when developing tailor-made products, resulting in smart, individual solutions to suit a plethora of applications and equipment. The choice of shower and washbasin fittings encompasses a variety of colours and finishes as well as options for surface or flush mounting. Naturally sustainability, hygiene and reliability are prime considerations in the development of all products.

Thanks to its dependable quality and innovative technology, CONTI+ has remained a trusted brand throughout the world for over 45 years.

Available from:

Cloakroom Solutions Ltd  
020 3011 1014  
info@cloakroomsolutions.co.uk  
www.cloakroomsolutions.co.uk



Certificates are product related and not valid in general

CONTI Sanitärarmaturen GmbH  
Hauptstraße 98  
35435 Wettenberg | Germany  
Tel. +49 641 98221 0  
Fax +49 641 98221 50  
info@conti.plus  
www.conti.plus

Member of Fortuna Group 

